

**Name of Journal:** *World Journal of Orthopedics*

**ESPS Manuscript NO:** 16941

**Manuscript Type:** Original Article

*Retrospective Study*

**Outcomes of tenodesis of the long head of the biceps tendon more than 3 months after rupture**

Patrick J McMahon, Andrea Speziali

**Abstract**

**AIM:** To demonstrate that long head of the biceps tendon (LHBT) tenodesis is

### Match Overview

1	Internet 26 words crawled on 30-Jul-2014 <a href="#">office-ergo.com</a>	1%
2	Internet 25 words crawled on 10-Jan-2014 <a href="#">amonfermynd.com</a>	1%
3	Internet 20 words crawled on 13-Dec-2012 <a href="#">snzeeland.nl</a>	<1%
4	CrossCheck 10 words Fritsch, M. "Absence of the long head of biceps tendon in an unstable shoulder", Injury Extra, 200512	<1%
5	Internet 10 words crawled on 24-Feb-2014 <a href="#">www.ncbi.nlm.nih.gov</a>	<1%

[全部](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 10,700 条结果 (用时 0.64 秒)

### Symptomatic chronic long head of biceps rupture: Surgical ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者: CY Ng - 2012 - 被引用次数: 5 - 相关文章

**Results:** There were 10 men and one woman with an average age at surgery of 41 years ... **Rupture** of the **long head of biceps (LHB) tendon** most frequently occurs ... and subsequently undergone **biceps tenodesis** at least **3 months after injury**. ... The elbow and shoulder were **then** moved through full range to assess the ...

### Rupture of the long head biceps tendon treated with ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者: S Gumina - 2011 - 被引用次数: 8 - 相关文章

Published online 2010 Aug 3. doi: 10.1007/s00264-010-1099-0. PMCID: PMC3080507.

**Rupture** of the **long head biceps tendon** treated with **tenodesis** to the coracoid process. **Results** at **more than** 30 years .... A mean of nine **months** (range, 11–17) **after** surgery, all professional gymnasts had returned to sporting activity, ...

### Rupture Long Head Biceps - Physiopedia, universal access ...

[www.physio-pedia.com/Rupture\\_Long\\_Head\\_Biceps](http://www.physio-pedia.com/Rupture_Long_Head_Biceps) ▾ [翻译此页](#)

**Rupture** of the **biceps tendon** often occurs **after** a sudden contraction of the ... **Long head of biceps tendon rupture** occurs in 31%-56% of isolated subscapular tears. ... Men suffer of biceps **rupture more** commonly **than** women, but this difference ... Rotator Cuff tears of a duration longer **than 3 months** and an area of 5 cm<sup>2</sup>.

### Is a Biceps Tenodesis the Answer? - Mike Reinold

[www.mikereinold.com/.../is-a-biceps-tenodesis-the-answer.html](http://www.mikereinold.com/.../is-a-biceps-tenodesis-the-answer.html) ▾ [翻译此页](#)

2012年10月22日 - What is a SLAP **Tear** and **Biceps Tenodesis**? ... Contraction of the **long head** of the **biceps** in this position has been shown to reduce anterior ..... A lo **more** mobile and pain free **than** my other **3** operations. ... **Then after 9 months** of traditional physio I forcibly requested a referral to a consultant surgeon

Outcomes of tenodesis of the long head of the biceps tendon more than three



全部

图片

新闻

视频

更多 ▾

搜索工具

找到约 8,200 条结果（用时 0.75 秒）

## Symptomatic chronic long head of biceps rupture: Surgical ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > PubMed Central (PMC) ▾ 翻译此页

作者: CY Ng - 2012 - 被引用次数: 5 - 相关文章

**Results:** There were 10 men and one woman with an average age at surgery of 41 years ... **Rupture of the long head of biceps (LHB) tendon most** frequently occurs ... and subsequently undergone **biceps tenodesis** at least **3 months after injury**. ... The elbow and shoulder were **then** moved through full range to assess the ...

## Rupture of the long head biceps tendon treated with ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > PubMed Central (PMC) ▾ 翻译此页

作者: S Gumina - 2011 - 被引用次数: 8 - 相关文章

Published online 2010 Aug 3. doi: 10.1007/s00264-010-1099-0. PMCID: PMC3080507.

**Rupture of the long head biceps tendon treated with tenodesis** to the coracoid process. **Results at more than** 30 years .... A mean of **nine months** (range, 11–17) **after** surgery, all professional gymnasts had returned to sporting activity, ...

## Rupture Long Head Biceps - Physiopedia, universal access ...

[www.physio-pedia.com/Rupture\\_Long\\_Head\\_Biceps](http://www.physio-pedia.com/Rupture_Long_Head_Biceps) ▾ 翻译此页

**Rupture of the biceps tendon** often occurs **after** a sudden contraction of the ... **Long head of biceps tendon rupture** occurs in 31%-56% of isolated subscapular tears. ... Men suffer of biceps **rupture more** commonly **than** women, but this difference ... Rotator Cuff tears of a duration longer **than 3 months** and an area of 5 cm<sup>2</sup>.

## Ask Dr. Geier – Distal Biceps Rupture | Dr. David Geier ...

[www.drdauidgeier.com/ask-dr-geier-distal-biceps-rupture-8-15...](http://www.drdauidgeier.com/ask-dr-geier-distal-biceps-rupture-8-15...) ▾ 翻译此页

2011年8月14日 - I have a distal **biceps tendon rupture** that occurred on May 13th while arm wrestling. ... The weakness is **more** related to decreased supination **than** elbow