

Name of Journal: World Journal of Orthopedics

ESPS Manuscript NO: 20124

Manuscript Type: EDITORIAL

Understanding the pathogenesis of hip fracture in the elderly, Osteoporotic theory is not reflected in the outcome of prevention programmes

Enrique Guerado

Rosa M Sandalio

Zaira Caracuel







找到约 10,100 条结果 (用时0.30秒)

▶ 我的著作引用情况



### 文章

我的图书馆

时间不限

2015以来 2014以来 2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页 简体中文网页

✓ 包括专利✓ 包含引用

≥ 创建快讯

小提示: 只搜索中文(简体)结果,可在学术搜索设置 指定搜索语言

Implementation of multifactorial interventions for fall and fracture prevention

AJ Campbell, MC Robertson - Age and ageing, 2006 - Br Geriatrics Soc

Prescribing the right treatment requires an understanding of the processes which lead to falls, and knowledge of the ... Yet, in a follow-up of treatment after a fracture, the use of secondary preventive strategies ... Vitamin D3 and cal-cium to prevent hip fractures in elderly women. 被引用次数: 79 相关文章 所有 12 个版本 引用 保存

Injurious falls among middle aged and older adults with multiple sclerosis

EW Peterson, CC Cho, L von Koch ... - Archives of physical ..., 2008 - Elsevier

Descriptive details of the participants according to time of the most recent fall-related injury (ie, never, ≤6mo ago, >6mo ago) are provided in table 2. The types of injuries reported (based on open-ended questions) are shown in table 3. Fractures were the ... Fracture, 80. Hip, (12). ... 被引用次数: 128 相关文章 所有 9个版本 引用 保存

Osteoporosis in men: diagnosis, pathophysiology, and prevention.

JA Jackson, M Kleerekoper - Medicine, 1990 - journals.lww.com

\_\_\_\_factors such as interleukin I and other lymphokines (50, 150) may have pathogenetic roles. \_\_\_\_ Understanding of the multifactorial pathophysi- ology of involutional bone loss in men is gradually \_\_\_ Reduction in gonadal function with age may be involved in the pathogenesis of bone \_\_\_ 被引用次数: 219 相关文章 所有 5个版本 引用 保存

Knowledge about osteoporosis: assessment, correlates and outcomes

P Werner - Osteoporosis International, 2005 - Springer

... 5,6]. Osteoporosis has frequently been called a "silent disease", due to the fact that it is asymptomatic until a fracture occurs [7 ... The risk factors most commonly assessed include: lack of exercise, a diet low in calcium, and family history of fractures or osteopo- rosis. and treatment ... 被引用次数。116 相关文章 所有 9 个版本 引用 保存

oxfordjournals.org 中的 [PDF]



### 学术搜索

找到约 10,100 条结果 (用时0.14秒)

## 文章

我的图书馆

时间不限 2015以来

2014以来 2011以来

自定义范围...

### 按相关性排序

按日期排序

#### 搜索所有网页

中文网页 简体中文网页

✔ 包括专利

▼ 包含引用

■ 创建快讯

### 小提示: 只搜索中文(简体)结果,可在学术搜索设置 指定搜索语言

# Implementation of multifactorial interventions for fall and fracture prevention

AJ Campbell, MC Robertson - Age and ageing, 2006 - Br Genatrics Soc

... Prescribing the right treatment requires an understanding of the processes which lead to falls, and knowledge of the ... Yet, in a follow-up of treatment after a fracture, the use of secondary preventive strategies ... Vitamin D3 and cal-cium to prevent hip fractures in elderly women. ... 被引用次数: 79 相关文章 所有 12 个版本 引用 保存

# Injurious falls among middle aged and older adults with multiple sclerosis

EW Peterson, CC Cho, Lvon Koch... - Archives of physical ..., 2008 - Elsevier

### Osteoporosis in men: diagnosis, pathophysiology, and prevention.

JA Jackson, M Kleerekoper - Medicine, 1990 - journals lww.com

factors such as interleukin I and other lymphokines (50, 150) may have pathogenetic roles.
Understanding of the multifactorial pathophysi- ology of involutional bone loss in men is gradually.
Reduction in gonadal function with age may be involved in the pathogenesis of bone...
被引用次数: 219 相关文章 所有 5个版本 引用 保存

### Knowledge about osteoporosis: assessment, correlates and outcomes

P Werner - Osteoporosis International, 2005 - Springer

5,6]. Osteoporosis has frequently been called a "silent disease", due to the fact that it is asymptomatic until a fracture occurs [7... The risk factors most commonly assessed include: lack of exercise, a diet low in calcium, and family history of fractures or osteopo- rosis.... and treatment 被引用次数: 115 相关文章 所有 9 个版本 引用 保存

oxfordjournals.org 中的 [PDF]



#### Understanding the pathogenesis of hip fracture in the elderly, osteoporotic th



全部

新闻

图片 视频 更多▼

搜索工具

找到约 73,000 条结果 (用时 0.78 秒)

#### Prevention and Clinical Management of Hip Fractures in ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▼ 翻译此页 作者: IB Menzies - 2010 - 被引用次数: 7 - 相关文章

Improving hip fracture prevention and outcomes in patients with dementia. Despite the high financial and social costs of hip fractures and dementia, our understanding of ... Treatment of osteoporosis in Alzheimer disease has been shown to be .... low incidence of delirium (24%) is a geriatric fracture center program utilizing.... 缺少字词: theory

#### Handout on Health: Osteoporosis

www.niams.nih.gov/Health.../Osteoporosis/osteoporosis hoh.as... ▼ 翻译此页 Also covered are risk factors for osteoporotic fractures, ways to prevent the ... Osteoporosis; Preventing Falls Among Seniors; Recommended Calcium and Vitamin D. Intakes .... Scientists do not yet clearly understand all the factors that affect bone quality ..... Exercise is an important part of an osteoporosis treatment program. 缺少字词: theory

#### [PDF] Clinician's Guide - National Osteoporosis Foundation

nof.org/files/nof/public/content/file/344/upload/159.pdf ▼ 翻译此页 Clinician's Guide to Prevention and Treatment of, Osteoporosis. ... universal recommendations for osteoporosis prevention outlined in this Guide. .... In particular, hip fractures result in 10 to 20 percent excess mortality within one year1 ..... femoral neck BMD and the clinical risk factors shown in Table 3.8 The FRAX® 缺少字词: theory

#### Fulltext - Dove Medical Press

https://www.dovepress.com/practical-implications-for-nurses-ca...▼翻译此页