

## Match Overview

1	<b>Internet</b> 103 words crawled on 05-May-2010 <a href="http://www.atgcchecker.com">www.atgcchecker.com</a>	4%
2	<b>CrossCheck</b> 89 words Lee, Young-Kyun, Ki-Choul Kim, Yong-chan Ha, and Kyung-Hoi Koo. "Combined Anterior and Posterior Approach i....	4%
3	<b>Internet</b> 39 words crawled on 13-Jan-2010 <a href="http://sarcoma.org">sarcoma.org</a>	2%
4	<b>CrossCheck</b> 26 words Ahmed Shawky Eid. "Pasteurized autograft-prosthesis composite for proximal femoral reconstruction: an alternativ....	1%
5	<b>CrossCheck</b> 24 words Yoon, Byung-Ho, Young-Kyun Lee, Yong-Chan Ha, and Kyung-Hoi Koo. "Contemporary Ceramic Total Hip Arthropl....	1%
6	<b>CrossCheck</b> 15 words Michael J. Joyce. "Management of Skeletal Metastases in Renal Cell Carcinoma Patients", Clinical Management of R	1%

Name of Journal: *World Journal of Orthopedics*

ESPS Manuscript NO: 25319

Manuscript Type: ORIGINAL ARTICLE

*Retrospective Study*

**Trochanter/calcar preserving reconstruction in tumors involving the femoral head and neck**

Hwan Seong Cho, <sup>10</sup>Young-Kyun Lee, Yong-Chan Ha, Kyung-Hoi Koo

**Abstract**

AIM: To evaluate the results of hip reconstruction with extensive excision for tumor confined to the femoral head and neck.

**METHODS:** We designed a resection preserving the greater trochanter and lower portion of calcar femorale, and utilized conventional total hip prosthesis. We retrospectively reviewed 7 patients, who underwent a wide resection and reconstruction using conventional hip prosthesis. There were 3 men and 4 women



全部 图片 新闻 视频 更多 ▾ 搜索工具

找到约 6,970 条结果 (用时 0.57 秒)

### [PDF] 29 Proximal and Total Femur Resection with Endoprosthe...

[www.sarcoma.org/publications/mcs/ch29.pdf](http://www.sarcoma.org/publications/mcs/ch29.pdf) ▾ 翻译此页

作者: J Bickels - 被引用次数: 7 - 相关文章

2001年2月22日 - preservation, capsulorrhaphy around the prosthetic neck, and reconstruction ... intra-articular resection of the femoral head and neck ... prior to resection of tumors of the proximal femur. ... The greater trochanter was spared and reconstructed with a cable ... Limb-sparing surgery that involves endoprosthetic.

缺少字词: calcar

### [PDF] Femoral Head & Neck Osteotomy - Clinician's Brief

[www.cliniciansbrief.com/sites/.../FemoralHeadandNeck.pdf](http://www.cliniciansbrief.com/sites/.../FemoralHeadandNeck.pdf) ▾ 翻译此页

Femoral head and neck osteotomy (FHO) is a commonly performed procedure for ... Preservation and reconstruction of ... palpation of the lesser trochanter is possible and should ... insertion is preserved during the excision of the femoral neck.

缺少字词: calcar tumors

### [PDF] TRI-LOCK® BONE PRESERVATION STEM

[synthes.vo.llnwd.net/.../DPY\\_Tri\\_Lock\\_Surgical\\_Technique\\_0...](http://synthes.vo.llnwd.net/.../DPY_Tri_Lock_Surgical_Technique_0...) - 翻译此页

Preservation Stem system used with DePuy Synthes Joint Reconstruction metal on polyethylene and ... The TRI-LOCK Bone Preservation Stem neck geometry has been optimized to improve ... trochanter (or greater trochanter) landmark to the ... and the center of rotation of the femoral head constitutes ... Calcar Preparation.



全部 图片 新闻 视频 购物 更多 ▾ 搜索工具

找到约 6,460 条结果 (用时 0.85 秒)

### [PDF] 29 Proximal and Total Femur Resection with Endoprosthe...

[www.sarcoma.org/publications/mcs/ch29.pdf](http://www.sarcoma.org/publications/mcs/ch29.pdf) ▾ 翻译此页

作者: J Bickels - 被引用次数: 7 - 相关文章

2001年2月22日 - prosthetic reconstruction, 13, 14 and prosthetic-allograft composites. 15  
... preservation, capsulorrhaphy around the prosthetic neck, and ... lesser trochanter and  
distally to the distal diaphyseal- ... intra-articular resection of the femoral head and neck  
... prior to resection of tumors of the proximal femur.

缺少字词: calcar

### [PDF] TRI-LOCK® BONE PRESERVATION STEM

[synthes.vo.llnwd.net/.../DPY\\_Tri\\_Lock\\_Surgical\\_Technique\\_0...](http://synthes.vo.llnwd.net/.../DPY_Tri_Lock_Surgical_Technique_0...) - 翻译此页

Preservation Stem system used with DePuy Synthes Joint Reconstruction metal on  
polyethylene and ... The TRI-LOCK Bone Preservation Stem neck geometry has been  
optimized to improve ... trochanter (or greater trochanter) landmark to the ... and the  
center of rotation of the femoral head constitutes ... Calcar Preparation.

### Calcar Preservation Arthroplasty for Unstable ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > Literature > PubMed Central (PMC) - 翻译此页

作者: M Celiktas - 2015 - 相关文章

2015年11月13日 - Calcar preservation arthroplasty is a good option for elderly patients  
with severe ... head was removed leaving the rest of the femoral neck and femoral calcar.  
... Five trials involving 623 patients compared the intramedullary hip screw ... Retaining of



全部 图片 新闻 视频 更多 ▾ 搜索工具

找到约 3,450 条结果 (用时 0.65 秒)

### [PDF] DePuy LPS - Golden State Orthopaedics

[www.gsortho.org/.../dpy\\_lps\\_limb\\_preservation\\_sys\\_surgtech\\_...](http://www.gsortho.org/.../dpy_lps_limb_preservation_sys_surgtech_...) ▾ 翻译此页

Significant bone loss requiring extensive **reconstruction** around the hip and knee is often required following the treatment of malignant bone **tumors**, aggressive benign bone **tumors**, ... joint arthroplasty. the DePuy LPS™ (Limb **Preservation** System) is designed with .... **femoral head**. this minimum resection level includes the.

### [PDF] TRI-LOCK® BONE PRESERVATION STEM

[synthes.vo.llnwd.net/.../DPY\\_Tri\\_Lock\\_Surgical\\_Technique\\_0...](http://synthes.vo.llnwd.net/.../DPY_Tri_Lock_Surgical_Technique_0...) ▾ 翻译此页

**Preservation** Stem system used with DePuy Synthes Joint **Reconstruction** metal on polyethylene and ... The TRI-LOCK Bone **Preservation** Stem **neck** geometry has been optimized to improve ... **trochanter** (or greater **trochanter**) landmark to the ... and the center of rotation of the **femoral head** constitutes ... **Calcar** Preparation.

### Surgery for pathological proximal femoral fractures, excluding ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > PubMed Central (PMC) ▾ 翻译此页

作者: M Zacherl - 2011 - 被引用次数: 14 - 相关文章

2010年12月1日 - Pathological **femoral head and neck** fractures are commonly treated by arthroplasty. Treatment options for the **trochanteric** region or below are not clearly defined. ... tissue resection and **reconstruction** by means of different implants. ... Exclusion criteria were primary bone **tumour**, impending fracture and ...

### Management of skeletal metastases: An orthopaedic surgeon'...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > PubMed Central (PMC) ▾ 翻译此页

作者: MG Agarwal - 2015 - 被引用次数: 2 - 相关文章

MeSH terms: Metastases, fracture, pathological, bone **cancer** ... than 2.5 cm, fracture of adjacent lesser **trochanter** and persistent pain after radiation. .... Lesions of the **femoral neck and head** are best treated with hip arthroplasty as ... The challenge lies in