



25189-Review

Quotes Excluded
Bibliography Excluded7%
SIMILAR

Name of Journal: *World Journal of Orthopedics*

ESPS Manuscript NO: 25189

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Femoro Patella Vialla Patellofemoral Arthroplasty: An independent assessment of outcomes at minimum 2 year follow-up.

Mansur Halai, Andrew Ker, Iain Anthony, Graeme Holt, Bryn Jones, Mark Blyth

Abstract

AIM: We determine outcomes using the Femoro-Patella Vialla (FPV) arthroplasty and if there is an ideal patient for this implant.

METHODS: A total of 41 Femoro-Patella Vialla patellofemoral joint

Match Overview

1	Internet 105 words crawled on 16-Apr-2016 boneandjoint.org.uk	4%
2	CrossCheck 31 words The Knee Joint , 2012.	1%
3	CrossCheck 15 words Rishi R Gupta. "Scientific evidence for the use of modern patellofemoral arthroplasty". Expert Review of Medical Devices	1%
4	CrossCheck 10 words Jonathan S Mulford. "Revision of isolated patellofemoral arthroplasty to total knee replacement". Current Orthopaedics	<1%
5	CrossCheck 9 words Bozic, Kevin J., Kevin Ong, Steven Kurtz, Edmund Lau, Thomas P. Vail, Harry Rubash, and Daniel Berry. "Short-term	<1%
6	CrossCheck 9 words "Abstracts: Poster Presentations for Eurospine Annual Meeting 2013", European Spine Journal, 2013.	<1%

全部

图片

新闻

视频

更多 ▾

搜索工具

获得 9 条结果 (用时 0.27 秒)

Patellofemoral arthroplasty - ScienceDirect.com

www.sciencedirect.com/science/article/.../S1877056813002703 ▾ 翻译此页

作者: S Lustig - 2014 - 被引用次数: 3 - 相关文章

2014年1月9日 - **Patellofemoral arthroplasty** remains controversial, primarily due to the ... But more work is required to **assess** the long-term **outcomes** of ... MacKeever first proposed a vitallium patellar resurfacing implant in arthroplasty: a multi-centre study with **minimum 2-year follow-up** **Femoro-patellar** prosthesis.

Patellofemoral Joint Replacement - Bone & Joint

www.boneandjoint.org.uk/.../patellofemoral-joint-replacement ▾ 翻译此页

Young patients with isolated patellofemoral arthritis represent a difficult clinical problem ... partial lateral **patellar** facetectomy, microfracture, mosaicplasty/autologous replacement – **independent assessments** of early functional **outcomes**, ... **Patellofemoral arthroplasty**: a multi-centre study with **minimum 2-year follow-up**.

Medium term results of Avon patellofemoral joint replacement

[www.ncbi.nlm.nih.gov/.../PubMed Central \(PMC\)](http://www.ncbi.nlm.nih.gov/.../PubMed Central (PMC)) ▾ 翻译此页

作者: PK Sarda - 2011 - 被引用次数: 19 - 相关文章

Total knee **arthroplasty** is not recommended for isolated **patella** femoral ... All forty five patients had **minimum three year followup** and had the data ... The patients were **assessed** using knee function score and Melbourne **patellofemoral** score. ... The Avon **patellofemoral joint replacement** provides predictably good **results** ...

缺少字词: femoro vialla

The Avon patellofemoral joint replacement: Independent ...

www.researchgate.net/.../40042219_The_Avon_patellofemoral... - 翻译此页

The Avon **patellofemoral joint replacement: Independent assessment** of early functional ... patient who had had a failed autologous chondrocyte implantation of the **patella**: ... **outcomes** with 100% survivorship at 5 and 2 **years follow-up**, respectively. ... All forty five patients had **minimum three year followup** and had the data ...

Isolierter patellofemoraler Gelenkersatz - Springer

link.springer.com/article/10.1007%2Fs00142-015-0029-y - 翻译此页

作者: G Pagenstert - 2015 - 相关文章

2015年7月30日 - The **results** are provided with an emphasis on the respective levels of evidence. ... This is supported by case series with **follow-up** periods of 10 **years** and also

全部

图片

新闻

视频

更多 ▾

搜索工具

找到约 22 条结果 (用时 0.59 秒)

Patellofemoral arthroplasty - ScienceDirect

www.sciencedirect.com/science/article/pii/S1877056813002703 ▾ 翻译此页

作者: S Lustig - 2014 - 被引用次数: 6 - 相关文章

2014年1月9日 - Patellofemoral arthroplasty remains controversial, primarily due to the ... But more work is required to assess the long-term outcomes of ... MacKeever first proposed a vitallium patellar resurfacing implant in arthroplasty: a multi-centre study with minimum 2-year follow-up Femoro-patellar prosthesis.

The Avon patellofemoral joint replacement | The Bone & Joint Journal

www.boneandjoint.org.uk/content/91-B/12/1579 ▾ 翻译此页

作者: I Starks - 2009 - 被引用次数: 28 - 相关文章

2009年11月30日 - This is the first independent assessment of this prosthesis using both ... total knee replacement (TKR) primarily for patellofemoral disease. Although the ... Results. No patient was lost to follow-up, leaving 37 knees available for ... Her OKS was 44 and Melbourne patellar score 28 at the two-year review.

Patellofemoral arthroplasty, where are we today? (PDF Download ...

https://www.researchgate.net/.../221693176_Patellofemoral_arthroplasty_where_are_... ▾

2012年2月27日 - Official Full-Text Publication: Patellofemoral arthroplasty, where are we ... More work is required to assess the long-term outcomes of modern implant designs. IV. reported a 16 % revision at 2-year follow-up thought to be ... follow-up, they found lateral patellar subluxation in two Femoro Patella Vialla.

@@112058@@ : Patellofemoral arthroplasty - EM|consulte

www.em-consulte.com/en/module/displayarticle/article/864500/.../vue5 - 翻译此页

But more work is required to assess the long-term outcomes of modern implant designs. ... Keywords : Patellofemoral arthroplasty, Patellofemoral osteoarthritis ... MacKeever first proposed a vitallium patellar resurfacing implant in 1955, which, I and II implants and reported a 16% revision rate after two years

[全部](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 29 条结果 (用时 0.77 秒)

Patellofemoral arthroplasty - ScienceDirect

www.sciencedirect.com/science/article/pii/S1877056813002703 ▾ [翻译此页](#)

作者: S Lustig - 2014 - 被引用次数: 6 - [相关文章](#)

2014年1月9日 - [Patellofemoral arthroplasty](#) remains controversial, primarily due to the ... But more work is required to [assess](#) the long-term [outcomes](#) of ... MacKeever first proposed a vitallium [patellar](#) resurfacing implant in arthroplasty: a multi-centre study with [minimum 2-year follow-up](#) [Femoro-patellar](#) prosthesis.

The Avon patellofemoral joint replacement | The Bone & Joint Journal

www.boneandjoint.org.uk/content/91-B/12/1579 ▾ [翻译此页](#)

作者: I Starks - 2009 - 被引用次数: 28 - [相关文章](#)

2009年11月30日 - This is the first [independent assessment](#) of this prosthesis using both ... total knee [replacement](#) (TKR) primarily for [patellofemoral](#) disease. Although the ... [Results](#). No patient was lost to [follow-up](#), leaving 37 knees available for ... Her OKS was 44 and Melbourne [patellar](#) score 28 at the two-year review.

The Avon patellofemoral arthroplasty | The Bone & Joint Journal

www.bjj.boneandjoint.org.uk/content/89-B/3/310 ▾ [翻译此页](#)

作者: CE Ackroyd - 2007 - 被引用次数: 147 - [相关文章](#)

2007年3月13日 - We report the mid-term [results](#) of a new [patellofemoral arthroplasty](#) for We used the Oxford score with a [minimum](#) of 0 for the worst [outcome](#) and a maximum of 48 for Greisamer R. [Patellofemoral arthroplasty: 2-12 year follow-up](#) study. Early revisions of the [Femoro-Patella Violla](#) joint replacement.

Patellofemoral arthroplasty, where are we today? (PDF Download ...

https://www.researchgate.net/.../221693176_Patellofemoral_arthroplasty_where_are_... ▾

2012年2月27日 - Official Full-Text Publication: [Patellofemoral arthroplasty](#), where are we ... More work is required to assess the long-term [outcomes](#) of modern implant designs. It ... reported a 16% revision