



35773-Review

Quotes Excluded
Bibliography Excluded3%
SIMILARName of Journal: *World Journal of Orthopedics*

Manuscript NO: 35773

Manuscript Type: Original Article

Retrospective Study

Evaluation of 1031 primary titanium nitride coated mobile bearing total knee arthroplasties in an orthopedic clinic

Stefan JM Breugem, Jeroen Linnartz, Inger Sierevelt, Jon D Bruijn, Marcel JM Driessen

Abstract

Purpose: Very little is known what the influence of the titanium nitride coating on the results of a Total Knee Arthroplasty (TKA) has. Therefore the primary goal is to report overall clinical outcome, evaluating pain and patient satisfaction and the mid term implant survival.

Methods: A total of 910 patients (338 men; 572 woman), with a mean age of 65

Match Overview

- | Match Number | Source | Words | Similarity |
|--------------|---|----------|------------|
| 1 | Crossref | 35 words | 1% |
| | van Hove, Ruud P., Richard M. Brohet, Barend J. van Roye n, and Peter A. Nolte. "No clinical benefit of titanium nitric... | | |
| 2 | Internet | 15 words | <1% |
| | crawled on 05-May-2016
www.ics.org | | |
| 3 | Crossref | 14 words | <1% |
| | Zhi-ming Huang. "Rotating-platform knee arthroplasty: a ...
view and update : Rotating-platform knee arthroplasty", Or | | |
| 4 | Crossref | 11 words | <1% |
| | Rothman, R.H.. "Secondary Resurfacing of the Patella af...
r Primary TKA: Does the Anterior Knee Pain Resolve?", Th | | |
| 5 | Internet | 11 words | <1% |
| | crawled on 25-Jun-2016
arthritis.pure.elsevier.com | | |
| 6 | Crossref | 10 words | <1% |
| | Parvizi, J.. "Secondary Resurfacing of the Patella After Pl...
mary Total Knee Arthroplasty", The Journal of Arthroplasty, | | |

[全部](#)[图片](#)[购物](#)[新闻](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 4,140 条结果 (用时 0.52 秒)

No clinical benefit of titanium nitride coating in cementless mobile ...<https://www.ncbi.nlm.nih.gov/pubmed/25283502> - 翻译此页

作者 : RP van Hove - 2015 - 被引用次数 : 10 - 相关文章

2014年10月5日 - It is yet unknown whether TiN coating of total knee prosthesis (TKP) affects the postoperative clinical outcome of total knee arthroplasty (TKA). ... received an uncemented mobile-bearing CoCrMo TKP, either TiN coated or uncoated. ... was used to evaluate the postoperative outcome measures over time.

Titanium-Nitride Coating of Orthopaedic Implants: A Review of the ...<https://www.hindawi.com/journals/bmri/2015/485975/> - 翻译此页

作者 : RP van Hove - 2015 - 被引用次数 : 23 - 相关文章

2015年5月24日 - Titanium-Nitride Coating of Orthopaedic Implants: A Review of the Literature ... The clinical benefit of TiN-coating of CoCrMo knee implant surfaces should (UHMWPE) wear [35], more resistance to fretting and corrosion [5, 36, 37], nitride coating in cementless mobile-bearing total knee arthroplasty.* ...

[PDF] Medium term outcome of Titanium Nitride, mobile bearing total knee ...www.actaorthopaedica.be/acta/download/.../18-Mohammed%20et%20al.pdf ▼ 翻译此页

作者 : A MOHAMMED - 2014 - 被引用次数 : 6 - 相关文章

2014年6月19日 - surface Titanium Nitride ceramic, mobile-bearing total knee replacement ... eral procedures (305 total knee replacements in total). 289 (97%) of ...

[PDF] Outcomes of cementless unicompartmental and total knee arthroplast...https://www.researchgate.net/...total_knee_arthroplasty...review/.../Outcomes... ▼ 翻译此页

2016年12月5日 - review was performed to assess recent outcomes of cementless Unicompartmental knee arthroplasty (UKA) and total knee ... Cemented fixation is most commonly used, according to national registries. ... No clinical benefit of titanium nitride coating in cementless mobile-bearing total

[全部](#)[图片](#)[新闻](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 121 条结果 (用时 0.60 秒)

[PDF] download as a PDF - Joint Implant Surgery & Research Foundationwww.jisrf.org/pdfs/rr.4.4.pdf ▼ [翻译此页](#)

REVIEW OFFICIAL JOURNAL OF THE Joint Implant Surgery and Research Foundation Blood Conservation Strategies in Total Hip and Knee Arthroplasty condylar offset on knee flexion after cruciate-sacrificing mobile-bearing total knee re- Ultra hard titanium nitride coating helps to extend curette life by.

1031 Exchange Vacation Homes, Primary Residences, Mixed Use ...<https://www.accruitt.com/1031.../1031-exchange-rules-vacation-homes-prim...> ▼ [翻译此页](#)

2015年4月1日 - 1031 Exchange Rules for Vacation Homes, Primary Residences, and ... an exchange on the investment/business use of the property if the total ...

缺少字词: evaluation titanium nitride coated mobile bearing knee arthroplasties orthopedic clinic

Ten Things to Know About 1031 Exchanges - Forbes<https://www.forbes.com/.../capital-gains-tax-1031-vacation-home-personal-f...> ▼ [翻译此页](#)

2010年1月26日 - Broadly stated, a 1031 exchange (also called a like-kind exchange or a ... and business property, so you can't swap your primary residence for ...

缺少字词: evaluation titanium nitride coated mobile bearing total knee arthroplasties orthopedic clinic

[PDF] Contents - EFORThttps://www.efort.org/wp-content/uploads/2017/06/SCIPROG_VIE2017.pdf

2017年6月1日 - Comprehensive Review Course. 13 ... And do not forget to attend the Advanced Course In Total Knee and ... Albanian Association of Orthopaedic Surgery and Traumatology METAL-ON-METAL BEARING IN TOTAL HIP ARTHROPLASTY Components Coated With Titanium Nitride: A Retrieval Study.

[全部](#)[图片](#)[购物](#)[新闻](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 150 条结果（用时 0.54 秒）

[PDF] [download as a PDF - Joint Implant Surgery & Research Foundation](#)

www.jisrf.org/pdfs/rr.4.4.pdf ▼ [翻译此页](#)

REVIEW. OFFICIAL JOURNAL OF THE. Joint Implant Surgery and Research biomechanics and orthopedic surgery. His Blood Conservation Strategies in Total Hip and Knee Arthroplasty mobile bearing [MB]) [30] and whether the implant sacri- Ultra hard titanium nitride coating helps to extend curette life by.

[1031 Exchange Vacation Homes, Primary Residences, Mixed Use ...](#)

<https://www.accruit.com/.../1031-exchange-rules-vacation-homes-primary-r...> ▼ [翻译此页](#)

2015年4月1日 - 1031 Exchange Rules for Vacation Homes, Primary Residences, and ... an exchange on the investment/business use of the property if the total ...

缺少字词: evaluation titanium nitride coated mobile bearing knee arthroplasties orthopedic clinic

[Residence Topics - 1031 Corporation](#)

<https://www.efirstbank1031.com/advancedTopics/residenceTopics.htm> ▼ [翻译此页](#)

The Internal Revenue Code is clear that property used primarily for personal use - a primary residence, a second home or vacation home - does not qualify for ...

缺少字词: evaluation titanium nitride coated mobile bearing total knee arthroplasties orthopedic clinic

[1031 Exchange Manual - 1031 Corporation](#)

<https://www.efirstbank1031.com/.../3.50ten31ExchangeManual.htm> ▼ [翻译此页](#)

This free 1031 exchange manual can be obtained in PDF format or view the online version. ... It also provides information on the rules of 1031 boot, advanced 1031 ... as well when a taxpayer is estimated his total tax from the sale of real estate. ... A second residence which is not the taxpayer's primary residence for the ...

缺少字词: titanium nitride coated mobile bearing knee arthroplasties orthopedic clinic