



33148-Review.docx

Quotes Excluded
Bibliography Excluded5%
SIMILAR

Name of Journal: *World Journal of Orthopedics*

Manuscript NO: 33148

Manuscript Type: Original Article

Retrospective Study

Acetabular revisions using porous tantalum components: A retrospective study with 5-10 years follow-up

Francesco Roberto Evola, Luciano Costarella, Giuseppe Evola, Martina Barchitta, Antonella Agodi, Giuseppe Sessa

Abstract

AIM: The aim is to evaluate the clinical and X-ray results of acetabular components and tantalum augments in prosthetic hip revisions

METHODS: 58 hip prostheses with primary failure of the acetabular component were reviewed with tantalum implants. The clinical records and X-rays of these cases were

Match Overview

| | | |
|---|--|-----|
| 1 | Crossref 66 words Batuyong, Eldridge D., Hugh S. Brock, Nikhil Thiruvengadam, William J. Maloney, Stuart B. Goodman, and James I. Hu | 2% |
| 2 | Internet 26 words crawled on 10-Sep-2016 ftp.palgrave-journals.com | 1% |
| 3 | Crossref 24 words De Martino, Ivan, Vincenzo De Santis, Peter K. Sculco, Rocco D'Apolito, Lazaros A. Poultides, and Giorgio Gasparin | 1% |
| 4 | Crossref 16 words Betrosian, Alex P., Frantzeska Frantzeskaki, Anna Xanthaki, and George Georgiadis. "High-dose ampicillin-sulbactam | 1% |
| 5 | Internet 15 words crawled on 28-Dec-2016 office.wjgnet.com | <1% |
| 6 | Internet 11 words crawled on 15-Dec-2016 www.scielo.br | <1% |

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 4,920 条结果 (用时 0.61 秒)

Google 学术: ACETABULAR REVISIONS USING POROUS TANTALUM COMPONENTS: A RETROSPECTIVE STUDY WITH 5-10 YEARS FOLLOW-UP

... alumina sockets: a minimum 5-year followup study. - Bizot - 被引用次数: 91

... stereophotogrammetric analysis as a predictor of ... - Ryd - 被引用次数: 443

... with a monoblock porous tantalum glenoid component: ... - Budge - 被引用次数: 30

[PDF] ABSTRACT Oral - Hip International

www.hip-int.com/Attach/e8576c69-8eb2.../49705b43-d4a4-4eb7-b6a6-849868997409

A review of 215 primary hip arthroplasties performed using Metasul® (Sulzer, Winterthur In summary at the 10 years follow up, Metasul achieved in comparison to the ... retroversion exposed more of the acetabular component predisposing to impingement. ... The study was conducted retrospectively based on the.

Volume 468 | Issue 2 - Clinical Orthopaedics and Related Research ®

www.clinorthop.org/volume/468/issue/2 ▾ [翻译此页](#)

Patients were assessed for quality-of-life outcomes using the PAT-5D index, WOMAC, SF-36, and ... The minimum followup was 0.8 years (mean, 1.1 years; range, 0.8–2.2 years). ... Forty-eight patients were randomized in the study and a third group of 14 healthy Tantalum Components in Difficult Acetabular Revisions.



全部

图片

新闻

视频

购物

更多

设置

工具

找到约 9,290 条结果 (用时 0.77 秒)

Google 学术 : Acetabular revisions using porous tantalum components: A retrospective study with 5-10 years follow-up

... alumina sockets: a minimum 5-year followup study. - Bizot - 被引用次数 : 92

... stereophotogrammetric analysis as a predictor of ... - Ryd - 被引用次数 : 455

... with a monoblock porous tantalum glenoid component: ... - Budge - 被引用次数 : 32

[PDF] ABSTRACT Oral - Hip International

www.hip-int.com/Attach/e8576c69-8eb2.../49705b43-d4a4-4eb7-b6a6-849868997409

A review of 215 primary hip arthroplasties performed using Metasul® (Sulzer, Winterthur In summary at the 10 years follow up, Metasul achieved in comparison to the ... retroversion exposed more of the acetabular component predisposing to impingement. ... The study was conducted retrospectively based on the.

Surgical Follow-up and Outcomes sub-cluster 5 - BioMedSearch

www.biomedsearch.com/cluster/27/Surgical-Follow-up-and.../sub-5-p4.html ▼ 翻译此页

Results 151 - 200 of 1289 - Revision of failed total hip arthroplasty acetabular cups to ... that were revised using porous tantalum acetabular components and ... Custom cementless stem improves hip function in young patients at 15-year followup. ... The present retrospective study tested this hypothesis on revision THAs and ...

Volume 468 | Issue 2 - Clinical Orthopaedics and Related Research ®

www.clinorthop.org/volume/468/issue/2 ▼ 翻译此页

Patients were assessed for quality-of-life outcomes using the PAT-5D index, WOMAC, SF-36, and ... The minimum followup was 0.8 years (mean, 1.1 years; range, 0.8–2.2 years). ... Forty-eight patients were randomized in the study and a third group of 14 healthy Tantalum Components in Difficult Acetabular Revisions.

Acetabular revisions using porous tantalum components: A retrospective study wi

全部 图片 视频 新闻 地图 图书

找到约 9,360 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Google 学术: Acetabular revisions using porous tantalum components: A retrospective study with 5-10 years follow-up](#)

[... alumina sockets: a minimum 5-year followup study](#) - Bizot - 被引用次数: 92

[... stereophotogrammetric analysis as a predictor of ...](#) - Ryd - 被引用次数: 455

[... with a monoblock porous tantalum glenoid component: ...](#) - Budge - 被引用次数: 32

[PDF] [11th Congress - Hip International](#)

[www.hip-int.com/Attach/.../89c1fb92-daf3-4b1a-9ba5-e6190098d2ce](#) ▼

4 patients both components were re-revised, and in 2 only the acetabular component. ... THR was performed using long cementless fully porous stem and cemented Patients with minimum 2 year follow-up were included in this analysis (136 pa- A RETROSPECTIVE STUDY OF PATIENTS UNDERGOING TOTAL HIP.

[PDF] [ABSTRACT Oral - Hip International](#)

[www.hip-int.com/Attach/.../49705b43-d4a4-4eb7-b6a6-849868997409](#)

A review of 215 primary hip arthroplasties performed using Metasul® (Sulzer, Winterthur In summary at the 10 years follow up, Metasul achieved in comparison to the ... retroversion exposed more of the acetabular component predisposing to impingement. ... The study was conducted retrospectively based on the.

[Volume 468 | Issue 2 - Clinical Orthopaedics and Related Research®](#)

[www.clinorthop.org/volume/468/issue/2](#) ▼

Patients were assessed for quality-of-life outcomes using the PAT-5D index, WOMAC, SF-36, and ... The minimum followup was 0.8 years (mean, 1.1 years; range, 0.8–2.2 years). ... Forty-eight patients were randomized in the study and a third group of 14 healthy Tantalum Components in Difficult Acetabular Revisions.

[PDF] [Residents' Award Session - Societa' Italiana dell'Anca](#)

[www.societaitalianadellanca.eu/.../RESIDENTS_SESSIONS.pdf](#) ▼