

Name of journal: *World Journal of Orthopaedics*

Manuscript NO: 39639

Manuscript type: ORIGINAL ARTICLE

Retrospective Study

Screw placement is everything: Risk factors for loss of reduction with volar locking distal radius plates

Drobetz H *et al.* Risk factors for loss of position with VLDRP

Herwig Drobetz, Alyce Black, Jonathan Davies, Petra Buttner, Clare Heal

Match Overview

- | | | |
|---|--|----|
| 1 | Internet 115 words crawled on 04-Dec-2016 researchonline.jcu.edu.au | 4% |
| 2 | Crossref 47 words Drobetz, Herwig, Patrick Weninger, Caroline Grant, Clare He al, Reinhold Muller, Michael Schuetz, Minh Pham, and Rolan | 1% |
| 3 | Crossref 22 words Herwig Drobetz. "Influence of screw diameter and number on reduction loss after plating of distal radius fractures : A biom... | 1% |



文章

找到约 1,260 条结果 (用时0.09秒)

时间不限
2018以来
2017以来
2014以来
自定义范围...

按相关性排序
按日期排序

不限语言
中文网页
简体中文网页

包括专利
 包含引用

创建快讯

高权文献下载通道
60包月,480包年 可开发票

超越清华北大图书馆
十年老店, 数万会员验证

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Complications following internal fixation of unstable distal radius fracture with a palmar locking-plate

R Arora, M Lutz, A Hennerbichler... - ... of orthopaedic trauma, 2007 - journals.lww.com

Objectives:The increasing number of fixed-angle plate systems used to treat distal radius fractures.

☆ 99 被引用次数: 595 相关文章 所有 7 个版本

Volar locking plate implant prominence and flexor tendon rupture

M Soong, BE Earp, G Bishop, A Leung, P Blazar - JBJS, 2011 - journals.lww.com

Background: Flexor tendon injury is a recognized complication of volar plate fixation of distal radi.

☆ 99 被引用次数: 149 相关文章 所有 9 个版本

Fracture of the distal radius: risk factors for complications after locked volar plate fixation

M Soong, R van Leerdam, TG Guitton, C Got... - Journal of Hand ..., 2011 - jhandsurg.org

... to the plate, of which 9 were considered major (intra-articular screws and tendon ... to internal fixation, such as flexor and extensor tendon injury, and intra-articular screw placement ... a retrospective study at two level 1 trauma centers including all distal radius fractures treated with ...

☆ 99 被引用次数: 100 相关文章 所有 8 个版本

[PDF] academia.edu

Unstable distal radius fractures in the elderly patient—volar fixed-angle plate osteosynthesis prevents secondary loss of reduction

M Figl, P Weninger, J Jurkowitsch... - Journal of Trauma ..., 2010 - journals.lww.com

Background: Because of demographic changes in industrialized countries, signifying a growing populat.

☆ 99 被引用次数: 79 相关文章 所有 8 个版本

[全部](#)[图片](#)[视频](#)[新闻](#)[更多](#)[设置](#)[工具](#)

找到约 18,100 条结果 (用时 0.67 秒)

[PDF] Mechanical failure of the distal radius volar locking plate

<https://pdfs.semanticscholar.org/.../6b9170e3801cba6dc7d8007e50dc39d96...> ▾ [翻译此页](#)

作者: TL Foo - 2013 - 被引用次数: 9 - [相关文章](#)

the volar locking plate for distal radial fractures. ... tendon irritation/attrition/rupture, **loss of reduction**, and intra-articular **screw placement**.4–8 Mechanical ... In one patient, all 3 distal row screws were broken van Leerdam R, Guillon TG, Got C, Katarincic J, Ring D. Fracture of the distal radius: **risk factors** for complications.

Mechanical Failure of the Distal Radius Volar Locking Plate

<journals.sagepub.com/doi/pdf/10.1177/230949901302100314> - [翻译此页](#)

作者: TL Foo - 2013 - 被引用次数: 9 - [相关文章](#)

the volar locking plate for distal radial fractures. ... tendon irritation/attrition/rupture, **loss of reduction**, and intra-articular **screw placement**.4–8 Mechanical ... In one patient, all 3 distal row screws were broken van Leerdam R, Guillon TG, Got C, Katarincic J, Ring D. Fracture of the distal radius: **risk factors** for complications.

Unstable Distal Radius Fractures Treated by Volar Locking Anatomical ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5324454/> ▾ [翻译此页](#)

作者: A Jose - 2017 - 被引用次数: 2 - [相关文章](#)

2017年1月1日 - The **reduction** and **screw placement** were checked under image intensifier.

Complications associated with plating include **risk** of infection as compared to ... Written informed consent was obtained from all the patients for ... Volar **plate** fixation of intra-articular distal radius fractures: a retrospective study.

找到约 17,800 条结果 (用时 0.54 秒)

[PDF] Mechanical failure of the distal radius volar locking plate

<https://pdfs.semanticscholar.org/.../6b9170e3801cba6dc7d8007e50dc39d96...> ▼ 翻译此页

作者: TL Foo - 2013 - 被引用次数: 9 - 相关文章

the volar locking plate for distal radial fractures. ... tendon irritation/attrition/rupture, loss of reduction, and intra-articular screw placement. 4-8 Mechanical ... In one patient, all 3 distal row screws were broken van Leerdam R, Guitton TG, Got C, Katarincic J, Ring D. Fracture of the distal radius: risk factors for complications.

Unstable Distal Radius Fractures Treated by Volar Locking Anatomical ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5324454/> ▼ 翻译此页

作者: A Jose - 2017 - 被引用次数: 2 - 相关文章

2017年1月1日 - The reduction and screw placement were checked under image intensifier, ... Complications associated with plating include risk of infection as compared to ... Written informed consent was obtained from all the patients for ... Volar plate fixation of intra-articular distal radius fractures: a retrospective study.

Distal radius nonunion after volar locking plate fixation of a distal ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5719214/> - 翻译此页

作者: T Shinohara - 2017 - 相关文章

He underwent open reduction and internal fixation with a volar locking plate ... as flexor and extensor tendon injury, and intra-articular screw placement have ... to postoperative loss of correction and nonunion, although locked plates act as ... of the distal radius: risk factors for complications after locked volar plate fixation.

Mechanical Failure of the Distal Radius Volar Locking Plate

<journals.sagepub.com/doi/pdf/10.1177/230949901302100314> - 翻译此页

作者: TL Foo - 2013 - 被引用次数: 9 - 相关文章