

Name of Journal: *World Journal of Orthopaedics*

Manuscript NO: 37434

Manuscript Type: Original Article

Retrospective Study

Complex knee injuries treated in acute phase: Long-term results using LARS artificial ligament

Gliatis *et al.* Early treatment of complex knee injuries

John Gliatis, Konstantinos Anagnostou, Pantelis Tsoumpas, Evdokia Billis, Maria Papandreou, Spyridon Plessas

John Gliatis, Konstantinos Anagnostou, Pantelis Tsoumpas, Department of Orthopaedic, University Hospital of Patras, Patras 25100, Greece

Abstract

AIM

To present the long-term results of complex knee injuries, treated early using the LARS artificial ligament to reconstruct posterior cruciate ligament (PCL).

符合内容总览

- | 序号 | 来源 | 字数 | 状态 | 日期 | 百分比 |
|----|---|-------|------|--------------------|-----|
| 1 | 互联网 | 79 个字 | 缓慢进行 | 于 2017 年 12 月 03 日 | 1% |
| | link.springer.com | | | | |
| 2 | Crossref | 69 个字 | | | 1% |
| | Ahn, J.H.. "Arthroscopic posterior cruciate ligament reconstruction using the posterior trans-sei" | | | | |
| 3 | Crossref | 45 个字 | | | 1% |
| | European Surgical Orthopaedics and Traumatology, 2014 | | | | |
| 4 | 互联网 | 42 个字 | 缓慢进行 | 于 2015 年 02 月 06 日 | 1% |
| | drrobertlaprademd.com | | | | |
| 5 | Crossref | 39 个字 | | | 1% |
| | The Knee Joint, 2012. | | | | |
| 6 | 互联网 | 39 个字 | 缓慢进行 | 于 2009 年 12 月 10 日 | 1% |
| | memo.cgu.edu.tw | | | | |
| 7 | 互联网 | 33 个字 | 缓慢进行 | 于 2009 年 12 月 22 日 | 1% |
| | www.evidenceinmotion.com | | | | |
| 8 | Crossref | 33 个字 | | | 1% |
| | Sports Injuries, 2015. | | | | |
| 9 | 互联网 | 22 个字 | 缓慢进行 | 于 2014 年 02 月 22 日 | <1% |
| | www.drmarx.com | | | | |
| 10 | Crossref | 22 个字 | | | <1% |
| | M. Bianchi. "Acute tears of the posterior cruciate ligament: Clinical study and results of operative" | | | | |



时间不限

2018以来

2017以来

2014以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☐ 包括专利

☐ 包含引用

☒ 创建快讯

seek68文献馆--各种中外期刊数据库!

不限IP | 包月下载 | 可开发票 | 九年金牌服务

小提示: 只搜索中文(简体)结果, 可在 [学术搜索设置](#) 指定搜索语言

Acute knee dislocation: an evidence based approach to the management of the multiligament injured knee

[NR Howells](#), [LR Brunton](#), [J Robinson](#), [AJ Porteus](#)... - *Injury*, 2011 - Elsevier

... Surgical treatment is complex and should be performed by a specialist knee surgeon familiar ... single ligament injuries that reconstruction is superior to repair for cruciate ligament injuries, and most ... currently insufficient evidence to support this in the context of the dislocated knee ...

☆ 99 被引用次数: 90 相关文章 所有 8 个版本

[HTML] Treatment of deep cartilage defects in the knee with autologous chondrocyte transplantation

[M Brittberg](#), [A Lindahl](#), [A Nilsson](#)... - *New england journal* ..., 1994 - Mass Medical Soc

... Arthroscopy in acute traumatic hemarthrosis of the knee: incidence of anterior cruciate tears and other injuries ... Hajek PC, Sartoris DJ, Resnick D. Articular cartilage defects: detectability in cadaver knees with MR ... Effect of repetitive impulsive loading on the knee joints of rabbits ...

☆ 99 被引用次数: 5251 相关文章 所有 9 个版本

Non-contact ACL injuries in female athletes: an International Olympic Committee current concepts statement

[P Renstrom](#), [A Ljungqvist](#), [E Arendt](#)... - *British journal of sports* ..., 2008 - [bjsm.bmj.com](#)

Skip to main content. This site uses cookies. More info By continuing to browse the site you are agreeing to our use of cookies. Find out more here.

☆ 99 被引用次数: 603 相关文章 所有 19 个版本

[HTML] A randomized trial of treatment for acute anterior cruciate ligament tears

[RB Frobell](#), [EM Roos](#), [HP Roos](#)... - ... *England Journal of* ..., 2010 - Mass Medical Soc

is warranted to assess longer-term outcomes, including the risk of knee osteoarthritis.3 ... The ... iate ligament and meniscus injuries: osteoarthritis ... patients'

[HTML] [nejm.org](#)

[HTML] [nih.gov](#)

[HTML] [nejm.org](#)



[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 130,000 条结果 (用时 0.49 秒)

Failure of Anterior Cruciate Ligament Reconstruction - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4628627/> ▼ 翻译此页

作者: G Samitier - 2015 - 被引用次数: 31 - 相关文章

Extensor mechanism dysfunction and infection can also **result** in failure (6,7). A very detailed definition of ACL-**reconstruction** failure has been published by Noyes and Barber-Westin (8). Their indications for revision surgery are: (1) a complete graft tear **with** > 6 mm of anterior tibial displacement as compared to healthy **knee** ...

Basic science of anterior cruciate ligament injury and repair - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3922117/> ▼ 翻译此页

作者: AM Kiapour - 2014 - 被引用次数: 86 - 相关文章

2014年2月1日 - This estimate does not consider the resources necessary for non-surgical **treatment**, or to **treat** the **long-term** complication of post-traumatic OA associated **with** both the ACL-**injured** and ACL-reconstructed **knee**. Moreover, patients who have suffered an ACL **injury** face **long-term consequences** that include ...

ISAKOS: 2017 Congress in Shanghai, China : ePosters

<https://www.isakos.com/2017/ePosters> ▼ 翻译此页

ePoster #226, **Long-term** Patient Reported **Outcomes** of Autologous Chondrocyte Implantation (ACI) **with** Concomitant Bone Grafting ("Sandwich-ACI") in Patients **with** ... ePoster #306, Viable Stem Cells Are in the **Injury** Effusion Fluid and Arthroscopic By-Products from **Knee** Cruciate **Ligament** Surgery: An in Vivo Analysis

[PDF] Ligament repair and reconstruction in traumatic dislocation of the knee

www.boneandjoint.org.uk/content/jbjsbr/85-B/6/845.full.pdf ▼ 翻译此页

作者: RYL Liow - 2003 - 被引用次数: 201 - 相关文章

e **treated** 21 patients **with** 22 dislocations of the **knee** by repair or **reconstruction** of all **injured ligaments**. Eight **knees** were **treated** in the **acute phase**. (less than two weeks after **injury**); the remainder were **treated** more than six months after **injury** (6 to 72). Reconstructions were carried out **with** a combination of autograft and