

11
Name of journal: *World Journal of Anesthesiology*

ESPS Manuscript NO: 19244

Manuscript Type: REVIEW

Zygapophysial joint pain in selected patients

23
Stephan Klessinger, Department of Neurosurgery, nova clinic, Eichendorffweg 5,
88400 Biberach, Germany and Department of Neurosurgery, University of Ulm, Ulm,
Germany

Abstract

The zygapophysial joints (z-joints), together with the intervertebral disc, form a func-

Match Overview

19	Internet 18 words crawled on 27-Oct-2010 emedicine.medscape.com	<1%
20	CrossCheck 17 words J MARKMAN. "DIAGNOSIS AND TREATMENT OF FACE ... MEDIATED CHRONIC LOW BACK PAIN", Current Therap	<1%
21	CrossCheck 16 words Bogduk, N.. "Evidence-informed management of chron ... low back pain with facet injections and radiofrequency n	<1%
22	CrossCheck 16 words Louis J. Raso. "Facet Joint Injections and Sacroiliac Joints Injections", Image-Guided Spine Interventions, 2010	<1%
23	CrossCheck 15 words Klessinger, Stephan, Wolfgang Freund, Georg Karpel-M assler, Christian Wirtz, Dietmar Thal, and Marc-Eric Hala	<1%
24	CrossCheck 13 words Keun-Man Shin. "Percutaneous aspiration of lumbar zyg apophyseal joint synovial cyst under fluoroscopic guid ...	<1%

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Chronic cervical zygapophysial joint pain after whiplash: a placebo-controlled prevalence study

SM Lord, L Barnsley, BJ Wallis, N Bogduk - Spine, 1996 - journals.lww.com

... was repeated until pain relief was obtained or until all relevant joints were excluded ... A diagnosis of C2-C3 zygapophysial joint pain was made if the patient's pain was completely and ... well, but headache was their dominant symptom (Figure 3). Besides neck pain and headache...

被引用次数: 492 相关文章 所有 7 个版本 引用 保存

Results of sacroiliac joint double block and value of sacroiliac pain provocation tests in 54 patients with low back pain

JY Maigne, A Aivaliklis, F Pfefer - Spine, 1996 - journals.lww.com

... This procedure, which has been used in recent studies of zygapophyseal joint pain 1,2 and ... possible that it can coexist in association with lumbar discogenic or facet pain or in ... SM, Wallis BJ, Bogduk N. The prevalence of chronic cervical zygapophysial joint pain after whiplash. ...

被引用次数: 492 相关文章 所有 6 个版本 引用 保存

Efficacy and validity of radiofrequency neurotomy for chronic lumbar zygapophysial joint pain

asipp.org 中的 [PDF]

P Dreyfuss, B Halbrook, K Pauza, A Joshi, J McLarty... - Spine, 2000 - journals.lww.com

... was relieved by controlled, diagnostic medial branch blocks of the lumbar zygapophysial joints, underwent lumbar ... with zygapophysial joint pain should obtain complete relief of their pain if the ... 16 Therefore, patients without true zygapophysial joint pain may have been treated. ...

被引用次数: 420 相关文章 所有 9 个版本 引用 保存

Percutaneous radio-frequency neurotomy for chronic cervical zygapophyseal-joint pain

asipp.org 中的 [PDF]

SM Lord, L Barnsley, BJ Wallis... - ... England Journal of ..., 1996 - Mass Medical Soc

... A Shortened Radiofrequency Denervation Method for Cervical Zygapophysial Joint Pain Based on ... (2011) Does Sensory Stimulation Threshold Affect Lumbar Facet Radiofrequency Denervation ...

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

 包括专利 包含引用 创建快讯**小提示:** 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言**Efficacy and validity of radiofrequency neurotomy for chronic lumbar zygapophysial joint pain**

asipp.org 中的 [PDF]

P Dreyfuss, B Halbrook, K Pauza, A Joshi, J McLarty... - Spine, 2000 - journals.lww.com

... was relieved by controlled, diagnostic medial branch blocks of the lumbar zygapophysial joints, underwent lumbar ... with zygapophysial joint pain should obtain complete relief of their pain if the ...
16 Therefore, patients without true zygapophysial joint pain may have been treated. ...

被引用次数: 420 相关文章 所有 9 个版本 引用 保存

Chronic cervical zygapophysial joint pain after whiplash: a placebo-controlled prevalence study

SM Lord, L Barnsley, BJ Wallis, N Bogduk - Spine, 1996 - journals.lww.com

... was repeated until pain relief was obtained or until all relevant joints were excluded ... A diagnosis of C2-C3 zygapophysial joint pain was made if the patient's pain was completely and ... well, but headache was their dominant symptom (Figure 3). Besides neck pain and headache ...

被引用次数: 492 相关文章 所有 7 个版本 引用 保存

Results of sacroiliac joint double block and value of sacroiliac pain provocation tests in 54 patients with low back pain

JY Maigne, A Aivaliklis, F Pfefer - Spine, 1996 - journals.lww.com

... This procedure, which has been used in recent studies of zygapophyseal joint pain 1,2 ... S, Bogduk N. Comparative anaesthetic blocks in the diagnosis of cervical zygapophysial joints pain. ... BJ, Bogduk N. The prevalence of chronic cervical zygapophysial joint pain after whiplash ...

被引用次数: 490 相关文章 所有 6 个版本 引用 保存

Percutaneous radiofrequency neurotomy in the treatment of cervical zygapophysial joint pain: a caution

SM Lord, L Barnsley, N Bogduk - Neurosurgery, 1995 - journals.lww.com

... C7 typically lack any cutaneous branches (4). Therefore, on anatomical grounds, pain from the

[网页](#)[图片](#)[视频](#)[新闻](#)[地图](#)[更多 ▾](#)[搜索工具](#)

找到约 107,000 条结果 (用时 0.65 秒)

显示的是以下查询字词的结果: **Zygapophyseal joint pain in selected patients**

仍然搜索: **Zygapophysial joint pain in selected patients**

Image-guided lumbar facet joint infiltration in nonradicular ...

www.ncbi.nlm.nih.gov > ... > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: A Chaturvedi - 2009 - 被引用次数: 8 - [相关文章](#)

Objective: To assess the efficacy of **facet joint** infiltrations for **pain** relief in 44 **selected patients** with chronic nonradicular low back **pain** (LBP).

Identifying patients with chronic low back pain likely to benefit

www.ncbi.nlm.nih.gov/pubmed/21445021 ▾ [翻译此页](#)

作者: F Tomé-Bermejo - 2011 - 被引用次数: 13 - [相关文章](#)

OBJECTIVE: This is a prospective study of a group of **patients** with chronic low back **facet joint pain**, meticulously **selected** using a combination of clinical history, ...

Commentary: Facet joint infiltration for chronic low back pain ...

www.ncbi.nlm.nih.gov > ... > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: A Gupta - 2009 - 被引用次数: 1 - [相关文章](#)

[6] Among the 44 **selected patients** with chronic low back **pain** treated with **facet joint** infiltration, 93% patients had **pain** relief at 1-month and as many as 62% ...

Percutaneous Lumbar Zygapophysial Joint Neurotomy ...

www.medscape.com/viewarticle/574921_1 ▾ [翻译此页](#)

In none of these trials were the **patients selected** on the basis of controlled ... Therefore, **patients** who did not have lumbar **zygapophysial joint pain** could have ...