

Name of Journal: *World Journal of Anesthesiology*

ESPS Manuscript NO: 27105

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Intrathecal morphine ¹² vs femoral nerve block for postoperative-analgesia after total knee arthroplasty: A two-year retrospective analysis

Kalindi DeSousa, Rajkumar Chandran

Match Overview

1	CrossCheck 60 words DeSousa, Kalindi A. "Intrathecal morphine for postoperative analgesia: Current trends", <i>World Journal of Anesthesiology</i>	2%
2	Internet 38 words crawled on 17-Aug-2010 onlinelibrary.wiley.com	1%
3	Internet 28 words crawled on 04-Jun-2013 www.ncbi.nlm.nih.gov	1%
4	Publications 28 words "Data from Turgut Ozal University Provide New Insights into Biopsies (The effects of hypnotherapy during)", <i>Medical</i>	1%
5	Internet 25 words crawled on 25-Apr-2016 dlv.org.rs	1%
6	Internet 21 words crawled on 23-Sep-2015 www.aetna.com	1%

学术搜索

找到约 277 条结果 (用时0.07秒)

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

 包括专利 包含引用

... with morphine, continuous epidural analgesia, and continuous three-in-one block on postoperative pain and knee rehabilitation after unilateral total knee arthroplasty

FJ Singelyn, M Deyaert, D Joris... - ... & Analgesia, 1998 - journals.lww.com

... A versus Group B versus Group C). Five patients in Group A, one patient in ... clonidine prolonged duration of both anesthesia and analgesia [26] after a single-shot brachial plexus ... and allow better and faster knee rehabilitation than IV PCA with morphine after elective unilateral ...

被引用次数: 714 相关文章 所有 6 个版本 引用

Does regional anaesthesia improve outcome after total hip arthroplasty? A systematic review

AJR Macfarlane, GA Prasad... - British journal of ... , 2009 - British Jnl Anaesthesia

... Compared with a placebo injection, a modified fascia-iliaca block reduced morphine consumption up to ... 68 Femoral nerve block alone, however, either as a single shot or continuous infusion was ... variety of surgery types found that overall mortality was reduced by one-third [odds ...

被引用次数: 131 相关文章 所有 7 个版本 引用

Epidural technique for postoperative pain: gold standard no more?

N Rawal - Regional anesthesia and pain medicine, 2012 - journals.lww.com

... These include paravertebral block for thoracotomy, femoral block for total hip and knee arthroplasty, wound catheter ... EPIDURAL ANALGESIA AND POSTOPERATIVE MORTALITY. ... other major surgery failed to show any decrease in mortality with perioperative epidural analgesia ...

被引用次数: 110 相关文章 所有 6 个版本 引用

Approaches to the lumbar plexus: success, risks, and outcome

X Capdevila, C Coimbra, O Choquet - Regional anesthesia and ... , 2005 - journals.lww.com

... 6,7 In one study, the distances varied from 57 to 93 mm in women and from 61 to ... the lumbar plexus have been described (Tables 1—5) and all have been used for both single - shot and continuous ... et al., 10 has proved to be more a 2 - in - 1 or solely a femoral block because the ...

被引用次数: 82 相关文章 所有 11 个版本 引用

学术搜索

找到约 37 条结果 (用时0.06秒)

文章

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

我的图书馆

[HTML] Postoperative pain control for **total knee arthroplasty**: continuous **femoral nerve block** versus intravenous patient controlled analgesia

RM Lee, JBL Tey, NHL Chua - Anesthesiology and pain medicine, 2012 - ncbi.nlm.nih.gov

... following **total knee arthroplasty**: comparison of low-dose **intrathecal morphine** and single ... Effects of intravenous patient-controlled analgesia with **morphine**, continuous epidural analgesia, and ... Continuous **femoral nerve block** in **total knee arthroplasty**: immediate and **two-year** ...

被引用次数: 14 相关文章 所有 10 个版本 引用 保存

时间不限

2016以来

2015以来

2012以来

自定义范围...

Continuous **femoral** versus epidural **block** for attainment of 120 **knee flexion after total knee arthroplasty**: a randomized controlled trial

N Sakai, T Inoue, Y Kunugiza, T Tomita... - ... Journal of **arthroplasty**, 2013 - Elsevier

... into two groups, a CEA group and a CFNB group, distinguished only by the **postoperative analgesia** technique ... A)). In the CEA group, one patient extracted the epidural catheter 8 h **after surgery**, one ... CEA = continuous epidural analgesia; CFNB = continuous **femoral nerve block**. ...

被引用次数: 27 相关文章 所有 6 个版本 引用 保存

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

Postoperative pain management **after total knee arthroplasty** in elderly patients: treatment options

CJL McCartney, K Nelligan - Drugs & aging, 2014 - Springer

... Gehling M, Tryba M. Risks and side-effects of **intrathecal morphine** combined with ... Effects of intravenous patient-controlled analgesia with **morphine**, continuous epidural analgesia, and ... The effect of single-injection **femoral nerve block** versus continuous **femoral nerve block after** ...

被引用次数: 13 相关文章 所有 8 个版本 引用 保存

 包括专利 包含引用 创建快讯

... Followed by Continuous **Femoral** Analgesia Compared with Oral Opioid Analgesia on Short - and Long - Term Functional Recovery **After Total Knee Replacement**



全部 视频 图片 新闻 更多 ▾ 搜索工具

找到约 3,780 条结果 (用时 0.91 秒)

Postoperative Pain Control for Total Knee Arthroplasty: Continuous ...

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者: RM Lee - 2012 - 被引用次数: 14 - 相关文章

2012年4月1日 - Pain **after total knee arthroplasty** is severe and impacts functional recovery. ... control **analgesia** (PCA) modalities **versus** continuous **femoral nerve** ... compared with 1003 patients with intravenous PCA over 4 **years**. ... Keywords: **Nerve Block**, **Analgesia**, Patient Controlled, Arthroplasty, Replacement, Knee.

Femoral nerve infusion after primary total knee arthroplasty - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者: MC Wyatt - 2015 - 被引用次数: 2 - 相关文章

2015年2月1日 - 2015 Feb; 4(2): 11-16. ... Effective analgesia **after total knee arthroplasty** (TKA) improves patient ... **block** and subarachnoid anaesthesia with **intrathecal morphine** for ... **Femoral nerve** continuous infusion **versus** single **nerve block** in the ... In recent **years**, **post-operative analgesia** has seen a decrease in ...

Analgesic Techniques in Hip and Knee Arthroplasty: From the Daily ...

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者: DM Anastase - 2014 - 被引用次数: 8 - 相关文章

2014年11月17日 - Primary **total arthroplasty** of the hip **or knee** is a common surgery today with ... opioids, and other **analgesics** **or** (2) **peripheral nerves blocks** with the use of ... **analgesia** (LIA)" for pain control **after total knee** and hip **arthroplasty**. ... LIA is similar to continuous **femoral nerve**, **intrathecal morphine analgesia**, **or** ...

Postoperative Pain Management After Total Knee Arthroplasty in ...

link.springer.com/article/10.1007/s40266-013-0148-y - 翻译此页

作者: CJL McCartney - 2014 - 被引用次数: 14 - 相关文章

2014年1月8日 - **Total knee arthroplasty** (TKA) is a common surgical procedure in the elderly ... 2