

Name of journal: *World Journal of Neurology*

ESPS Manuscript NO: 16451

Columns: Editorial

Mavridis' atrophy in Parkinson's disease-five years later: Future perspectives

Ioannis N Mavridis, Efstratios-Stylianos Pyrgelis

Abstract

Mavridis' atrophy (MA) is called the human nucleus accumbens (NA) atrophy in Parkinson's disease (PD). MA begins in early-stage PD patients and is correlated with psychiatric symptoms that occur in PD, mainly apathy and impulsive behaviour. It is also associated with cognitive PD symptoms. Purpose of this editorial was to discuss the future perspectives of MA as a

Match Overview

1	Internet 85 words crawled on 21-Nov-2012 worldwidescience.org	5%
2	Internet 61 words crawled on 12-Jul-2014 fmri.org	4%
3	Internet 55 words crawled on 22-Nov-2011 www.ncbi.nlm.nih.gov	3%
4	CrossCheck 27 words Baggio, Hugo Cesar, Bárbara Segura, Jose Luis Garrido-Millan, Maria-José Martí, Yaroslau Compta, Francesc V	2%
5	Internet 16 words crawled on 24-Nov-2009 www.studystack.com	1%
6	CrossCheck 15 words Havekes, R., "The cholinergic system and neostriatal memory functions", <i>Behavioural Brain Research</i> , 2011081	1%
7	Publications 14 words "Researchers at Institute for Clinical Neurobiology Talk about Parkinson's Disease.", <i>Obesity, Fitness & Wellness W</i>	1%
8	Internet 10 words crawled on 11-Oct-2013	1%



Mavridis' atrophy in Parkinson's disease-five years later



网页

图片

新闻

视频

更多 ▾

搜索工具

找到约 774 条结果 (用时 0.43 秒)

Reply: Is nucleus accumbens atrophy correlated with ... - Brain

brain.oxfordjournals.org/content/early/2014/07/.../brain.awu20... - 翻译此页

作者: O Monchi - 2014 - 相关文章

2014年7月17日 - 5 Year impact factor 10.846 ... Sir, We thank Dr Mavridis for this very thoughtful comment about nucleus ... accumbens volumes in patients with late-onset Alzheimer's disease compared to healthy controls (Pievani et al., 2013). In summary, nucleus accumbens atrophy in Parkinson's disease might be a ...

Nucleus accumbens and Parkinson's disease: Exploring the ...

<https://www.oapublishinglondon.com/article/1383> ▾ 翻译此页

作者: I Mavridis - 被引用次数: 3 - 相关文章

Mavridis' atrophy (MA) is called the parkinsonism-related shrinkage of the human NA. ... of patients and should be considered as an integral part of the disease. Four years after the discovery of MA, there are important studies confirming this ...

Mavridis' atrophy in Parkinson's disease: "The peak of the ...

www.intern-med.com/article.asp?issn...;year...Mavridis - 翻译此页

作者: IN Mavridis - 2014 - 相关文章

2014年9月26日 - Parkinson's disease (PD), a common neurologic disease, is an archetypal ... NA atrophy in PD, Mavridis' atrophy (MA), was discovered 4 years ago. ... NA atrophy in PD, called "Mavridis' atrophy" (MA), [4],[5],[6],[7] was ...



网页 图片 新闻 视频 更多 ▾ 搜索工具

找到约 25,800 条结果 (用时 1.05 秒)

Most popular articles - Journal of Translational Internal ...

www.intern-med.com/sitestatistics.asp ▾ 翻译此页

作者: PM Honore - 2014 - 被引用次数: 6 - 相关文章

PERSPECTIVES ... abandoned for almost 30 years because of significant renal and neurological ... Ischemia-induced complications in patients with chronic kidney disease corticosteroid dosage can be reduced or eliminated completely in the future. ...
Mavridis' atrophy in Parkinson's disease: "The peak of the iceberg"

Multiple system atrophy - Patient.co.uk

www.patient.co.uk ▾ Professional Reference ▾ 翻译此页

Multiple system atrophy (MSA) is a rare neurodegenerative disorder. ... These are characterised by Parkinsonian features of varying severity, Dysphagia within five years of motor onset. MSA-C ... these are later followed by increased residual urinal volume (as detected by bladder ultrasound). ... Future therapeutic options.

Cerebrospinal Fluid Biomarker Candidates for Parkinsonian ...

www.ncbi.nlm.nih.gov ▾ ... ▾ PubMed Central (PMC) ▾ 翻译此页

作者: R Constantinescu - 2012 - 被引用次数: 11 - 相关文章

2013年1月21日 - The Parkinsonian disorders have in common, to various degrees, the ...
Parkinsonian disorders (APD) belong multiple system atrophy (MSA), ... for now, incurable disorders will expand in the future (Dorsey et al, but normalized gradually and were normal at 1 year and later. Thus Future Perspectives.