

Teenage Pregnancy and Its Adverse Obstetric and Perinatal ... https://www.hindawi.com/journals/bmri/2020/3124847 •

Introduction. One of the major public health issues across the whole world these days is teenage pregnancy which is defined as being pregnant in the age ranging from 13–19 years. About 11% of all births which occurred worldwide accounted for girls aged 15 to 19 years. From these, 95% teenage deliveries occur in low- and middle-income countries.

(PDF) Adolescent Pregnancy: Risk Factors, Outcome and ...

https://www.researchgate.net/publication/305393238...

Jul 17, 2016 · p>Adolescent pregnancy, which is detrimental to the health of mother and child, is a common public health problem worldwide. It is one of the key issues concerning reproductive health of ...

EXPLORE FURTHER

Teen Pregnancy Risk Factors Among Young Women of Diverse ... pediatrics.aappublications.org
Risk and Protective Factors | Youth.gov youth.gov

Adolescent pregnancy - World Health Organization www.who.int

Teenage Pregnancy: Medical Risks and Realities
Recommended to you based on what's popular • Feedback


PEOPLE ALSO ASK	
Is adolescence pregnancy a public health problem?	~
What are the risk factors for teenage pregnancy?	~
Which is a significant factor in obstetric risk?	~
Why is unintended pregnancy more common in unmarried women?	~


Feedback

www.webmd.com

Reproductive, Maternal, Newborn, Child and Adolescent ... https://www.sciencedirect.com/science/article/pii/S221339841930034X

Mar 01, 2020 - Every year, only four Indian states (Rajasthan, Bihar, Madhya Pradesh, and Uttar





Teenage pregnancy and their sociodemographic attributes as a ma





Q

ALL

IMAGES

VIDEOS

11,400 Results

Any time *

Sociocultural factors contributing to teenage pregnancy in ...

https://www.researchgate.net/publication/308809963...

Background: Adolescent pregnancy is a major contributor to maternal and child mortality, and to the vicious cycle of ill-health and poverty.

Estimated Reading Time: 7 mins

Mapping adolescent first births within three east African ...

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4994382

Aug 23, 2016 - **Pregnancy** in adolescence can present a **major** barrier to the health and wellbeing of young women **and their** children, and can contribute to long term educational and socio-economic disadvantage. As we move towards the broader post 2015 Sustainable Development Goals agenda, attention is focussed more closely on how more nuanced indicators can highlight the needs of vulnerable sections of the population, and track how **their** ...

Cited by: 13 Author: Sarah Neal, Corrine Ruktanonchai, Venka...

Publish Year: 2016



Feedback

Mapping adolescent first births within three east African ...

https://reproductive-health-journal.biomedcentral.com/... •

Aug 23, 2016 · Early adolescent pregnancy presents a major barrier to the health and wellbeing of young women and their children. Previous studies suggest geographic heterogeneity in adolescent births, with clear "hot spots" experiencing very high prevalence of teenage pregnancy. As the reduction of adolescent pregnancy is a priority in many countries, further detailed information of the ...

Citod by 13

Author: Sarah Moal Corring Duktanonchai Monka