

Name of journal: *World Journal of Obstetrics and Gynecology*

ESPS Manuscript NO: 21043

Manuscript Type: MINIREVIEWS

Urinary Incontinence Following Obstetric Fistula Repair

Judith TW Goh, Hannah Krause

#### Abstract

Prolonged and/or obstructed labour is the most common cause of genital tract fistula world-wide, in particular, sub-Saharan Africa and parts of Asia where emergency obstetric services are unavailable or suboptimal to afford timely delivery of the baby. This results in pressure necrosis by the fetal presenting part at the level of the obstruction in the maternal pelvis. Other

#### Match Overview

1	CrossCheck 24 words Goh, Judith T. W., Hannah Krause, Azeb B. Tessema, and Genet Abraha. "Urinary symptoms and urodynamics followi ...	1%
2	CrossCheck 12 words "Joint Meeting of the International Continence Society and t he International UroGynecological Association, 34rd Ann ...	1%
3	CrossCheck 10 words Judith T. W. Goh. "Predicting the risk of failure of closure of obstetric fistula and residual urinary incontinence using a ...	<1%
4	CrossCheck 10 words Vaccaro, Christine M., Angela N. Fellner, and Rachel N. Pa uls. "Female sexual function and the clitoral complex usin ...	<1%
5	CrossCheck 10 words John H. Shepherd. "Conservative anterior exenteration with preservation of fertility potential and continent urinary dive ...	<1%

## Obstetric Fistula: Living With Incontinence and Shame

[www.ncbi.nlm.nih.gov/pmc/articles/PMC2621054/](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2621054/)

Over 2 million women worldwide have an **obstetric fistula**, with the majority of cases ... **Incontinent** of **urine** and/or stool, these women become ostracized and ... Once fetal death **from** asphyxiation occurs, the dead fetus is expelled. ... Using slave women as his subjects, he was able to successfully **repair** a VVF in 1849.

## Urinary and faecal incontinence following delayed primary repair of ...

[www.ncbi.nlm.nih.gov/pubmed/12135221](http://www.ncbi.nlm.nih.gov/pubmed/12135221)

BJOG. 2002 Jul;109(7):828-32. **Urinary** and faecal **incontinence** following delayed primary **repair** of **obstetric** genital **fistula**. Murray C(1), Goh JT, Fynes M, Carey....

## The problem of continuing urinary incontinence after obstetric ...

[www.rcog.org.uk/en/global-network/global-health-news/international-news/internat](http://www.rcog.org.uk/en/global-network/global-health-news/international-news/internat)

One study<sup>3</sup> of 22 women with severe incontinence following **fistula closure** underwent urodynamic assessment; 41% had genuine **stress incontinence** (GSI)....

## [PDF] 9 MANAGEMENT OF POST-REPAIR INCONTINENCE

[www.glowm.com/resources/glowm/pdf/POFS/POFS\\_Chap\\_09.pdf](http://www.glowm.com/resources/glowm/pdf/POFS/POFS_Chap_09.pdf)

It is one thing to be able to close a vesico-vaginal **fistula**, but it is another matter to ... The **management** of **post-repair stress incontinence** falls under four....

学术搜索

找到约 8,020 条结果 (用时0.08秒)

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☒ 包含引用

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

[HTML] Urinary and faecal incontinence following delayed primary repair of obstetric genital fistula

C Murray, JT Goh, M Fynes... - ... Journal of Obstetrics & ..., 2002 - Wiley Online Library

Objective To evaluate:(1) the factors associated with the development of obstetric genitourinary fistula,(2) the incidence of urinary and faecal incontinence following closure of the fistula and (3) the urodynamic findings in women with persistent urinary incontinence.

被引用次数: 52 相关文章 所有 6 个版本 引用

Prevention of residual urinary incontinence following successful repair of obstetric vesico-vaginal fistula using a fibro-muscular sling

A Browning - BJOG: An International Journal of Obstetrics & ..., 2004 - Wiley Online Library

Prevention of residual urinary incontinence following successful repair of obstetric vesico-vaginal fistula using a fibro-muscular sling-Browning-2004-BJOG: An International Journal of Obstetrics & Gynaecology-Wiley Online Library

被引用次数: 44 相关文章 所有 4 个版本 引用

[HTML] Risk factors for developing residual urinary incontinence after obstetric fistula repair

A Browning - BJOG: An International Journal of Obstetrics & ..., 2006 - Wiley Online Library

Obstetric fistula is an age-old problem, but unfortunately as we enter the 21st century it is still very common in the developing world, whereas in the developed world it is a condition long forgotten by most physicians. There is a growing interest in this debilitating condition, but ...

被引用次数: 36 相关文章 所有 5 个版本 引用

Obstetric vesicovaginal fistula as an international public-health problem

LL Wall - The Lancet, 2006 - Elsevier

... venereum), and by harmful traditional practices such as female genital cutting ... emphasis on vesicovaginal fistulas as a cause of urinary incontinence in developing ... Treatment of women with persistent stress incontinence after fistula closure is frequently challenging, because of ...

被引用次数: 228 相关文章 所有 12 个版本 引用

Obstructed labor injury complex: obstetric fistula formation and the multifaceted morbidity of maternal birth trauma in the developing world

S Arrowsmith, EC Hamlin, LL Wall - Obstetrical & gynecological ..., 1996 - journals.lww.com



全部 图片 视频 新闻 地图 更多 ▾ 搜索工具

找到约 186,000 条结果 (用时 0.36 秒)

## Google 学术: Urinary incontinence following obstetric fistula repair

Urinary and faecal incontinence following delayed ... - Murray - 被引用次数: 52

... incontinence following successful repair of obstetric ... - Browning - 被引用次数: 44

... urinary incontinence after obstetric fistula repair - Browning - 被引用次数: 36

### The problem of continuing urinary incontinence after ...

<https://www.rcog.org.uk/.../the-problem-of-continuing-urinary-...> ▾ 翻译此页

作者: A Browning - 被引用次数: 1 - 相关文章

The problem of continuing urinary incontinence after obstetric vesicovaginal surgery ...

Obstetric vesicovaginal fistula surgery presents many challenges.

### Factors influencing urinary fistula repair outcomes in ...

[www.ncbi.nlm.nih.gov/.../PubMed Central \(PMC\)](http://www.ncbi.nlm.nih.gov/.../PubMed Central (PMC)) ▾ 翻译此页

作者: V FRAJZYNGIER - 2012 - 被引用次数: 12 - 相关文章

2012年2月20日 - Women suffering from obstetric fistula may be abandoned by their ... for fistula closure and prevention of residual incontinence following ...

### Risk factors for developing residual urinary incontinence ...

[onlinelibrary.wiley.com/doi/10.1111/j.1471-0528.2006.../pdf](http://onlinelibrary.wiley.com/doi/10.1111/j.1471-0528.2006.../pdf) ▾ 翻译此页

作者: A Browning - 2006 - 被引用次数: 36 - 相关文章

2006年1月4日 - Please cite this paper as: Browning A. Risk factors for developing residual urinary incontinence after obstetric fistula repair. BJOG 2006 ...

[PDF] Urinary symptoms and urodynamics following obstetric