

Match Overview

1	CrossCheck 128 words Seo, Ji-Hyun, Hee-Shang Youn, Jung-Je Park, Jung Sook Yeom, Ji Sook Park, Jin-Su Jun, Jae-Young Lim, Chan-	3%
2	Internet 127 words crawled on 22-Jun-2015 www.wjgnet.com	3%
3	CrossCheck 95 words Seo, Ji-Hyun, Ji Sook Park, Jung Sook Yeom, Jae-Young Lim, Chan-Hoo Park, Hyang-Ok Woo, Seung-Chul Baik,	3%
4	Internet 65 words crawled on 13-Oct-2014 www.science.gov	2%
5	Internet 52 words crawled on 17-Jan-2013 www.ncbi.nlm.nih.gov	1%
6	CrossCheck 48 words Iqbal Siddique, "Diagnosis of Helicobacter pylori", Journal of Clinical Gastroenterology, 04/2008	1%

²
Name of journal: World Journal of Clinical Pediatrics

ESPS Manuscript NO: 18353

Manuscript Type: REVIEW

³⁰
Limitations of urease test in diagnosis of pediatric *Helicobacter pylori* infection

Urease test in children

Ji-Hyun Seo¹, Ji Sook Park¹, Khwang Ho Rhee², Hee-Shang Youn^{1*}

⁸
¹Department of Pediatrics, Gyeongsang National Institute of Health Sciences,

Gyeongsang National University School of Medicine, 52727, Jinju, Korea

小提示: 只搜索中文(简体)结果, 可在 [学术搜索设置](#) 指定搜索语言

[HTML] ABC of the upper gastrointestinal tract: Epidemiology and diagnosis of Helicobacter pylori infection nih.gov 中的 [HTML]

RPH Logan, MM Walker - BMJ: British Medical Journal, 2001 - ncbi.nlm.nih.gov

... and disadvantages: All these biopsy based methods for detecting H pylori are liable to sampling error because infection is patchy. ... The urease of H pylori hydrolyses urea to release ammonia, which is detected colorimetrically. Figure. Figure Principle of the faecal antigen test. ...

被引用次数: 242 相关文章 所有 11 个版本 引用 保存

Comparison of non-invasive tests to detect Helicobacter pylori infection in children and adolescents: results of a multicenter European study ajaums.ac.ir 中的 [PDF]

... Paediatric Task Force on Helicobacter pylori - ... Journal of pediatrics, 2005 - Elsevier

... patients who were scored correctly (true positive and true negative) among all patients tested. ... the methods evaluated in this study, UBT is the non-invasive test of choice ... Prospective comparison of commercially available rapid urease tests for the diagnosis of Helicobacter pylori. ...

被引用次数: 117 相关文章 所有 12 个版本 引用 保存

Use caution with serologic testing for Helicobacter pylori infection in children oxfordjournals.org 中的 [PDF]

B Khanna, A Cutler, NR Israel, M Perry... - Journal of Infectious ..., 1998 - jid.oxfordjournals.org

... rapid urease test (CLO) result, or positive culture, 42 children were tive) and PBS (negative). ... Negative 10 97 An OD range of 0.86-1.32 separated the limits of the H. pylori- ... Positive 25 4 validation cohort were then tested without knowledge of each pa- ...

被引用次数: 136 相关文章 所有 8 个版本 引用 保存

Evaluation of enzyme-linked immunosorbent assay for the diagnosis of Helicobacter pylori infection in children from different age groups with and without duodenal ...

[网页](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 99,200 条结果 (用时 0.65 秒)

Google 学术: Limitations of urease test in diagnosis of pediatric Helicobacter pylori infection

... and diagnosis of Helicobacter pylori infection - Logan - 被引用次数: 243

... -invasive tests to detect Helicobacter pylori infection in ... - Mégraud - 被引用次数: 117

... to standard therapy for Helicobacter pylori infection in ... - Jafri - 被引用次数: 317

A review of Helicobacter pylori diagnosis, treatment, and ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: E Garza-González - 2014 - 被引用次数: 30 - 相关文章

2014年2月14日 - Once *H. pylori* infection is diagnosed, the clinician decides whether treatment ... of *H. pylori*, each with its own advantages, disadvantages, and limitations. In a pediatric population, sensitivity and specificity values of 95.8% and ... Rapid urease test: The RUT utilizes the ability of *H. pylori* to produce large ...

Helicobacter Pylori Infection in Children

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: S Rajindrajith - 2009 - 被引用次数: 19 - 相关文章

Keywords: Abdominal pain, children, Helicobacter pylori, stool antigen test, triple ... In subcultures, urease and heat shock protein B become associated with the Apart from all the disadvantages of the antibody assay discussed above, this test is ... The ¹³C UBT has been used to diagnose *H. pylori* infection in children.

Diagnosis of Helicobacter pylori infection by ... - SciELO

www.scielo.br/scielo.php?script=sci_arttext&pid=S1517... ▾ 翻译此页

作者: B Pourakbari - 2013 - 被引用次数: 12 - 相关文章