

Name of journal: World Journal of Clinical Pediatrics

ESPS Manuscript NO: 22151

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Validation of a pediatric bedside tool to predict time to death after withdrawal of life support

Ashima Das, Ingrid M Anderson, David G Speicher, Richard H Speicher, Steven L Shein, Alexandre T Rotta

Match Overview

1	CrossCheck 284 words Oud, Lavi, and Phillip Watkins. "396 : RESOURCE UTILIZATION DURING END-OF-LIFE HOSPITALIZATIONS A ...	8%
2	CrossCheck 22 words Paul M. Shore. "Development of a bedside tool to predict time to death after withdrawal of life-sustaining therapi ...	1%
3	CrossCheck 20 words Gil, Eunmi, and Jae Berm Park. "Optimal Management ... f Brain Death Donor", The Journal of the Korean Society f	1%
4	CrossCheck 17 words Bennett, Erin E., Jill Sweney, Cecile Aguayo, Craig Myrick , Armand H. Matheny Antommaria, and Susan L. Bratto ...	<1%
5	CrossCheck 10 words Fontela, Patricia S., and Sam D. Shemie. "Predicting ti ... e to death : Why do we care?*", Pediatric Critical Care M	<1%
6	Internet 10 words crawled on 22-Nov-2011 lib.bioinfo.pl	<1%



Validation of a Pediatric Bedside Tool to Predict Time to Death after Wi 



网页 新闻 图片 视频 更多 ▾ 搜索工具

找到约 109,000 条结果 (用时 0.82 秒)

Development of a bedside tool to predict time to death after ...

www.ncbi.nlm.nih.gov/pubmed/22067986 ▾ [翻译此页](#)

作者: PM Shore - 2012 - 被引用次数: 6 - [相关文章](#)

Development of a **bedside tool to predict time to death after withdrawal of ...** SETTING: **Pediatric** intensive care unit of an academic children's hospital. of **support** and 518 with complete data regarding demographics, **life-supportive** therapies, ... for donation **after** circulatory **death**, although prospective **validation** is required.

400: validation of a pediatric bedside tool to predict time...

journals.lww.com > ... > [December 2014 - Volume 42 - Issue 12](#) - [翻译此页](#)

作者: A Das - 2014

400: **VALIDATION OF A PEDIATRIC BEDSIDE TOOL TO PREDICT TIME TO DEATH AFTER WITHDRAWAL OF LIFE SUPPORT ...**


Development of a bedside tool to predict time to death after ...

www.pubfacts.com/.../Development-of-a-bedside-tool-to-predic... - [翻译此页](#)

Development of a **bedside tool to predict time to death after withdrawal of life-sustaining ...** **Pediatric** intensive care unit of an academic children's hospital. Among 1389 **deaths**, 634 patients underwent **withdrawal** of **support** and 518 with ... for donation **after** circulatory **death**, although prospective **validation** is required.



Validation of a pediatric bedside tool to predict time to death after withdrawal (▾



学术搜索

我的著作引用情况



文章

400: VALIDATION OF A PEDIATRIC BEDSIDE TOOL TO PREDICT TIME TO DEATH AFTER WITHDRAWAL OF LIFE SUPPORT

我的图书馆

A Das, I Anderson, D Speicher, R Speicher... - Critical Care ..., 2014 - journals.lww.com
Methods: Pertinent variables for all pediatric deaths (age Results: There were 8829 PICU admissions resulting in 132 (1.5%) deaths. Death followed WS in 70 patients (53%). After excluding subjects with insufficient data to calculate DPT scores, 62 subjects were ...
[引用](#) [保存](#)

时间不限

2015以来

2014以来

2011以来

自定义范围...

以上显示的是最相近的搜索结果。 [查看全部搜索结果](#)

按相关性排序

按日期排序

[关于 Google 学术搜索](#) [隐私权](#) [条款](#) [提供反馈](#)

搜索所有网页

中文网页

简体中文网页

包括专利

包含引用



[网页](#) [新闻](#) [图片](#) [视频](#) [更多 ▾](#) [搜索工具](#)

找到约 89,200 条结果 (用时 0.64 秒)

400: validation of a pediatric bedside tool to predict time...

[journals.lww.com](#) > ... > December 2014 - Volume 42 - Issue 12 - [翻译此页](#)

作者: A Das - 2014

400: VALIDATION OF A PEDIATRIC BEDSIDE TOOL TO PREDICT TIME TO DEATH AFTER WITHDRAWAL OF LIFE SUPPORT ...

Development of a bedside tool to predict time to death after ...

[www.ncbi.nlm.nih.gov/pubmed/22067986](#) ▾ [翻译此页](#)

作者: PM Shore - 2012 - 被引用次数: 6 - [相关文章](#)

Development of a bedside tool to predict time to death after withdrawal of ... SETTING: Pediatric intensive care unit of an academic children's hospital. ... of support and 518 with complete data regarding demographics, life-supportive therapies, ... for donation after circulatory death, although prospective validation is required.

Predicting time to death after withdrawal of life-sustaining ...

[icmjournal.esicm.org/journals/abstract.html?...](#) ▾ [翻译此页](#)

Predicting time to death following the withdrawal of life-sustaining therapy is difficult. ... any predictive factors for time to death after withdrawal of life support therapy. ... associated with time to death, a few derived or validated prediction tools. in the pediatric intensive care unit after withdrawal of life-sustaining treatment.

Development of a bedside tool to predict time to death after ...

[www.researchgate.net/.../51783931_Development_of_a_bedside...](#) - [翻译此页](#)

Development of a bedside tool to predict time to death after withdrawal of ... Pediatric intensive care unit of an academic children's hospital. ... of support and 518 with complete data regarding demographics, life-supportive therapies, and ... for donation after circulatory death, although prospective validation is required. [more]