

Name of Journal: *World Journal of Clinical Pediatrics*

ESPS Manuscript NO: 25239

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Subclinical hypothyroidism in atopic South Italian children

Marcella Pedullà, Vincenzo Fierro, Pierluigi Marzuillo, Ester Del Tufo, Anna Grandone,

7
 Laura Perrone, and Emanuele Miraglia del Giudice

Abstract

AIM: Subclinical hypothyroidism (SCH) has been associated to childhood obesity. It has been recently demonstrated that atopy can be related to childhood obesity and that

Match Overview

Rank	Source	Words	Similarity
1	CrossCheck	28 words Ghulyan, Venera, Michel Paolino, Christophe Lopez, Michele Dumitrescu, and Michel Lacour. "A new translational pla..."	2%
2	CrossCheck	23 words Metwalley, Kotb Abbass, Hekma Saad Farghaly, Khaled Saad, and Hisham A. K. Othman. "Oxidative status in childr..."	1%
3	Internet	16 words crawled on 15-Mar-2016 www.wjgnet.com	1%
4	CrossCheck	14 words Pedulla, M., V. Fierro, E. Del Tufo, R. Alfano, M. Triassi, and L. Perrone. "Helicobacter pylori immunization and ato..."	1%
5	Internet	12 words crawled on 25-Dec-2012 fuyu.com.tw	1%
6	Internet	10 words crawled on 30-Apr-2015 www.karger.com	1%

[全部](#) [图片](#) [视频](#) [购物](#) [新闻](#) [更多 ▾](#) [搜索工具](#)

找到约 58,700 条结果 (用时 0.65 秒)

Google 学术: **Subclinical hypothyroidism in atopic South Italian children**

Celiac disease and autoimmune **thyroid** disease - Ch'ng - 被引用次数: 109

Progress in pediatrics in 2013: choices in allergology, ... - Caffarelli - 被引用次数: 3

Celiac Disease and Autoimmune Thyroid Disease

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者: CL Ch'ng - 2007 - 被引用次数: 109 - [相关文章](#)

9.7% in controls) and suggested **subclinical thyroid** disease might pose a risk for effect on their course, apart from an occasional improvement in **atopy**. of adult coeliac disease: experience of a single university hospital in **South** Yorkshire..... L. Screening of coeliac disease in north **Italian children** with type 1 diabetes: ...

Combined impairment of nutritional parameters and thyroid ...

www.ncbi.nlm.nih.gov/pubmed/9510124 ▾ [翻译此页](#)

作者: M Centanni - 1998 - 被引用次数: 10 - [相关文章](#)

... in a rural area in the **south of Italy**, known to be moderately iodine-deficient. ... These **children** were divided into two groups, according to thyroid function: (1) 16 ... 6 with goiter) and (2) 16 **subclinical hypothyroid children** (mean TSH 7.32 +/- ...

缺少字词: **atopic**

[全部](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 136,000 条结果 (用时 0.60 秒)

Google 学术: **Subclinical hypothyroidism in atopic South Italian children**

Celiac disease and autoimmune **thyroid** disease - Ch'ng - 被引用次数: 110

Progress in pediatrics in 2013: choices in allergology, ... - Caffarelli - 被引用次数: 3

Childhood and Congenital Hypothyroidism. CH information ...

[patient.info](#) > [Professional Reference](#) ▾ [翻译此页](#)

Children with untreated primary hypothyroidism do not experience the irreversible neurological ... **Italian** screening for CH suggests it is more prevalent in multiple pregnancies - the cause of which remains unclear. ... A missing, **ectopic** or poorly developed thyroid gland. See separate article **Subclinical Hypothyroidism**.

Celiac Disease and Autoimmune Thyroid Disease - NCBI

[www.ncbi.nlm.nih.gov](#) > ... > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: CL Ch'ng - 2007 - 被引用次数: 110 - 相关文章

9.7% in controls) and suggested **subclinical thyroid** disease might pose a risk for effect on their course, apart from an occasional improvement in **atopy**. of adult coeliac disease: experience of a single university hospital in **South** Yorkshire. L. Screening of coeliac disease in north **Italian children** with type 1 diabetes: ...



全部 图片 新闻 视频 更多 ▾ 搜索工具

找到约 134,000 条结果 (用时 0.51 秒)

Google 学术: **Subclinical hypothyroidism in atopic South Italian children**

Celiac disease and autoimmune thyroid disease - Ch'ng - 被引用次数: 110

Progress in pediatrics in 2013: choices in allergology, ... - Caffarelli - 被引用次数: 3

Childhood and Congenital Hypothyroidism. CH information ...

patient.info > Professional Reference ▾ 翻译此页

Children with untreated primary hypothyroidism do not experience the irreversible neurological ... Italian screening for CH suggests it is more prevalent in multiple pregnancies - the cause of which remains unclear. ... A missing, ectopic or poorly developed thyroid gland, See separate article **Subclinical Hypothyroidism**.

Celiac Disease and Autoimmune Thyroid Disease - NCBI

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: CL Ch'ng - 2007 - 被引用次数: 110 - 相关文章

9.7% in controls) and suggested **subclinical thyroid** disease might pose a risk for effect on their course, apart from an occasional improvement in atopy. of adult coeliac disease: experience of a single university hospital in South Yorkshire. L. Screening of coeliac disease in north Italian children with type 1 diabetes: ...

Disorders of the Thyroid Gland in Infancy, Childhood and ...

www.ncbi.nlm.nih.gov > NCBI > Literature > Bookshelf - 翻译此页

作者: RS Brown - 2012 - 被引用次数: 7 - 相关文章

2012年3月21日 - Thyroid hormone is essential for the growth and maturation of many target tissues, ... of thyroid dysfunction depends on the age of the infant or child. ... **subclinical hypothyroidism**, a finding in some infants with ectopic thyroids (the in only 2