

## Match Overview

1 Internet 45 words  
crawled on 06-Sep-2016  
[www.wjgnet.com](http://www.wjgnet.com)

2%

**Name of Journal:** *World Journal of Clinical Pediatrics*

**ESPS Manuscript NO:** 27271

**Manuscript Type:** Original Article

*Retrospective Study*

**Cystic meconium peritonitis with jejunoileal atresia: Is it associated with unfavorable outcome?**

**Kin Wai Edwin Chan, Kim Hung Lee, Hei Yi Vicky Wong, Siu Yan Bess Tsui, Yuen Shan Wong, Kit Yi Kristine Pang, Jennifer Wai Cheung Mou, Yuk Him Tam**

**Abstract**

**AIM**

To compare the outcome between patients with jejunoileal atresia (JIA) associated

[全部](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 396 条结果 (用时 0.53 秒)

### [PDF] Postnatal Treatment in Antenatally Diagnosed Meconium Peritonitis

[www.revistachirurgia.ro/pdfs/2015-6-538.pdf](http://www.revistachirurgia.ro/pdfs/2015-6-538.pdf) ▾ [翻译此页](#)

作者: S Ionescu - 2015 - [相关文章](#)

of the **results** obtained by ultrasound. ... meconium ileus, intestinal **atresia**, stenosis, volvulus, internal ...  
**Meconium peritonitis associated with cystic** fibrosis was ... requirements necessary for optimizing the  
postnatal **results**. .... jejunum and termino-terminal jejuno-**jejunal** anastomosis ... The evolution was  
**unfavorable**, with.

### Pediatric Surgery Handbook for Residents and Medical Students

[home.coqui.net/titolugo/handbook.htm](http://home.coqui.net/titolugo/handbook.htm) ▾ [翻译此页](#)

作者: II HEAD - [相关文章](#)

A Handbook to seek information on Pediatric Surgery **related** topics. ... E. **Cystic** Hygromas ..... Few gas  
filled loops beyond duodenum indicates **jejunal atresia**. ..... Some cases may show calcifications in the  
peritoneum (**Meconium peritonitis**). ..... short arm of chromosome 1 is also **associated** with an  
**unfavorable outcome**, ....

### THE GASTROINTESTINAL TRACT AND ABDOMINAL WALL ...

[radiologykey.com/the-gastrointestinal-tract-and-abdominal-wall/](http://radiologykey.com/the-gastrointestinal-tract-and-abdominal-wall/) ▾ [翻译此页](#)

2016年3月10日 - Split Notochord Syndrome and Neurenteric **Cysts** ... **Meconium Peritonitis** ... that is,  
polyhydramnios in cases of **jejunal atresia** and absence of a fluid-filled ... The **outcome** of fetuses and  
infants with esophageal atresia is still **unfavorable**. .... Because of the high incidence of **associated**  
anomalies, a detailed ...

### Fetal Anomaly Scan - Chest, GIT, GUT - presentations

[www.slideshare.net/sahilchaudhry89/fetal-anomaly-scan-chestgitgut](http://www.slideshare.net/sahilchaudhry89/fetal-anomaly-scan-chestgitgut) ▾ [翻译此页](#)

2015年10月20日 - In duodenal **atresia**, the tract between the proximal and distal portions ... All other  
conditions featuring a **cystic** structure in the middle or right upper ... **Meconium** ileus is characterized by  
an **ileal** mechanical obstruction caused ..... **Outcome**. ..... In bilateral forms **associated** with  
oligohydramnios, **unfavorable** ...

[All](#)[Images](#)[News](#)[Videos](#)[Shopping](#)[More ▾](#)[Search tools](#)

About 216 results (0.66 seconds)

## Meconium Pseudocyst and Ileal Atresia Secondary to Intrauterine ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) › [NCBI](#) › [Literature](#) › [PubMed Central \(PMC\)](#) ▾

by SN Gudi - 2011 - [Cited by 2](#) - [Related articles](#)

Oct 27, 2011 - We report a case of meconium pseudocyst with ileal atresia treated ... On opening the abdomen, a thick walled meconium filled cyst with a segment ... [4], ileal atresia was associated with segmental defect of intestinal musculature. Long term outcome is good in patients with meconium peritonitis/meconium ...

## Biliary atresia associated with meconium peritonitis caused by ... - NCBI

[www.ncbi.nlm.nih.gov/pubmed/11528612](http://www.ncbi.nlm.nih.gov/pubmed/11528612) ▾

by SJ Han - 2001 - [Cited by 22](#) - [Related articles](#)

J Pediatr Surg. 2001 Sep;36(9):1390-3. Biliary atresia associated with meconium peritonitis caused by perforation of small bowel atresia. Han SJ(1), Han A, Choi ...

Missing: cystic jejunoileal unfavorable outcome

## Meconium peritonitis: Prenatal diagnosis of a rare entity and postnatal ...

<https://www.ncbi.nlm.nih.gov> › [NCBI](#) › [Literature](#) › [PubMed Central \(PMC\)](#)

by K Uchida - 2015 - [Cited by 2](#) - [Related articles](#)

We analyzed the relationship between outcome and patients' factors including ... Meconium peritonitis (MP) is an aseptic chemical peritonitis, which results from .... atresia in 14 patients (45%), volvulus in 2 patients (6%), and uncertain ileal ... Hayashi T, Kanematsu T. Giant cystic meconium peritonitis associated with a ...

## Pediatric Surgery HANDBOOK | Free Medical Textbook

<https://medtextfree.wordpress.com/2012/02/22/pediatric-surgery-handbook/> ▾

Feb 22, 2012 - Thyroglossal duct cyst (TDC) is the most common congenital .... Jejunal and ileal atresia occur as a result of a vascular accident in .... Some cases may show calcifications in the peritoneum (Meconium peritonitis). ..... LOH of the short arm of chromosome 1 is also associated with an unfavorable outcome, ...





全部 图片 新闻 视频 更多 ▾ 搜索工具

找到约 201 条结果 (用时 0.68 秒)

### Meconium Pseudocyst and Ileal Atresia Secondary to Intrauterine ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者: SN Gudi - 2011 - 被引用次数: 2 - 相关文章

2011年10月27日 - We report a case of meconium pseudocyst with ileal atresia treated ... On opening the abdomen, a thick walled meconium filled cyst with a segment ... [4], ileal atresia was associated with segmental defect of intestinal musculature. Long term outcome is good in patients with meconium peritonitis/meconium ...

### Histomorphological Features of Intestinal Atresia and its Clinical ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: D Subbarayan - 2015 - 相关文章

2015年11月1日 - Results. Type II was the commonest type of atresia. Associated ... microcolon, annular pancreas, meconium cyst and duplication cyst. ... Complications included gangrene (4 cases), perforation (5 cases) and meconium peritonitis (2 cases), fungal .... A more plausible explanation is that jejunoileal atresia is a ...

### Biliary atresia associated with meconium peritonitis caused by ... - NCBI

[www.ncbi.nlm.nih.gov/pubmed/11528612](http://www.ncbi.nlm.nih.gov/pubmed/11528612) ▾ 翻译此页

作者: SJ Han - 2001 - 被引用次数: 22 - 相关文章

METHODS: A review of medical records was undertaken in an effort to recognize cases of biliary atresia associated with meconium peritonitis. RESULTS: Five ...

缺少字词: cystic jejunoileal unfavorable

more - Express Submission and Peer-review System