

## Recurrent Carpal Tunnel Syndrome—Analysis of the Impact of Patient Personality in Altering Functional Outcome Following a Vascularised Hypothenar Fat Pad Flap

K Karthik, R Nanda, J Stothard - Journal of hand and microsurgery, 2012 - Springer

... The use of muscle flaps, fascial flaps, vein wrapping and omental transfer has been described in ... M, Büchler U (2008) Revision surgery after carpal tunnel release using a posterior interosseous artery island flap. ... Does a vascularized hypothenar fat pad reduce wound tenderness ...

被引用次数：10 相关文章 所有 11 个版本 引用 保存

## Carpal tunnel syndrome and treatment of recurrent symptoms

LB Dahlin, M Salö, N Thomsen... - Journal of Plastic Surgery ..., 2010 - Taylor & Francis

... the distal antebrachial fascia, and the aponeurosis between the thenar and hypothenar muscles. ...

AP, Akelman E. The results of revision carpal tunnel release following previous open versus

endoscopic ... [Google Scholar],17 Vigasio A, Marcoccio I. The ulnar fascial-fat flap for the ...

被引用次数：19 相关文章 所有 5 个版本 引用 保存

## Endoscopic carpal tunnel release

TB Hansen, HG Majeed - Hand clinics, 2014 - hand.theclinics.com

... ECTR should be used with care in the severely obese patient, because a large palmar fat pad

may protrude into the ... 1) along the crease between the thenar and the hypothenar. ... 2). A distal

hinged fascia flap is prepared, followed by clearing synovial adhesions using a dissector. ...

被引用次数：15 相关文章 所有 4 个版本 引用 保存

## ... flap with vascularized lateral femoral cutaneous nerve for the treatment of neuroma - in - continuity and recurrent carpal tunnel syndrome after carpal tunnel release

T Yamamoto, M Narushima, H Yoshimatsu... - ..., 2014 - Wiley Online Library

... Hypothenar fat pad is the most commonly used local flap to cover the median nerve for recurrent ...

Several free flaps, including free omentum flap,[7] free lateral upper arm flap,[8] free ... A free ALT

flap with vascularized LFCN allows nerve reconstruction of the median nerve gap ...

被引用次数：16 相关文章 所有 6 个版本 引用 保存

## Carpal tunnel syndrome-Part II (treatment)

M Chammas, J Boretto, LM Burmann... - Revista brasileira de ..., 2014 - SciELO Brasil

... treatment consisting of an implant of silicone and polyethylene terephthalate, sutured using flaps

from the ... Dumontier C, Sokolow C, Leclercq C, Chauvin R Early results of conventional versus

two ... The hypothenar fat pad flap for management of recalcitrant carpal tunnel syndrome ...

被引用次数：7 相关文章 所有 17 个版本 引用 保存 更多

## Carpal tunnel syndrome: a comprehensive review.

LM Rozmaryn - Current Opinion in Orthopaedics, 1997 - journals.lww.com

... Many patients are highly motivated to use workman's compensation as their "insurance" because

their regular health insurance ... Under the fat layer, scissors will complete division of the ligament. ...

is due in part to loss of at- tachment of the thenar and hypothenar musculature [38]. ...

被引用次数：9 相关文章 所有 2 个版本 引用 保存

## Complications in the treatment of carpal tunnel syndrome

P Henkin, AH Friedman - Neurosurgical focus, 1997 - thejns.org

... Three common methods of insulating the nerve from the skin surface include: rotation of a

hypothenar fat-pad flap; rotation of local muscle pedicle flaps, such as ... in four of 13 cadavers and

incomplete sectioning of the fascia connecting the thenar and hypothenar muscles in ...

被引用次数：5 相关文章 所有 3 个版本 引用 保存

## Complications of carpal tunnel release

JW Karl, SM Gancarczyk, RJ Strauch - Orthopedic Clinics of North America, 2016 - Elsevier

... of regional and free flaps have been proposed, including radial forearm, omentum, and lateral

arm flaps. ... A similar dissection has been described for mobilization of the palmaris brevis turnover

flap. ... (A) After exploration and release of the median nerve, the hypothenar fat pad ... ...

被引用次数：8 相关文章 所有 6 个版本 引用 保存

## Complications of compressive neuropathy: prevention and management strategies

KB Santosa, KC Chung, JF Waljee - Hand clinics, 2015 - Elsevier

... (From Sammer D. Open carpal tunnel release. ... brevis, and regional or free flaps, including radial

forearm, omentum, and lateral arm flaps, which may ... In 62 patients with recalcitrant CTS, 58

reported excellent results after undergoing CTR, neurolysis, and hypothenar fat pad flap. ...

被引用次数：3 相关文章 所有 7 个版本 引用 保存

## Entrapment neuropathy of the wrist, forearm, and elbow

SG Xing, JB Tang - Clinics in plastic surgery, 2014 - Elsevier

... They released the transverse carpal ligament longitudinally under endoscopic visualization using

a hook ... to undergo endoscopic release and the other to undergo mini-incision release. Despite

similar improvements in subjective scores after endoscopic and open techniques at ...

被引用次数：7 相关文章 所有 7 个版本 引用 保存

## Match Overview

- | Rank | Match Type | Words    | Source   | Similarity |
|------|------------|----------|--|------------|
| 1    | Crossref   | 29 words | Ababneh, Farouq K., Abdulrahman Al-Swaid, Ahmed Elhag, Talaat Youssef, and Saif Alsaif. "Blepharo-cheilo-dontic (B       | 2%         |
| 2    | Crossref   | 15 words | Stephanie Eyssette-Guerreau. "Infantile pyknocytosis: a c ... use of haemolytic anaemia of the newborn", British Journal | 1%         |

**Name of Journal:** *World Journal of Clinical Pediatrics*

**Manuscript NO:** 33017

**Manuscript Type:** CASE REPORT

**Neonatal pyknocytosis in a preterm dizygotic twin**

Berardi Alberto, Balestri Eleonora, Bonacorsi Goretta, Chiossi Claudio, Palazzi

Giovanni, Spaggiari E, Ferrari Fabrizio



Neonatal pyknocytosis in a preterm dizygotic twin



学术搜索

获得 3 条结果 (用时0.09秒)

我的著作引用情况

文章

我的图书馆

时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

☒ 创建快讯



小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

### The neonatal erythrocyte and its disorders

C Brugnara, OS Platt - Nathan and Oski's hematology of infancy ..., 2003 - books.google.com  
... and Red Cell and Reticulocyte Indices Fetal Anemia, 36 Anemia in the Neonate, 39 Blood ... in  
Neonates Treated with Nitric Oxide Methemoglobinemia in Neonates with Diarrhea ... 49  
Recombinant Human Erythropoietin and the Anemia of Prematurity Neonatal Hyperviscosity, ...

被引用次数: 129 相关文章 所有 2 个版本 引用 保存

### Disorders of Hematopoiesis

RC Neerhout, P Sturgeon - Fetal and Neonatal Disorders, 2013 - books.google.com  
... place in the quantitative values for circulating red cells and hemoglobin in the neonate can be ...  
maternal blood loss is of much greater significance from the viewpoint of neonatal anemia than ...  
in the absence of cyanosis is highly suggestive of acute anemia in the newborn (180). ...

相关文章 引用 保存

### [HTML] Archive for the 'Translational Effectiveness' Category

L Wu - N Engl J Med, 2006 - pharmaceuticalintelligence.com  
Posts about Translational Effectiveness written by larryhbern.

相关文章 引用 保存 更多

☒ 创建快讯

[HTML] pharmaceuticalintelligence.com

全部 图片 视频 新闻 购物 更多 设置 工具

找到约 260 条结果 (用时 0.47 秒)

### Neonatal Outcomes in Twin Pregnancies Delivered Moderately ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: JS Refuerzo - 2010 - 被引用次数: 59 - 相关文章

2010年2月19日 - We compared neonatal outcomes in twin pregnancies following moderately preterm birth (MPTB), late preterm birth (LPTB) and term birth.

缺少字词: pyknoecytosis dizygotic

### NEC in Twin Pregnancies: Incidence and Outcomes - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: SC Burjonrappa - 2014 - 被引用次数: 2 - 相关文章

2014年10月20日 - NEC in twin pregnancy neonates showed a female preponderance (p less than 0.0001) ... The incidence is higher in premature and very low birth weight (VLBW) infants (less ... Seven of the twin pregnancies were dizygotic.

缺少字词: pyknoecytosis

### Neonatal Outcomes of Low-Risk, Late-Preterm Twins Compared With ...

<https://www.ncbi.nlm.nih.gov/pubmed/28796691> - 翻译此页

作者: SY Salem - 2017

2017年8月4日 - OBJECTIVE: To test the hypothesis that the risk of neonatal morbidity among late-preterm twins is similar to that of late-preterm singletons.

缺少字词: pyknoecytosis dizygotic

### The Newborn Infant | CURRENT Diagnosis & Treatment Pediatrics ...

[accessmedicine.mhmedical.com/content.aspx?legacysectionid=ped23\\_ch2](https://accessmedicine.mhmedical.com/content.aspx?legacysectionid=ped23_ch2) - 翻译此页

Level 2 refers to specialty neonatal care of premature infants greater than ..... Abnormal red cell shapes: spherocytosis, elliptocytosis, pyknocytosis, stomatocytosis ..... Either dizygous (fraternal twins) or monozygous (identical twins); same sex ...