342,000 Results Any time *

Analysis of Outpatient Trauma Referrals in a Sub-Saharan ...

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3071472

Analysis of Outpatient Trauma Referrals in a Sub-Saharan African Orthopedic Center. ... Purpose of the current study. ... focus interventions designed to improve both the prehospital care and definitive management of patients with orthopedic trauma in this region.

Cited by: 3 Author: Harry Jergesen, David Oloruntoba, Edward ...

Publish Year: 2011

Urotrauma Guideline - American Urological Association

https://www.auanet.org/guidelines/urotrauma -

Purpose. Urologic injury often occurs in the context of severe multisystem trauma that requires close cooperation with trauma surgeons. The urologist remains an important consultant to the trauma team, helping to ensure that the radiographic evaluation of urogenital structures is performed efficiently and accurately, and that the function of the genitourinary system is preserved whenever possible.

Imaging of Genitourinary Trauma: American Journal of ...

https://www.ajronline.org/doi/full/10.2214/AJR.09.2470

Imaging plays a crucial role in the **evaluation** of the genitourinary tract in a patient who has suffered either blunt or penetrating **trauma** because multiorgan injury is common in such patients. Contrast-enhanced CT is the primary imaging technique used to evaluate the upper and lower urinary tract for trauma. Cited by: 102 Author: Parvati Ramchandani, Philip Michael Buckler Publish Year: 2009

CENITOLIDINIADY TRALIMA - Science Direct

Search Tools

Turn on Hover Translation (开启取词)



Trauma - Sub-Saharan Africa - American Academy of ...

https://www.aao.org/topic-detail/trauma--subsaharan-africa -

Regional Information (Africa/Middle East) Eye injuries constitute an important cause of morbidity in Bahrain. 27% attending the eye emergency clinic monthly are related to ocular injuries. Most injuries are... Estimated Reading Time: 8 mins

The management of genitourinary fistula in the third ...

https://www.sciencedirect.com/science/article/pii/S2090598X14000266

Jun 01, 2014 - Obstetric **trauma** is primarily responsible for the 98% urogenital fistula rate in sub-Saharan African nations such as Nigeria. This is primarily due to the shortage of medical care, wherein one...

Cited by: 31 Author: Gamal M. Ghoniem, Hussein A. Warda Publish Year: 2014



Feedback

[PDF] The management of genitourinary fistula in the third ...

https://citeseerx.ist.psu.edu/viewdoc/download?doi=...

Obstetric trauma is primarily responsible for the 98% urogenital fistula rate in sub-Saharan African nations such as Nigeria. This is primarily due to the shortage of medical care, wherein one physician will serve u...

Urotrauma Guideline - American Urological Association


https://www.auanet.org/guidelines/guidelines/urotrauma-guideline -

Purpose. Urologic injury often occurs in the context of severe multisystem trauma that requires close cooperation with trauma surgeons. The urologist remains an important consultant to the trauma team,...

Mental and substance use disorders in Sub-Saharan Africa ...

https://pubmed.ncbi.nlm.nih.gov/25310010

Predicted mental health workforce requirements for 2010 and 2050, by region and for selected countries,



Management of genitourinary trauma - current evaluation from th





Q

ALL

IMAGES

VIDEOS

12,300 Results

Any time *

[PDF] The management of genitourinary fistula in the third ...

https://citeseerx.ist.psu.edu/viewdoc/download?doi=...

SEXUAL DYSFUNCTION/FEMALE UROLOGY REVIEW The management of genitourinary fistula in the third millennium Gamal M. Ghoniem a,*, Hussein A. Warda b a Division of Female Urology, UC Irvine Health, School of Medicine, Irvine, CA, USA b Hurley Medical Center, Michigan State University, Flint, MI, USA Received 3 May 2013, Received in revised form 8 November 2013, Accepted 13 November 2013

Management of genitourinary fistula | Request PDF

https://www.researchgate.net/publication/264626752...

Purpose of review: To review current literature on the management of genitourinary fistulae, specifically, the techniques for diagnosis, timing to repair, surgical approach and recent advancements ... Estimated Reading Time: 9 mins

Genitourinary Diseases - ScienceDirect

https://www.sciencedirect.com/science/article/pii/B9780323555128000065

Jan 01, 2020 · Genitourinary pathology in tropical regions can be divided into conditions related to communicable and non-communicable diseases. Communicable diseases that affect the genitourinary tract include schistosomiasis, filariasis, hydatid disease, gonorrhea, tuberculosis, and viral infections, as well as simple and complicated urinary tract infections.

Evaluation of etiology, characteristics, and treatment of ...

https://www.sciencedirect.com/science/article/pii/S2468784720302300

Jun 01, 2021 - Therefore, genitourinary fistulas are rare and are most commonly associated with complications of gynecological surgery, pelvic radiation, trauma or malignant disease. However, especially in developing countries like Sudan, urogenital fistula occurs after prolonged or obstructed labor [...]

Author: Yasam Kemal Akpak, Ilter Yenidede, ... Publish Year: 2021

(PDF) Vesicovaginal fistula: Review and recent trends

https://www.researchgate.net/publication/336154038...

in Sub-Saharan African countries. [7,8] ... for the management of genitourinary injuries, fistulas and surgical ... A systematic review of the literature.

Estimated Reading Time: 5 mins