

## Match Overview

|   |  |     |
|---|--|-----|
| 1 | Internet 100 words<br>crawled on 19-Jun-2011<br><a href="http://ccforum.com">ccforum.com</a>   | 1%  |
| 2 | Internet 90 words<br>crawled on 06-Nov-2014<br><a href="http://www.eso-stroke.org">www.eso-stroke.org</a>                                    | 1%  |
| 3 | CrossCheck 46 words<br>Oliver Flower. "The acute management of intracerebral hemorrhage : ", Current Opinion in Critical Care, 04/2011       | <1% |
| 4 | Publications 41 words<br>"Reports Summarize Cardiovascular Research Research ... on University of Minnesota. (Report)", Cardiovascular Wee   | <1% |
| 5 | Internet 40 words<br>crawled on 27-Apr-2013<br><a href="http://www.ncbi.nlm.nih.gov">www.ncbi.nlm.nih.gov</a>                                | <1% |
| 6 | CrossCheck 39 words<br>Masotti, L., D. A. Godoy, M. D. Napoli, A. A. Rabinstein, M. Paciaroni, and W. Ageno. "Pharmacological Prophylaxis of | <1% |
| 7 | Internet 28 words<br>crawled on 13-Nov-2009<br><a href="http://stroke.ahajournals.org">stroke.ahajournals.org</a>                            | <1% |
| 8 | Internet 19 words<br>crawled on 18-Jun-2009<br><a href="http://www.ajnr.org">www.ajnr.org</a>  | <1% |

Name of journal: *World Journal of Critical Care Medicine*

ESPS Manuscript NO: 15112

Columns: REVIEW

Steps to consider in the approach and management of critically ill patient with spontaneous intracerebral hemorrhage

Daniel Agustín Godoy, Gustavo Piñero, Patricia Koller, Luca Masotti, Mario Di Napoli

### Abstract

Spontaneous intracerebral hemorrhage is a type of stroke associated with poor outcomes. Mortality is elevated, especially in the acute phase. Pathophysiological must travel different stages dominated by the possibility of re-bleeding, edema, intracranial hypertension, inflammation and neurotoxicity due to blood degradation products, mainly hemoglobin and thrombin. Neurological deterioration and death are common in early hours, so it is a true neurological-neurosurgical emergency. Time is brain so that action should be taken fast and accurately. The most significant prognostic factors are level of consciousness, location, volume and ventricular extension of the bleeding. Nihilism and early withdrawal of active therapy undoubtedly influence the final result. Although



Steps to consider in the approach and management of critically ill patient



网页 图片 新闻 视频 更多 搜索工具

找到约 231,000 条结果 (用时 0.66 秒)

## Guidelines for the Management of Spontaneous ... - Stroke

[stroke.ahajournals.org/content/38/6/2001.full](http://stroke.ahajournals.org/content/38/6/2001.full) 翻译此页

作者: J Broderick - 2007 - 被引用次数: 1033 - 相关文章

2007年5月3日 - **Intracerebral hemorrhage** (ICH) causes 10% to 15% of first-ever strokes ... Recommendations **follow** the AHA Stroke Council's methods of .... A **critically ill patient** with hemorrhage and herniation may require ..... The European Federation of Neurological Societies guidelines provide a detailed **step approach** ...

## Management of intracerebral hemorrhage

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > PubMed Central (PMC) 翻译此页

作者: R Sahni - 2007 - 被引用次数: 45 - 相关文章

Greater than one third of **patients** with **intracerebral hemorrhage** (ICH) will not survive ..... **treatment** may be **considered** for 1 month in **patients** with intracerebral ...  
An evidence-based **approach** to **management** of increased intracranial pressure. ....  
Clinical trial of an air-circulating cooling blanket for fever control in **critically ill** ...

## Critical care management of spontaneous intracerebral hemo...

[ccforum.com/content/12/6/237](http://ccforum.com/content/12/6/237) 翻译此页

作者: F Rincon - 2008 - 被引用次数: 59 - 相关文章

2008年12月10日 - **Intracerebral hemorrhage** is by far the most destructive form of stroke. ... be **considered** for patients with large (>3 cm) cerebellar hemorrhages, ...  
**Approach** to **intracerebral hemorrhage** from the emergency ..... Reynolds SF, Heffner J: Airway **management** of the **critically ill patient**: rapid-sequence intubation.

**Critical** Care | Full text | Anemia is an independent prognostic ... 2013年7月23日

**Critical** Care | Full text | Do-not-resuscitate orders, unintended ... 2007年3月2日

ccforum.com站内的其它相关信息



[网页](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 227,000 条结果 (用时 0.70 秒)

### Guidelines for the Management of Spontaneous ... - Stroke

[stroke.ahajournals.org/content/38/6/2001.full](http://stroke.ahajournals.org/content/38/6/2001.full) ▾ [翻译此页](#)

作者: J Broderick - 2007 - 被引用次数: 1041 - [相关文章](#)

2007年5月3日 - **Intracerebral hemorrhage** (ICH) causes 10% to 15% of first-ever strokes ... Recommendations **follow** the AHA Stroke Council's methods of .... A **critically ill patient** with hemorrhage and herniation may require ..... The European Federation of Neurological Societies guidelines provide a detailed **step approach** ...

### Management of intracerebral hemorrhage

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) ▸ ... ▸ [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: R Sahni - 2007 - 被引用次数: 48 - [相关文章](#)

Greater than one third of **patients** with **intracerebral hemorrhage** (ICH) will not survive ..... **treatment** may be **considered** for 1 month in **patients** with intracerebral ... An evidence-based **approach** to **management** of increased intracranial pressure. .... Clinical trial of an air-circulating cooling blanket for fever control in **critically ill** ...

### Critical care management of spontaneous intracerebral hemor...

[ccforum.com/content/12/6/237](http://ccforum.com/content/12/6/237) ▾ [翻译此页](#)

作者: F Rincon - 2008 - 被引用次数: 60 - [相关文章](#)

2008年12月10日 - **Intracerebral hemorrhage** is by far the most destructive form of stroke ... be **considered** for patients with large (>3 cm) cerebellar hemorrhages, ... **Approach** to