

Name of Journal: *World Journal of Critical Care Medicine*

ESPS Manuscript NO: 21989

Manuscript Type: Review

The use of venous-to-arterial carbon dioxide tension difference to guide resuscitation therapy in septic shock

Jihad Mallat, Malcolm Lemyze, <sup>2</sup>Laurent Tronchon, Benoît Vallet, Didier Thevenin

## Match Overview

1	CrossCheck 113 words E. Futier. "How Can We Use Tissue Carbon Dioxide Measurement as an Index of Perfusion?", Annual Update in I	1%
2	CrossCheck 66 words Mallat, Jihad, Florent Pepy, Malcolm Lemyze, Gaëlle Gasan, Nicolas Vangrunderbeeck, Laurent Tronchon, Benoit	1%
3	CrossCheck 61 words Fabrice Vallée. "Central venous-to-arterial carbon dioxide difference: an additional target for goal-directed therap	1%
4	CrossCheck 59 words Mallat, Jihad, Ali Lazkani, Malcolm Lemyze, Florent Pepy, Mehdi Meddour, Gaëlle Gasan, Johanna Temime, Nicol	1%
5	CrossCheck 55 words Vincent Castelain. "Veno-Arterial PCO2 Gradient", The Sepsis Text, 2002	1%
6	Internet 55 words crawled on 25-Mar-2014 ccforum.com	1%

Manuscript Detail

Manuscript Revision

Author Email mallatjihad@gmail.com

First author E-mail mallatjihad@gmail.com

Journals World Journal of Critical Care Medicine

Manuscript Number 21989

Manuscript Title The use of venous-to-arterial carbon dioxide tension difference to guide resuscitation therapy in septic shock

Correspondence to Jihad Mallat, MD Centre Hospitalier du Dr. Schaffner Service de Réanimation polyvalente 99 route de La Bassée, 62307 Lens cedex, France. Phone : +33321691088 Fax : +33321691839 Email : mallatjihad@gmail.com

Academic misconduct

Does your manuscript have any instances of plagiarism? ☐ Yes ☒ No

Does your manuscript have any instances of fabricated information? ☐ Yes ☒ No

Does your manuscript have any instances of falsified information? ☐ Yes ☒ No

Does your manuscript have inappropriate authorship? ☐ Yes ☒ No

Does your manuscript represent a duplicate submission/multiple submissions? ☐ Yes ☒ No

Does your manuscript represent an overlapping publication? ☐ Yes ☒ No

Does your manuscript represent a salami publication? ☐ Yes ☒ No

Does your manuscript have any instances of digital image manipulation? ☐ Yes ☒ No

Has your manuscript been published in a journal in any other language than English, including your native language? ☐ Yes ☒ No

Does your manuscript contain the Institutional Review Board statement in the main text? ☐ Yes ☒ No

➔ Manuscript Comments

User Name

Submit Time

Comment





US National Library of Medicine  
National Institutes of Health

PubMed

Use of venous-to-arterial carbon dioxide tension difference to guide resuscitation therapy in

**Search**

[Create alert](#) [Advanced](#)

[Help](#)

## Article types

Clinical Trial  
Review  
Customize ...

## Text availability

Abstract  
Free full text  
Full text

## PubMed Commons

Reader comments  
Trending articles

## Publication dates

5 years  
10 years  
Custom range...

## Species

Humans  
Other Animals

No items found.

## Search details

```
venous-to-arterial[All Fields] AND
("carbon dioxide"[MeSH Terms] OR
("carbon"[All Fields] AND "dioxide"
[All Fields]) OR "carbon dioxide"
[All Fields]) AND tension[All
```

Search

[See more...](#)

## Recent Activity

[Turn Off](#) [Clear](#)

- Use of venous-to-arterial carbon dioxide tension difference to gu... (0) PubMed
- Review on the applications of ultrasonography in dentomaxillofaci PubMed
- Ultrasonography in the diagnosis of nasal bone fractures: a comparison with c PubMed
- 25749616[PMID] (1)

[网页](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 110,000 条结果 (用时 0.59 秒)

## Critical Care | Full text | Central venous-to-arterial carbon ...

[www.ccforum.com/content/19/1/126](http://www.ccforum.com/content/19/1/126) ▾ [翻译此页](#)

作者: J Mesquida - 2015 - 被引用次数: 1 - 相关文章

2015年3月28日 - Central **venous-to-arterial carbon dioxide difference** combined with ...  
management of severe **sepsis** and **septic shock** recommend the **use** of global markers ...  
be a more reliable parameter to **guide the resuscitation** process. ... **oxygen tension**  
(PcvO<sub>2</sub>), and central **venous carbon dioxide tension** (PcvCO<sub>2</sub>).

Critical Care   Full text   Re-thinking <b>resuscitation</b> : leaving ...	2013年10月8日
Critical Care   Full text   Functional hemodynamic monitoring	2005年11月22日
Critical Care   Full text   Equipment review: The success of early ...	2005年5月27日
Critical Care   Full text   Bench-to-bedside review: <b>Resuscitation</b> ...	2004年10月20日

[www.ccforum.com](http://www.ccforum.com)站内的其它相关信息

## [PDF] Central venous-to-arterial carbon dioxide difference - Cite...

[citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1...](http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1...) ▾ [翻译此页](#)

作者: A Mari - 2008 - 被引用次数: 140 - 相关文章

ScvO<sub>2</sub> may not be sufficient to **guide therapy**. ... increased **venous-to-arterial carbon dioxide tension** difference in a ... could be **used** as a reflection of inappropriate tissue per- ... lactate. Our standard **septic shock resuscitation treatment** was.

## Central venous-to-arterial carbon dioxide difference ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: J Mesquida - 2015 - 被引用次数: 1 - 相关文章

2015年3月28日 - **Septic shock** patients within the first 24 hours of ICU admission. ...  
recommend the **use** of global markers of tissue hypoxia as **resuscitation** endpoints [1,2].  
... should be a more reliable parameter to **guide the resuscitation** process. ... **arterial**