



25105-Review

Quotes Excluded
Bibliography Excluded6%
SIMILAR

Match Overview

1	CrossCheck 49 words Diet and Nutrition in Critical Care, 2015.	1%
2	Internet 17 words crawled on 04-Aug-2015 www.ccforum.com	<1%
3	CrossCheck 15 words Eriksson, Susann, Saara Wittfooth, and Kim Pettersson. "Present and Future Biochemical Markers for Detection of / ...	<1%
4	CrossCheck 14 words Keel, M., "Pathophysiology of polytrauma", Injury, 200506	<1%
5	Internet 11 words crawled on 08-Mar-2012 zemestauki.info	<1%
6	Internet 10 words crawled on 31-Dec-2015 www.science.gov	<1%

Name of Journal: *World Journal of Critical Care Medicine*

ESPS Manuscript NO: 25105

Manuscript Type: SYSTEMATIC REVIEW

Predictive value of cytokines for developing complications after polytrauma

Anne-Britt E Dekker, Pieta Krijnen, Inger B Schipper

Abstract

AJM: To investigate posttraumatic cytokine alterations and their value for predicting complications and mortality in polytraumatized patients.

METHODS: Studies on the use of specific cytokines to predict the development of complications and mortality were identified in MEDLINE, Embase, Web of Science and the Cochrane Library. Of included studies, relevant data were extracted and study quality was scored.

全部 图片 新闻 视频 购物 更多 ▾ 搜索工具

找到约 442,000 条结果 (用时 0.61 秒)

Google 学术: Predictive value of cytokines for developing complications after polytrauma.

... profiles associated with the development of the adult ... - Donnelly - 被引用次数: 160

... in blunt trauma patients and perioperative cytokine ... - Pape - 被引用次数: 302

... risk of infection-immunomonitoring for patients after ... - Asadullah - 被引用次数: 83

Prediction of sepsis in trauma patients | Burns & Trauma ...

burnstrauma.biomedcentral.com/articles/10.../2321-3868.1354... ▾ 翻译此页

作者: H Jin - 2015 - 被引用次数: 2 - 相关文章

1] Fifty-three percent of deaths that happen after trauma occur at the scene of the ...
sepsis may help in the early prediction of the occurrence of this complication so that ...
46] The results of studies on the predictive value of IL-6 for post-traumatic ... discriminate
poly trauma patients without traumatic brain injury who develop ...

C-reactive protein is a predictor of complications after ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - 翻译此页

作者: E Poskus - 2015 - 相关文章

2015年9月14日 - The significant predictive cut-off value decreases and becomes more ...
Complications develop immediately after laparoscopic surgery or within ... surgery
causes trauma to the body, provoking an immune response. ... The above-mentioned
cytokines promote C-reactive protein (CRP) synthesis in the liver.

[PDF] Inflammatory serum markers in patients with multiple trauma

www.boneandjoint.org.uk/content/jbjsbr/86-B/3/313.full.pdf ▾ 翻译此页

2004 - 被引用次数: 168 - 相关文章

The predictive value of several clinical ... risk of developing post-traumatic complica-
tions, ... cytokines. The development of this inflammatory response which may have fatal
... tive of septic complications after major trauma.29 Clinical,

Rockwood and Green's Fractures in Adults: Two Volumes Plu...

https://books.google.com/books?isbn=1451161441 - 翻译此页

Robert W. Bucholz - 2012 - Medical

after. Trauma. Type 1 Respiratory Failure: Inadequate Oxygenation (resulting in ... has
reasonable sensitivity, it has poor positive predictive value.50 Analysis of the IL-8 ... that

[全部](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 583,000 条结果 (用时 0.76 秒)

Google 学术: Predictive value of cytokines for developing complications after polytrauma

... profiles associated with the development of the adult ... - Donnelly - 被引用次数: 160

... in blunt trauma patients and perioperative cytokine ... - Pape - 被引用次数: 303

... risk of infection-immunomonitoring for patients after ... - Asadullah - 被引用次数: 85

Prediction of sepsis in trauma patients | Burns & Trauma ...

burnstrauma.biomedcentral.com/articles/10.1186/s13047-015-0079-1 ▾ 翻译此页

作者: H Jin - 2015 - 被引用次数: 2 - 相关文章

1] Fifty-three percent of deaths that happen after trauma occur at the scene of the ... after trauma may suffer morbidity and complications in succeeding treatment phases. It is a cytokine involved in both pro-inflammatory and anti-inflammatory to have no sufficiently predictive value for sepsis development after trauma.

Prediction of sepsis in trauma patients - Springer

link.springer.com/content/pdf/10.1007/978-94-007-5447-9_10 - 翻译此页

作者: H Jin - 2014 - 被引用次数: 2 - 相关文章

rate of delayed death caused by septic complications is still high. Early prediction of the by the cytokine IL-6, which is predominantly released by macrophages in predictive value for sepsis development after trauma.[50]. Evaluation of ...

全部 图片 新闻 视频 更多 ▾ 搜索工具

找到约 472,000 条结果 (用时 0.58 秒)

Google 学术: Predictive value of cytokines for developing complications after polytrauma

- ... profiles associated with the development of the adult ... - Donnelly - 被引用次数: 160
- ... in blunt trauma patients and perioperative cytokine ... - Pape - 被引用次数: 304
- ... risk of infection-immunomonitoring for patients after ... - Asadullah - 被引用次数: 85

Prediction of sepsis in trauma patients | Burns & Trauma ... burnstrauma.biomedcentral.com/articles/10.../2321-3868.1354... ▾ 翻译此页

作者: H Jin - 2015 - 被引用次数: 2 - 相关文章

1] Fifty-three percent of deaths that happen after trauma occur at the scene of the ... after trauma may suffer morbidity and complications in succeeding treatment phases. It is a cytokine involved in both pro-inflammatory and anti-inflammatory to have no sufficiently predictive value for sepsis development after trauma.

Rockwood and Green's Fractures in Adults: Two Volumes Plu... https://books.google.com.hk/books?isbn=1451161441 - 翻译此页

Robert W. Bucholz - 2012 - Medical

after. Trauma. Type 1 Respiratory Failure: Inadequate Oxygenation (resulting in ... but sepsis proved to be a significant complication, and subsequent modern studies ... negative predictive value for the later development of ARDS and respiratory ... that the degree of elevation of these cytokines after injury correlates with the ...

Major secondary surgery in blunt trauma patients ... - NCBI www.ncbi.nlm.nih.gov/pubmed/11426112 ▾ 翻译此页

作者: HC Pape - 2001 - 被引用次数: 304 - 相关文章

Major secondary surgery in blunt trauma patients and perioperative cytokine liberation: