



ALL

IMAGES

VIDEOS

6,650 Results

Any time ▼

## Alternative or Complementary Role of Serological Rapid ...

<https://www.medrxiv.org/content/10.1101/2020.09.13.20193615v1> ▼

Sep 14, 2020 · Background: Although the gold diagnostic method for COVID-19 is accepted as the detection of viral particles by reverse transcription polymerase chain reaction (RT-PCR), **serology** testing for SARS-CoV-2 is at increased demand. A primary aim for utilization **of serological tests** are to better quantify the number of COVID-19 **cases** including those RT-PCR samples were **negative** but showing ...

**Author:** Fatma Yildirim, Pinar Yildiz Gulhan, Ozle... **Publish Year:** 2020

**Estimated Reading Time:** 4 mins

## Advice on the use of point-of-care immunodiagnostic tests ...

<https://www.who.int/news-room/commentaries/detail/...> ▼

Apr 08, 2020 · There is another, more common type of **rapid** diagnostic **test** marketed for COVID-19; a **test** that detects the presence of antibodies in the blood of people believed to have been infected with COVID-19. 2-5 Antibodies are produced over days to weeks after infection with the virus. The strength of **antibody** response depends on several factors ...

## Alternative or Complementary Role of Serological Rapid ...

<https://www.researchgate.net/publication/344973777...>

Sep 14, 2020 · Conclusion: Our study demonstrated the feasibility of COVID-19 diagnosis based on rapid antibody test in the cases of patients whose RT-PCR samples were negative. We ...

**Name of Journal:** *World Journal of Experimental Medicine*

**Manuscript NO:** 59764

**Manuscript Type:** ORIGINAL ARTICLE

*Retrospective Study*

**Role of Serological Rapid Antibody Test in the Management of Possible COVID-19**

**Cases**

*Serological Rapid Antibody Test in COVID-19*

Fatma Yıldırım, Pinar Yıldız Gulhan, Ozlem Ercen Diken, Aylin Capraz, Meltem Simsek, Berna Botan Yıldırım, Muhammet Ridvan Taysi, Sakine Yilmaz Ozturk, Nurcan Demirtas, Julide Ergil, Adem Dirican, Tugce Uzar, Irem Karaman, Sevkett Ozkaya

## Match Overview

Match 1 of 27

1	<b>Crossref</b> 1024 words Fatma Yildirim, Pinar Yildiz Gulhan, Ozlem Ercen Diken, Aylin Capraz et al. "Alternative or Complementary Role of Serolog ...	35%
2	<b>Internet</b> 116 words crawled on 22-Feb-2021 <a href="http://www.medrxiv.org">www.medrxiv.org</a>	4%
3	<b>Internet</b> 33 words crawled on 01-May-2021 <a href="http://www.degruyter.com">www.degruyter.com</a>	1%
4	<b>Internet</b> 26 words crawled on 19-Sep-2019 <a href="http://link.springer.com">link.springer.com</a>	1%
5	<b>Internet</b> 15 words crawled on 03-Sep-2020 <a href="http://www.nomesk.no">www.nomesk.no</a>	1%
6	<b>Internet</b> 12 words crawled on 12-Jun-2021 <a href="http://www.frontiersin.org">www.frontiersin.org</a>	<1%





ALL

IMAGES

VIDEOS



Add the Give with Bing extension &gt;

528,000 Results

Any time ▾

[PDF] [Alternative or Complementary Role of Serological Rapid ...](#)

<https://www.medrxiv.org/content/10.1101/2020.09.13.20193615v1.full.pdf>

Sep 13, 2020 · Conclusion: Our study demonstrated the feasibility of **COVID-19 diagnosis** based on **rapid antibody test in the cases of patients** whose RT-PCR samples were negative. We suggest that the detection of antibodies against SARS-CoV-2 with **rapid antibody test** should be included in the diagnostic algorithm in suspected **COVID-19 patients**.

**Author:** Fatma Yildirim, Pinar Yildiz Gulhan, O... **Publish Year:** 2020

[Alternative or Complementary Role of Serological Rapid ...](#)

<https://www.researchgate.net/publication/344973777...>

Sep 14, 2020 · Conclusion: Our study demonstrated the **feasibility of COVID-19 diagnosis** based on **rapid antibody test in the cases** of patients whose RT ...

[Alternative or Complementary Role of Serological Rapid ...](#)

<https://www.medrxiv.org/content/10.1101/2020.09.13.20193615v1> ▾

Sep 14, 2020 · Background: Although the gold diagnostic method for **COVID-19** is accepted as the detection of viral particles by reverse transcription polymerase chain reaction (RT-PCR), **serology testing** for SARS-CoV-2 is at increased demand. A primary aim for utilization of **serological tests** are to better quantify the number of **COVID-19 cases** including those RT-PCR samples were negative but showing clinical and radiological signs of **COVID-19**.

**Author:** Fatma Yildirim, Pinar Yildiz Gulhan, O... **Publish Year:** 2020

**Estimated Reading Time:** 6 mins

## Search Tools

Turn off Hover Translation (关闭取词)