
SIMILAR



Name of Journal: World Journal of Pharmacology

ESPS Manuscript NO: 28886

Manuscript Type: Original Article

Observational study

Innovate combination of sevoflurane dilution in dimethyl sulfoxide: A stability study by gas chromatography and nuclear magnetic resonance

F Dámaso Fernández-Ginés, Sergio García-Muñoz, Héctor Mateo-Carrasco, Miguel Ángel Rincón-Cervera, Manuel Cortiñas-Sáenz, José Antonio Morales-Molina, Carmen Fernández-Sánchez, Juan Miguel Expósito-López, Ignacio Rodríguez-García

Match Overview H- late Internet 34 words 1% crawled on 10-Dec-2009 jac.oxfordjournals.org CrossCheck 24 words 1% John F. Beary. "U.S. drug and biologic approvals in 1994 -1995", Drug Development Research, 04/1998 CrossCheck 20 words 1% Kadirvel, Manikandan, Nicholas J. W. Rattray, Ramkuma r Rajendran, Waleed A. Zalloum, Abdul Gbaj, Constantin Internet 16 words 1% crawled on 10-Jun-2012 www.ajcn.org Internet 13 words <1% crawled on 31-Jul-2016 f1000research.com Internet 11 words <1% crawled on 06-May-2016 www.omicsonline.org Internet 11 words <1%

Abstract

0







全部 图片 新闻 视频 更多▼ 搜索工具

找到约 1,390 条结果 (用时 0.49 秒)

Google 学术: Innovate combination of sevoflurane dilution in dimethyl sulfoxide: A stability study by gas chromatography and nuclear magnetic resonance

...: analytical approaches in human sports drug testing - Thevis - 被引用次数: 20 Probe molecule (PrM) approach in adverse outcome ... - Angrish - 被引用次数: 6

[PDF] Intelligent use of Relative Response Factors in Gas ...

https://www.chromatographytoday.com/article_read/1205/ ▼ 翻译此页 quantification of solvent impurities by 1H NMR. This article ... quantification by GC-FID and it's applications ... completed for all solvent pair combinations ... dimethylsulfoxide (DMSO) or 1,3-Dimethy-2- ... dilute to volume with the calibration solution ... Example response factor determined in this study. ... stable standard.

缺少字词: sevoflurane

Differences in Cellulosic Supramolecular Structure of ... - NCBI

www.ncbi.nlm.nih.gov→ ...→ PubMed Central (PMC) ▼ 翻译此页

作者: T Ogura - 2013 - 被引用次数: 17 - 相关文章

2013年6月19日 - Lignocellulose has a strong and stable structure and is resistant to biodegradation. ... unique studies using combined solid- and solution-state NMR and ... Solid-state NMR spectra were measured in a B0 field of 18.8 Tesla ... After drying, the pellets were dissolved in 20 µl of a DMSO-d6/pyridine-d5 (4:1) ...

缺少字词: sevoflurane

The Tandem of Full Spin Analysis and qHNMR for the ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▼ 翻译此页

作者: JG Napolitano - 2012 - 被引用次数: 31 - 相关文章

2012年2月14日 - This study demonstrates how a combination of computer-aided spectral ... (qHNMR) generates the analytical foundation for innovative means of ... of modern separation techniques such as gas and liquid chromatography (GC, LC) For the present study, we chose DMSQ-d6 as the NMR solvent because it





All Shopping Images News Videos More ▼ Search tools

About 382 results (0.34 seconds)

[PDF] Diapositiva 1

www.eahp.eu/sites/default/files/pp-006_1.pdf •

Stability evaluation of sevoflurane dilution in dimethyl sulfoxide (DMSO). During 21 days ... 19F NMR in the same signals were observed in all samples, these ...

Journal of Chromatography A | Articles in Press | ScienceDirect.com

www.sciencedirect.com/science/journal/aip/00219673 ▼ ScienceDirect ▼

A comprehensive strategy using chromatographic profiles combined with chemometric CE method enables to investigate the chiral stability of a new drug product. ... of chlorophenols in human urine by gas chromatography/mass spectrometry The enantioselective properties were further studied by NMR spectroscopy.

Qualitative analysis of the stability of the oxazine ring of various ... - NCBI

www.ncbi.nlm.nih.gov/pubmed/1403706 National Center for Biotechnology Information • by GP Moloney - 1992 - Cited by 18 - Related articles

Qualitative analysis of the **stability** of the oxazine ring of various benzoxazine and pyridooxazine derivatives with proton **nuclear magnetic resonance** spectroscopy. ... the derivatives was **studied** with proton **nuclear magnetic resonance** spectroscopy. ... when H2O was added to **dimethyl sulfoxide** solutions of the compounds.

Missing: innovate combination sevoflurane dilution gas chromatography

Folding study of an Aib-rich peptide in DMSO by molecular dynamics ...

www.ncbi.nlm.nih.gov/.../11168894 ▼ National Center for Biotechnology Information ▼ by R Bürgi - 2001 - Cited by 41 - Related articles

Folding study of an Aib-rich peptide in DMSO by molecular dynamics simulations. ... using atomic forcefields to correctly predict stable folded conformations of a ... results are compared with experimental nuclear magnetic resonance (NMR) ...

Missing: innovate combination sevoflurane dilution gas chromatography

Annual banned-substance review: analytical approaches in human ... onlinelibrary.wiley.com/doi/10.1002/dta.1928/full ▼ John Wiley & Sons ▼







全部 图片 新闻 视频 更多▼ 搜索工具

找到约 302 条结果 (用时 0.96 秒)

[PDF] Diapositiva 1

www.eahp.eu/sites/default/files/pp-006_1.pdf ▼ 翻译此页

Stability evaluation of sevoflurane dilution in dimethyl sulfoxide (DMSO). During 21 days ... 19F NMR in the same signals were observed in all samples, these ...

缺少字词: combination

Journal of Chromatography A | Articles in Press | ScienceDirect.com www.sciencedirect.com/science/journal/aip/00219673 ▼ 翻译此页

Journal of Chromatography A | Article in press | ScienceDirect.com. ... Capillary gas chromatographic separation of organic bases using a pH-adjusted basic water CE method enables to investigate the chiral stability of a new drug product. The enantioselective properties were further studied by NMR spectroscopy.

Say No to DMSO: Dimethylsulfoxide Inactivates Cisplatin, Carboplatin ... www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▼ 翻译此页

作者: MD Hall - 2014 - 被引用次数: 31 - 相关文章

2014年5月8日 - However, dissolving cisplatin in DMSO for laboratory-based studies results in ... in combination with other agents to treat a range of malignancies including Diluted antibody (1:50 in PBS/1% BSA/0.3% Triton X-100) was then applied, 195Pt NMR studies of platinum(II) dimethylsuphoxide complexes.

缺少字词: sevoflurane chromatography

Stereochemistry and solvent role in protein folding: nuclear magnetic ... www.ncbi.nlm.nih.gov/pubmed/21528872 ▼ 翻译此页

作者: KR Srivastava - 2011 - 被引用次数: 10 - 相关文章

2011年4月29日 - ... folding: nuclear magnetic resonance and molecular dynamics studies of poly-L and alternating-L,D homopolypeptides in dimethyl sulfoxide.