


[PDF] The Problem of Eating Disorders and Comorbid ...
https://www.jneuropsychiatry.org/peer-review/the-problem-of-eating-disorders-and...
this topic. The results of this review pointed out that ED in comorbidity with psychostimulants abuse showed worst prognosis compared to ED alone and no definitive and well-established treatment in comorbid ED-SUD is so far available. Stimulants use and misuse seem to be preferred in anorexia with purging behavior or binge eating disorder.

Author: Domenico De Berardisa, Ilaria Matarazz... Publish Year: 2019


Binge Eating and Addiction | Psychology Today


https://www.psychologytoday.com/us/blog/addiction... >
Oct 10, 2013 - But sex and binge eating are not included in the addiction section of DSM-5. For one thing, it just seems hard to put "food" and "sex"—universal appetites—on a list of addictive things.



Search Tools

Turn off Hover Translation (关闭取词)





1,540,000 Results Any time >

Food Addiction Is Associated with Binge Eating and ...

https://pubmed.ncbi.nlm.nih.gov/32977459

Participants (N = 100) completed measures of food addiction, binge eating, depression, and anxiety 1 year following bariatric surgery, were randomized to receive either Tele-CBT or standard bariatric post-operative care, and then, repeated the measure of food addiction at 1.25 and 1.5 years following surgery. Thirteen percent of patients ...

Cited by: 2 Author: Stephanie Cassin, Samantha Leung, Rae...

Publish Year: 2020

[PDF] The Problem of Eating Disorders and Comorbid ...

https://www.jneuropsychiatry.org/peer-review/the-problem-of-eating-disorders-and...

this topic. The results of this review pointed out that ED in comorbidity with psychostimulants abuse showed worst prognosis compared to ED alone and no definitive and well-established treatment in comorbid ED–SUD is so far available. Stimulants use and misuse seem to be preferred in anorexia with purging behavior or binge eating disorder.

Author: Domenico De Berardisa, Ilaria Matara... Publish Year: 2019



Feedback

Food Addiction and Binge Eating During One Year Following ... https://pubmed.ncbi.nlm.nih.gov/33000357

The Yale Food Addiction Scale and the Binge Eating Scale were used to characterize food addiction and binge eating, respectively. Results: The mean baseline age and BMI were 32.1 ± 11.1 years and 44.9 ± 4.9 kg/m 2, respectively. Pre-surgery, food addiction, and binge eating were identified in 40.7% and 48.1% of patients, respectively.

Cited by: 1 Author: Tair Ben-Porat, Ram Weiss, Shiri Sherf-D...