

Name of journal: World Journal of Psychiatry

ESPS Manuscript NO: 18274

Manuscript Type: ORIGINAL ARTICLE

### Retrospective Study

Risk for emerging bipolar disorder, variants, and symptoms <sup>23</sup> in children with attention-deficit hyperactivity disorder, now grown up

Ahmed Z Elmaadawi, <sup>37</sup> Peter S Jensen, <sup>22</sup> L Eugene Arnold, Brooke Molina, Karen Wells, Lily Hechtman, Howard B Abikoff, Stephen P Hinshaw, Jeffrey H Newcorn, Laurence Lee Greenhill, James M. Swanson, Cathryn Galanter

### Abstract

**AIM:** To determine the prevalence of bipolar disorder (BD) and sub-threshold symptoms in Children with attention-deficit hyperactivity disorder (ADHD) through 14 years' follow-up, when participants were between 21-24 years old.

**METHODS:** First, we examined rates of BD type I and II diagnoses in children participated in the NIMH funded Multimodal Treatment Study of ADHD (MTA) study. We used the Diagnostic Interview Schedule for Children (DISC) that was administered

### Match Overview

1	Internet 69 words crawled on 29-Apr-2013 <a href="http://www.ncbi.nlm.nih.gov">www.ncbi.nlm.nih.gov</a>	1%
2	Internet 24 words crawled on 20-Jan-2014 <a href="http://www.cchr.org.au">www.cchr.org.au</a>	<1%
3	Internet 23 words crawled on 26-May-2014 <a href="http://ajp.psychiatryonline.org">ajp.psychiatryonline.org</a>	<1%
4	Internet 18 words crawled on 15-Dec-2014 <a href="http://www.pubfacts.com">www.pubfacts.com</a>	<1%
5	Internet 14 words crawled on 24-Dec-2013 <a href="http://www.clinics.org.br">www.clinics.org.br</a>	<1%
6	Internet 12 words crawled on 04-Dec-2013 <a href="http://www.biomedcentral.com">www.biomedcentral.com</a>	<1%
7	CrossCheck 12 words Albuquerque, Felipe N., Virend K. Somers, Gustavo Blum e, William Miranda, Yoel Korenfeld, Andrew D. Calvin, Rui	<1%
	Internet 10 words	<1%

## Program Navigation

[Home](#)

[Search](#)

[Browse by Day](#)

[Browse by Program](#)

[Author Index](#)

[Browse Exhibitors](#)

### Meeting Information

**When:**

October 19 - 27, 2013

**Where:**

Orlando, FL

## Risk for Emerging Bipolar Disorder, Bipolar Variants, and Symptoms in Children with ADHD, Now Grown Up

*Friday, October 25, 2013*

*Ahmed Z. Elmaadawi, MD, Psychiatry and Psychology, Mayo Clinic, Rochester, MN*

*Peter S. Jensen, MD, The REACH Institute, New York, NY*

*Lily Hechtman, MD, McGill University Health Center, Montreal, QC, Canada*

*L. Eugene Arnold, MD, Psychiatry, Ohio State University, Sunbury, OH*

*Howard B. Abikoff, PhD, New York University Child Study Center, New York, NY*

*Stephen P. Hinshaw, PhD, Department of Psychology, University of California, Berkeley, CA*

*Jeffrey H. Newcorn, MD, Psychiatry, Icahn School of Medicine at Mount Sinai, New York, NY*

*Laurence Lee Greenhill, MD, New York Psychiatric Institute, New York, NY*

*Cathryn Galanter, MD, Psychiatry, State University of New York Downstate Medical Center and Kings County Hospital Center, Brooklyn, NY*

*MTA Collaborators, National Institute of Mental Health, Bethesda, MD*

See more of: [New Research Posters Session 4](#)

See more of: [New Research Poster](#)



Risk for emerging bipolar disorder, variants, and symptoms in children



网页

新闻

图片

视频

更多

搜索工具

找到约 30,400 条结果 (用时 0.67 秒)

### Attention deficit hyperactivity disorder | University of ...

[umm.edu/health/.../attention-deficit-hyperactivity-disorder](http://umm.edu/health/.../attention-deficit-hyperactivity-disorder) 翻译此页

The researchers found that long-term ADHD increased the risks for impaired ... Adult ADHD is a continuation of childhood ADHD symptoms. ... Bipolar disorder plus ADHD can be very difficult to differentiate from ADHD ... Some twin studies report that up to 90% of children with a diagnosis of ADHD shared it with their twin.

### ADHD - In-Depth Report - NY Times Health

[www.nytimes.com/.../disease/attention-deficit-hyperactivity-dis](http://www.nytimes.com/.../disease/attention-deficit-hyperactivity-dis) 翻译此页

Studies indicate that ADHD symptoms in preschool children with ADHD do not differ ... Many doctors now believe that an essential feature in ADHD, as well as in ... About 20% of adults with ADHD also have major depression or bipolar disorder. ... that up to 90% of children with a diagnosis of ADHD shared it with their twin.

### Pediatric Bipolar Disorder: Diagnostic Challenges in ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > PubMed Central (PMC) 翻译此页

作者: T Singh - 被引用次数: 10 - 相关文章

When one parent has bipolar disorder, the risk to each child is 15 to 30 percent. ... This number has grown to 1,003 per 100,000 visits (about 80,000 patients) in 2002 to 2003.6 ... disorder [ADHD] in prepubertal children), and significant symptom overlap in ... as part of a comprehensive evaluation and premedication work up.

### Downstate Child and Adolescent Psychiatry Program ...

[www.downstate.edu](http://www.downstate.edu) > Psychiatry > Fellowship 翻译此页

2014年2月13日 - A 14-Year Longitudinal Follow-Up, AACAP Annual Meeting 2013, Orlando Florida ... Galanter CA, Risk for Emerging Bipolar Disorder, Bipolar Variants,

[网页](#)[新闻](#)[图片](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 31,700 条结果 (用时 0.71 秒)

### Attention deficit hyperactivity disorder | University of ...

<https://umm.edu/health/.../attention-deficit-hyperactivity-disord...> ▾ [翻译此页](#)

作者: J Seekers - 相关文章

The researchers found that long-term ADHD increased the risks for impaired ... Adult ADHD is a continuation of childhood ADHD symptoms. ... Bipolar disorder plus ADHD can be very difficult to differentiate from ADHD ... Some twin studies report that up to 90% of children with a diagnosis of ADHD shared it with their twin.

### Pediatric Bipolar Disorder: Diagnostic Challenges in ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者: T Singh - 被引用次数: 11 - 相关文章

When one parent has bipolar disorder, the risk to each child is 15 to 30 percent. ... This number has grown to 1,003 per 100,000 visits (about 80,000 patients) in 2002 to 2003.6 ... disorder [ADHD] in prepubertal children), and significant symptom overlap in ... as part of a comprehensive evaluation and premedication work up.

### Downstate Child and Adolescent Psychiatry Program ...

[www.downstate.edu](http://www.downstate.edu) > Psychiatry > Fellowship ▾ [翻译此页](#)

2014年2月13日 - A 14-Year Longitudinal Follow-Up, AACAP Annual Meeting 2013, Orlando Florida ... Galanter CA, Risk for Emerging Bipolar Disorder, Bipolar Variants, and Symptoms in Children with ADHD, Now Grown Up, AACAP Annual ...

### ADHD - In-Depth Report - NY Times Health

[www.nytimes.com/.../disease/attention-deficit-hyperactivity-dis...](http://www.nytimes.com/.../disease/attention-deficit-hyperactivity-dis...) ▾ [翻译此页](#)

Studies indicate that ADHD symptoms in preschool children with ADHD do not differ ... Many doctors now believe that an essential feature in ADHD, as well as in ... About 20% of adults with ADHD also have major depression or bipolar disorder. ... that up to 90% of children with a diagnosis of ADHD shared it with their twin.