

Name of Journal: *World Journal of Psychiatry*

ESPS Manuscript NO: 23011

Manuscript Type: BASIC STUDY

Failure of memantine to "reverse" Quinpirole-induced hypomotility

Francesca Demontis and Gino Serra

Match Overview

1	CrossCheck 149 words D'Aquila, P.S.. "Carbamazepine prevents imipramine-induced behavioural sensitization to the dopamine D ² -li ...	4%
2	CrossCheck 50 words D'Aquila, P.S.. "Chronic valproate fails to prevent imipramine-induced behavioural sensitization to the dopami ...	1%
3	CrossCheck 46 words D'Aquila, P.S.. "Reversal of antidepressant-induced dopaminergic behavioural supersensitivity after long-term ...	1%
4	CrossCheck 28 words D'Aquila, P.S.. "Chronic lithium chloride fails to prevent imipramine-induced sensitization to the dopamine D ² ...	1%
5	Internet 24 words crawled on 18-May-2015 www.wjgnet.com	1%
6	Internet 20 words crawled on 21-Jul-2015 worldwidescience.org	1%

学术搜索

找到约 1,760 条结果 (用时0.05秒)

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

时间不限
2016以来
2015以来
2012以来
自定义范围...

Memantine is a clinically well tolerated N-methyl-D-aspartate (NMDA) receptor antagonist—a review of preclinical data
CG Parsons, W Danyysz, G Quack - Neuropharmacology, 1999 - Elsevier
N-methyl-d-aspartate (NMDA) receptor antagonists have therapeutic potential in numerous CNS disorders ranging from acute neurodegeneration (eg stroke and trau.
被引用次数: 844 相关文章 所有 13 个版本 引用

psu.edu 中的 [P

按相关性排序
按日期排序

Neuroprotective and symptomatological action of memantine relevant for Alzheimer's disease—a unified glutamatergic hypothesis on the mechanism of action
W Danyysz, CG Parsons, HJÖ Möbius, A StÖffler... - Neurotoxicity ..., 2000 - Springer
... Memantine also significantly attenuates striatal lesions induced by the mito- chondrial toxin malonate, again implicating utility in chronic neurodegenerative diseases ... Thus, under conditions of tonic acti- vation of NMDA receptors, memantine can reverse deficits in synaptic ...
被引用次数: 285 相关文章 所有 16 个版本 引用

chrisparsons.de

搜索所有网页
中文网页
简体中文网页

Memantine: a NMDA receptor antagonist that improves memory by restoration of homeostasis in the glutamatergic system-too little activation is bad, too much is even ...
CG Parsons, A Stöffler, W Danyysz - Neuropharmacology, 2007 - Elsevier
The neurotransmitter glutamate activates several classes of metabotropic receptor and three major types of ionotropic receptor – α -amino-3-hydroxy-5-methyl-4.
被引用次数: 386 相关文章 所有 12 个版本 引用

researchgate.ne

☒ 包括专利
☒ 包含引用

The neuropharmacological basis for the use of memantine in the treatment of Alzheimer's disease
MA Rogawski, GL Wenk - CNS drug reviews, 2003 - Wiley Online Library
... Nevertheless, it has been suggested that it is too early to abandon hope as methodological factors in the conduct of those clinical trials may have contributed to the failures (69). ... The reverse (dissociation) rate constant (k_{-1}) of memantine is also correspondingly faster than that ...
被引用次数: 310 相关文章 所有 7 个版本 引用

wiley.com 中的 [

学术搜索

您的搜索 - **Failure of memantine to "reverse" quinpirole-induced hypomotility** - 与所有文章均不相符。

建议:

请检查输入字词有无错误。
请尝试其他的查询词
请改用较常见的字词。
请减少查询字词的数量。

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用



全部 图片 新闻 视频 更多 ▾ 搜索工具

找到约 273 条结果 (用时 0.70 秒)

Memantine: New prospective in bipolar disorder treatment

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: G Serra - 2014 - 被引用次数: 8 - 相关文章

2014年12月22日 - The model is induced by the same treatment that can induce mania in humans, ... does not block the behavioural supersensitivity to **quinpirole induced** by ... The stimulation of the NMDA glutamate receptor is required in the **reverse** tolerance (or ... However, we recently found that **memantine failed** to reduce ...

Predictive animal models of mania: hits, misses and future ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: JW Young - 2011 - 被引用次数: 51 - 相关文章

Finally, **memantine** is not only an agent used to treat Alzheimer's disease but is also being ... Chronic lithium does not appear to **reverse** amphetamine-induced ... Topiramate, the **failed** putative anti-manic agent, was also efficacious in ... Acute administration of the dopamine agonist **quinpirole induces** a pattern of ...

Clozapine - Wikipedia, the free encyclopedia

<https://en.wikipedia.org/wiki/Clozapine> ▾ 翻译此页

2.1 Agranulocytosis; 2.2 Cardiac toxicity; 2.3 Gastrointestinal **hypomotility** ... This means that they have **failed** to respond satisfactorily to at least two different ... Clozapine carries a black box warning for drug-induced agranulocytosis. CGP44532 and the positive modulator GS39783 **reverse** some behavioural changes ...

[PDF] receptor subtype-specific dopaminergic agents and ...

www.queensu.ca/psychology/sites/.../Beninger_prp_100.pdf ▾ 翻译此页

作者: RJ BENINGER - 1991 - 被引用次数: 29 - 相关文章

D1 and D2 antagonists decrease locomotor activity, **induce** catalepsy and antagonize ...