



28436-Review

Quotes Excluded
Bibliography Excluded20%
SIMILAR**Name of Journal:** *World Journal of Psychiatry***ESPS Manuscript NO:** 28436**Manuscript Type:** ORIGINAL ARTICLE*Randomized Clinical Trial***The influence of different second generation antipsychotics on the QTc interval: A pragmatic study****Roy E Olsen, Rune A Kroken, Sigmund Bjørhovde, Kristina Aanesen, Hugo A Jørgensen, Else-Marie Løberg, Erik Johnsen****Abstract****AIM:** To investigate whether differential influence on the QTc interval exists among four second generation antipsychotics (SGAs) in psychosis.**Match Overview**

1	Crossref 181 words Johnsen, E., H.A. Jørgensen, R.A. Kroken, and E.-M. Løberg. "Neurocognitive effectiveness of quetiapine, olanzapine, risperidone and ziprasidone: a pragmatic, randomized, controlled trial." <i>World Journal of Psychiatry</i> 6.1 (2016): 1-10. Web. 12 Sep 2016.	5%
2	Internet 114 words crawled on 02-May-2016 bmcpsy psychiatry.biomedcentral.com	3%
3	Internet 107 words crawled on 15-Dec-2012 www.biomedresearchpublishing.org	3%
4	Internet 94 words crawled on 18-Aug-2014 www.biomedcentral.com	2%
5	Crossref 64 words Erik Johnsen. "Sexual Dysfunction and Hyperprolactinemia in Male Psychotic Inpatients: A Cross-Sectional Study", <i>Ad</i>	2%
6	Crossref 35 words Eirik Kjelby. "Anti-depressive effectiveness of olanzapine, quetiapine, risperidone and ziprasidone: a pragmatic, randomized, controlled trial." <i>World Journal of Psychiatry</i> 6.1 (2016): 1-10. Web. 12 Sep 2016.	1%

[全部](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 7,430 条结果 (用时 0.64 秒)

Effectiveness of second generation antipsychotics: A ... - BMC Psychiatry

bmcpsychiatry.biomedcentral.com/articles/10.1186/1471-244X-8-31 ▾ [翻译此页](#)

作者: E Johnsen - 2008 - 被引用次数: 61 - 相关文章

Effectiveness **studies**, also known as naturalistic, **pragmatic**, practical or real life First line **second generation antipsychotic** drugs: aripiprazole, olanzapine, quetiapine, risperidone, ziprasidone. ... 3.4 **Other** adverse **effects**, general and specific. of treatment, change of blood glucose and HbA1c, change in **QTc interval**).

Effectiveness of second-generation antipsychotics: a naturalistic ...

bmcpsychiatry.biomedcentral.com/articles/10.1186/1471-244X-10-26 ▾ [翻译此页](#)

作者: E Johnsen - 2010 - 被引用次数: 32 - 相关文章

Effectiveness of **second-generation antipsychotics**: a naturalistic, randomized Contradictory results in **studies** from **different** sources of pharmaceutical sponsorship ... Effectiveness trials, also known as "naturalistic", "real-life", "**pragmatic**", from baseline of fasting insulin, or proportion with **QTc interval** prolongation [27].

Effectiveness of Second Generation Antipsychotics: Abstract and ...

www.medscape.org/viewarticle/575468 ▾ [翻译此页](#)

Abstract and Background: Which **second-generation antipsychotics** (SGAs) are ... is to review natural **studies** of the efficacy of **second-generation antipsychotics** ... to examine and compare **the effect of different** SGAs on quality-of-life measures of Effectiveness trials, as opposed to efficacy trials, take a more **pragmatic**

Effectiveness of second generation antipsychotics: A ... - ResearchGate

https://www.researchgate.net/.../5414205_Effectiveness_of_second_generation_antipsyc...

Effectiveness **studies**, also known as naturalistic, **pragmatic**, practical or real life **studies**, adhere to ... In chronically ill patients olanzapine may have an advantage over **other** SGAs regarding longer ... **Effect** sizes of **second generation antipsychotics** compared with first. Q & R > O & Z (prolonged **QTc**

[全部](#)[新闻](#)[图片](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 7,720 条结果 (用时 0.83 秒)

Google 学术: Influence of different second generation antipsychotics on the QTc interval: A pragmatic study

Adverse effects of atypical antipsychotics - Haddad - 被引用次数: 348

... second generation antipsychotics: a systematic review ... - Johnsen - 被引用次数: 63

... tolerability of 15 antipsychotic drugs in schizophrenia: ... - Leucht - 被引用次数: 680

Effectiveness of second generation antipsychotics: A systematic ...

bmcpsy psychiatry.biomedcentral.com/articles/10.1186/1471-244X-8-31 ▾ 翻译此页

作者: E Johnsen - 2008 - 被引用次数: 62 - 相关文章

Effectiveness studies, also known as naturalistic, pragmatic, practical or real life studies, ... Sixteen different reports of randomized head-to-head comparisons of SGA First line second generation antipsychotic drugs: aripiprazole, olanzapine, of treatment, change of blood glucose and HbA1c, change in QTc interval).

Effectiveness of Second Generation Antipsychotics: Methods

www.medscape.org/viewarticle/575468_2 ▾ 翻译此页

Methods: Which second-generation antipsychotics (SGAs) are most effective in ... is to review natural studies of the efficacy of second-generation antipsychotics ... to examine and compare the effect of different SGAs on quality-of-life measures of the authors in conflict with the pragmatic principle of effectiveness studies.

New Generation Antipsychotic Drugs and QTc Interval Prolongation

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者: WVR Vieweg - 2003 - 被引用次数: 88 - 相关文章

Antipsychotic drug-induced or drug-associated QT interval prolongation ... Various group-derived

[全部](#)[新闻](#)[图片](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 3,240 条结果 (用时 0.84 秒)

Google 学术: Influence of different second generation antipsychotics on the QTc interval: A pragmatic study

Adverse effects of atypical antipsychotics - Haddad - 被引用次数: 351

... second generation antipsychotics: a systematic review ... - Johnsen - 被引用次数: 63

... tolerability of 15 antipsychotic drugs in schizophrenia: - Leucht - 被引用次数: 686

Effectiveness of second generation antipsychotics: A systematic ...

bmcpsy psychiatry.biomedcentral.com/articles/10.1186/1471-244X-8-31 ▾ 翻译此页

作者: E Johnsen - 2008 - 被引用次数: 63 - 相关文章

Effectiveness studies, also known as naturalistic, pragmatic, practical or real life studies, ... Sixteen different reports of randomized head-to-head comparisons of SGA First line second generation antipsychotic drugs: aripiprazole, olanzapine, of treatment, change of blood glucose and HbA1c, change in QTc interval).

Effects of first-generation antipsychotics versus second-generation ...

[thelancet.com/journals/lanpsy/article/PIIS2215-0366\(16\)00085-7/fulltext](http://thelancet.com/journals/lanpsy/article/PIIS2215-0366(16)00085-7/fulltext) - 翻译此页

2016年6月2日 - Whether or not second-generation antipsychotics (SGAs) represent an The NeSSy study was double-blind (different from CUTLASS and The approved dose range for aripiprazole could not be fully used for pragmatic reasons, because area divided by time interval) standard deviations (SDs) of 20·38 ...

Randomized Controlled Trials for Schizophrenia: Study Designs ...

www.ncbi.nlm.nih.gov ▸ NCBI ▸ Literature ▸ PubMed Central (PMC) ▾ 翻译此页

作者: TS Stroup - 2008 - 被引用次数: 13 - 相关文章

2008年1月31日 - Randomized controlled trials for antipsychotic drugs have a variety of design ... These influential studies have helped determine the relative benefits and ... treating physician or other member