

Name of journal: *World Journal of Transplantation*

ESPS Manuscript NO: 21222

Manuscript Type: ORIGINAL ARTICLE

*Observational Study*

Combining cytochrome CYP3A4 modulators and cyclosporine or everolimus in transplantation is successful

Fernando González MD, MBA and Ricardo Valjalo MD.

**Abstract**

## Match Overview

1	CrossCheck 55 words "American Transplant Congress 2007 Executive and F ... gram Planning Committees and Abstract Review Comm	2%
2	CrossCheck 52 words Eric Ah-Sing. "Mechanism of the ketoconazole-cyclosporin interaction", Archives of Toxicology, 08/1990	1%
3	CrossCheck 49 words "Poster Session", Transplant International, 9/2007	1%
4	CrossCheck 45 words Gonzalez, F.. "Everolimus Versus Azathioprine in a Cyclosporine and KetoconazoleBased Immunosuppressive T	1%
5	CrossCheck 30 words "Abstracts", American Journal of Transplantation, 5/2005	1%
6	CrossCheck 27 words "WORLD TRANSPLANT CONGRESS 2006 ORAL ABSTRACTS", American Journal of Transplantation, 8/2006	1%



Cytochrome CYP3A4 modulators in Kidney Transplantation: 6 years results of



学术搜索

我的著作引用情况



文章

我的图书馆

您的搜索 - **Cytochrome CYP3A4 modulators in Kidney Transplantation: 6 years results of two ketoconazole and calcineurin inhibitor based immunosuppressive regimens, one with an m-TOR inhibitor and the other with an anti-proliferative agent** - 与所有文章均不相符。

建议:

请检查输入字词有无错误。  
请尝试其他的查询词  
请改用较常见的字词。  
请减少查询字词的数量。  
请向所有网络查询

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

[关于 Google 学术搜索](#)

[隐私权](#)

[条款](#)

[提供反馈](#)

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

创建快讯





Combining Cytochrome CYP3A4 Modulators and Cyclosporine or Everolimus ▾



学术搜索

找到约 377 条结果 (用时0.06秒)

我的著作引用情况



文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Effects of dietary factors on drug transport and metabolism: the impact on dosage guidelines in transplant patients nature.com 中的 [HTML]

R Nowack, J Andrassy, M Fischereder... - Clinical Pharmacology ..., 2009 - Wiley Online Library  
... combined role of cytochrome P450 3A and P-glycoprotein. Clin. ... of the CYP3A4 system with St John's wort. ... Clinical assessment of effects of botanical supplementation on cytochrome P450 phenotypes in the elderly: St John's wort, garlic oil, Panax ginseng and Ginkgo biloba. ...  
被引用次数: 20 相关文章 所有 6 个版本 引用 保存

Immunosuppression in pediatric solid organ transplantation: opportunities, risks, and management

JM Tredger, NW Brown, A Dhawan - Pediatric transplantation, 2006 - Wiley Online Library  
... effects (2) by evolving practices such as improved immunosuppressive drug monitoring and combining the types ... was recently claimed as predictive of PTLT in liver graft recipients when combined with the ... FTY720, Cytochrome P450 4F inhibitors, Cytochrome P450 4F inducers. ...  
被引用次数: 37 相关文章 所有 6 个版本 引用 保存

In Vivo CYP3A Activity Is Significantly Lower in Cyclosporine - Treated as Compared With Tacrolimus - Treated Renal Allograft Recipients nature.com 中的 [HTML]

H Jonge, H Loo, K Verbeke... - Clinical ..., 2011 - Wiley Online Library  
... 5 The oral bioavailability and systemic clearance of these drugs are controlled mainly by the cytochrome P450 isoenzymes CYP3A4 and 3A5 ... Patients who had received combined organ transplants were excluded, as were women with childbearing potential who were not ...  
被引用次数: 18 相关文章 所有 7 个版本 引用 保存

Interactions between oral antineoplastic agents and concomitant medication: a systematic review

E Carcelero, H Anglada, M Tuset... - Expert opinion on drug ..., 2013 - informahealthcare.com  
... can also prolong the QT interval, therefore, caution is advised when combining tyrosine kinase ...

[网页](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 5,170 条结果 (用时 0.47 秒)

## Google 学术: Combining cytochrome CYP3A4 modulators and cyclosporine or everolimus in transplantation is successful

... the impact on dosage guidelines in transplant patients - Nowack - 被引用次数: 20

... in pediatric solid organ transplantation: opportunities, ... - Tredger - 被引用次数: 37

... CYP3A Activity Is Significantly Lower in Cyclosporine- ... - Jonge - 被引用次数: 18

## Effect of CYP3A4\*22, CYP3A5\*3, and CYP3A Combined ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者: D Moes - 2014 - 被引用次数: 15 - 相关文章

2014年2月12日 - Cyclosporine, everolimus, and tacrolimus are the cornerstone of ... are primarily metabolized by cytochrome P450 enzymes, CYP3A4 and CYP3A5. ... however, these findings have not been successfully reproduced. ... A total of 97 adult renal transplant recipients, 62 men and 35 women, were included.

缺少字词: modulators

## [PDF] Chapter 7

<https://openaccess.leidenuniv.nl/bitstream/handle/.../07.pdf?...1...> ▾ [翻译此页](#)

作者: DJAR Moes - 2014 - 相关文章

2014年11月18日 - combined genotypes on cyclosporine, everolimus and tacrolimus ...

Effect of CYP3A4\*22, CYP3A5\*3 and CYP3A combined genotypes on ...

immunosuppressive therapy in renal transplantation. ... everolimus and tacrolimus are primarily metabolized by cytochrome ..... The percentage of successful.

缺少字词: modulators

## Immunosuppressants - mechanisms of action and monitoring