

Name of Journal: *World Journal of Transplantation*

ESPS Manuscript NO: 23086

Manuscript Type: FIELD OF VISION

**Hepatoduodenal ligament dissection technique during recipient hepatectomy for
liver transplantation: How I do it?**

Cuneyt Kayaalp, Kerem Tolan, Sezai Yilmaz

Match Overview

1	Internet 14 words www.vascular-access.info	1%
2	CrossCheck 13 words Lo, Chung-Mau, and See-Ching Chan. "Adult Living Donor ... Right Hepatectomy and Recipient Operation", Transplantati	1%
3	CrossCheck 11 words Cos@?kun, M.. "Imaging of Hepatic Arterial Anatomy for De picting Vascular Variations in Living Related Liver Transpla	1%
4	CrossCheck 10 words Ivo Dominic Vellar. "Preliminary study of the anatomy of the venous drainage of the intrahepatic and extrahepatic bile ...	<1%

学术搜索

找到约 356 条结果 (用时0.16秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☐ 包含引用☒ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Liver transplantation in children from living related donors. Surgical techniques and results.
CE Broelsch, PF Whittington, JC Emond... - *Annals of ...*, 1991 - [ncbi.nlm.nih.gov](#)

... We report herein the surgical techniques and results in these patients. Patients and Methods
Selection of Donors and Recipients ... The technique for implantation of the segment 2, 3 graft is
a modification of that used in split liver transplantation for the left-sided graft (Fig. ...

被引用次数: 643 相关文章 所有 6 个版本 引用 保存

High hilar dissection: new technique to reduce biliary complication in living donor liver transplantation

KW Lee, JW Joh, SJ Kim, SH Choi, JS Heo... - ... *transplantation*, 2004 - [Wiley Online Library](#)

... LDLT, living donor liver transplantation; HHD, high hilar dissection; CMV, cytomegalovirus.
Materials and Methods. ... Biliary anastomosis in living related liver transplantation using the right
liver lobe: techniques and complications. *Liver Transpl* 2000; 6: 710-714. ... technique. ...

被引用次数: 71 相关文章 所有 9 个版本 引用 保存

Anatomical keys and pitfalls in living donor liver transplantation

H Imamura, M Makuuchi, Y Sakamoto... - *Journal of hepato- ...*, 2000 - [Wiley Online Library](#)

... 17] Although anatomic anomalies are common, and the means of detecting them and surgical
methods of coping ... This means that the venoplasty technique involving the superficial branch
is usually not necessary for right ... Techniques of left hemiliver graft with the caudate lobe. ...

被引用次数: 102 相关文章 所有 7 个版本 引用 保存

Liver transplantation in patients with portal vein thrombosis

G Manzanet, F Sanjuán, P Orbis, R López... - ... *Transplantation*, 2001 - [Wiley Online Library](#)

... Patients and Methods ... In complete PVT, portal hypertension was often severe, with large venous
collaterals in the hepatoduodenal ligament, mainly along the ... anatomic mesenteric-portal venous
grafts, technically less difficult, have often replaced the former technique because it ...

被引用次数: 170 相关文章 所有 6 个版本 引用 保存

Video-assisted living donor hemihepatectomy through a 12-cm incision for adult-to-adult liver transplantation

Articles

Case law

My library

Any time

Since 2016


Since 2015

Since 2012

Custom range...

Sort by relevance

Sort by date

☒ include patents☒ include citations Create alert**Liver transplantation in children from living related donors. Surgical techniques and results.**[\[PDF\] from nih.gov](#)

CE Broelsch, PF Whittington, JC Emond... - *Annals of ...*, 1991 - [ncbi.nlm.nih.gov](#)
 ... We report herein the surgical **techniques** and results in these patients. Patients and **Methods**
 Selection of Donors and **Recipients** ... The **technique** for implantation of the segment 2, 3 graft is
 a modification of that used in split **liver transplantation** for the left-sided graft (Fig. ...
 Cited by 880 Related articles All 7 versions Cite Save

[HTML] High hilar dissection: new technique to reduce biliary complication in living donor liver transplantation[\[HTML\] from wiley.com](#)

[KW Lee](#), JW Joh, SJ Kim, SH Choi, JS Heo... - ... **transplantation**, 2004 - [Wiley Online Library](#)
 ... Materials and **Methods**. ... Biliary anastomosis in living related **liver transplantation** using the right
liver lobe: techniques and complications. ... Living Donor **Liver Transplantation** Performed in 1 Year
 in a Single Center: A New Surgical **Technique**, **Transplantation** Proceedings, 2011 ...
 Cited by 72 Related articles All 9 versions Cite Save

Anatomical keys and pitfalls in living donor liver transplantation

H Imamura, M Makuuchi, Y Sakamoto... - *Journal of hepato- ...*, 2000 - [Wiley Online Library](#)
 ... 17] Although anatomic anomalies are common, and the means of detecting them and surgical
methods of coping ... **Techniques** of left hemiliver graft with the caudate lobe. ... Although this **technique**
 has been widely used in conventional **liver** resection to minimize blood loss **during** ...
 Cited by 100 Related articles All 7 versions Cite Save

Living donor for liver transplantation

CE Broelsch, M Burdelski, X Rogiers, M Gundlach... - ... , 1994 - [Wiley Online Library](#)
 ... PATIENTS AND **METHODS** Surgical Procedures. ... Microvascular **techniques** similar to that of
 Tanaka et al. (21) were used. ... Indication, **technique** and results of **liver** graft volume reduction
 before orthotopic **transplantation** in children. **Transplant Proc** 1987;21:3549-3551. ...
 Cited by 154 Related articles All 4 versions Cite Save

[CITATION] Hepatic vascular occlusion: which technique?[\[PDF\] from researchgate.net](#)

EK Abdalla, R Noun, J Belghiti - *Surgical Clinics of North America*, 2004 - [Elsevier](#)
 Cited by 93 Related articles All 10 versions Cite Save

Liver transplantation in patients with portal vein thrombosis[\[PDF\] from wiley.com](#)

G Manzanet, F Sanjuán, P Orbis, R López... - ... **Transplantation**, 2001 - [Wiley Online Library](#)
 ... Patients and **Methods** ... In complete PVT, portal hypertension was often severe, with large venous
 collaterals in the **hepatoduodenal ligament**, mainly along the ... anatomic mesenteric- portal venous
 grafts, technically less difficult, have often replaced the former **technique** because it ...
 Cited by 172 Related articles All 6 versions Cite Save

Video-assisted living donor hemihepatectomy through a 12-cm incision for adult-to-adult liver transplantation[\[HTML\] from surgjournal.com](#)

[全部](#)[图片](#)[视频](#)[新闻](#)[更多 ▾](#)[搜索工具](#)

找到约 17,000 条结果 (用时 0.85 秒)

High hilar dissection: new technique to reduce biliary ... - NCBI

www.ncbi.nlm.nih.gov/pubmed/15350008 ▾ 翻译此页

作者: KW Lee - 2004 - 被引用次数: 72 - 相关文章

Biliary complications after living donor **liver transplantation** (LDLT) continue to be ... With total occlusion of **hepatoduodenal ligament** Glissonia pedicles were divided ... This new HHD **technique during recipient hepatectomy** may contribute to ...

Standard PDF (173.6 KB) - Wiley Online Library

onlinelibrary.wiley.com/doi/10.1002/lt.20230/pdf - 翻译此页

作者: KW Lee - 2004 - 被引用次数: 75 - 相关文章

Glissonian approach to the **recipient hepatectomy**. We called this Glissonian **dissection technique** at the high hilar level high ... come in 31 recipients of a living donor **liver transplant** (LDLT). With total occlusion of **hepatoduodenal ligament** Glissonia ... **denal ligament**, unused bile ducts and bleeding were controlled with ...

High hilar dissection: New technique to reduce biliary ...

onlinelibrary.wiley.com/doi/10.1002/lt.20230/abstract - 翻译此页

作者: KW Lee - 2004 - 被引用次数: 72 - 相关文章

2004年8月30日 - You **can** find out more about our use of cookies in About Cookies, ...
Biliary complications after living donor **liver transplantation** (LDLT) continue to be problematic. ... With total occlusion of **hepatoduodenal ligament** Glissonia pedicles were ... This new HHD **technique during recipient hepatectomy** may ...

Full Article - Wiley Online Library

onlinelibrary.wiley.com/doi/10.1002/lt.20230/full - 翻译此页

作者: KW Lee - 2004 - 被引用次数: 72 - 相关文章

2004年8月30日 - With total occlusion of **hepatoduodenal ligament** Glissonia pedicles were ... This new HHD **technique during recipient hepatectomy** may contribute to ...