



24035-Review

 Quotes Excluded
 Bibliography Excluded

 3%
 SIMILAR

 1 **Name of Journal:** *World Journal of Transplantation*

 2 **ESPS Manuscript NO:** 24035

 3 **Manuscript Type:** ORIGINAL ARTICLE

4

 5 *Retrospective Study*

 6 **Lower plasma bilirubin predicts VOD in early childhood undergoing HSCT with**

 7 **cyclosporine**

8

9 Kwi Suk Kim, Aree Moon, Hyoung Jin Kang, Hee Young Shin, Young Hee Choi,

10 Hyang Sook Kim, Sang Geon Kim

11

 12 **Abstract**

Match Overview

1 **Internet** 16 words 1%
 crawled on 06-Mar-2014
www.biomedcentral.com

2 **Publications** 16 words 1%
 "Researchers from Zagazig University Describe Findings ...
 Aquaculture (Evaluation of *Bacillus amylol*", Life Science

3 **Internet** 12 words <1%
 crawled on 30-Dec-2010
lib.bioinfo.pl

4 **CrossCheck** 12 words <1%
 Seidman, A. D., B. S. Reichman, J. P. A. Crown, T.-J. Yao,
 V. Currie, T. B. Hakes, C. A. Hudis, T. A. Gilewski, and P. F

5 **Internet** 12 words <1%
 crawled on 01-Aug-2015
www.ebmt.org

6 **CrossCheck** 10 words <1%
 Sato, Miki, Shinichi Kako, Kana Matsumoto, Kumi Oshima,
 Yu Akahoshi, Hirofumi Nakano, Tomotaka Ugai, Ryoko Ya

[全部](#)[新闻](#)[视频](#)[购物](#)[图片](#)[更多 ▾](#)[搜索工具](#)

找到约 875 条结果 (用时 0.59 秒)

Google 学术: Lower plasma bilirubin predicts VOD in early childhood undergoing HSCT with cyclosporine

Early intervention with antithrombin III therapy to ... - Peres - 被引用次数: 28

Protein C and procollagen III peptide levels in patients ... - Pihusch - 被引用次数: 13

Prevention of veno-occlusive disease with defibrotide ... - Chalandon - 被引用次数: 110

Bone Marrow Transplantation - Protein C and procollagen III ...

www.nature.com > ... > Archive > Post-Transplant Events - 翻译此页

作者: M Pihusch - 2005 - 被引用次数: 13 - 相关文章

2005年8月1日 - In total, 350 patients undergoing allogeneic HSCT were included. PC and ... PC levels during conditioning do not predict VOD (98.5 vs 76.5%, NS). ... The plasma PC (protein C) and the serum PNP have been ... Liver function was detected by total bilirubin (DPD Method, Roche, normal range: <1.0 mg/dl).

Bone Marrow Transplantation - Plasma brain natriuretic ...

www.nature.com > Journal home > Archive > Original Articles - 翻译此页

作者: K Kataoka - 2010 - 被引用次数: 4 - 相关文章

2010年2月22日 - Plasma brain natriuretic peptide is associated with hepatic ... BNP has an association with VOD and early mortality in allogeneic HSCT recipients. ... after transplantation: hyperbilirubinemia with serum total bilirubin >2 mg dl⁻¹; ... to predict the occurrence of VOD in 46 patients undergoing allogeneic HSCT.

Safety and efficacy of defibrotide for the treatment of severe ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: PG Richardson - 2012 - 被引用次数: 20 - 相关文章

VOD may occur in up to 62% of patients undergoing SCT, with onset ... allogeneic SCT over the past 24 years, the cumulative incidence of VOD was ... be due to the use of cyclosporin or methotrexate for the prophylaxis of GvHD, A decrease in PAI-1 levels during defibrotide treatment was associated with better outcome.

Hepatic venous outflow obstruction: Three similar syndromes

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

[全部](#)[新闻](#)[视频](#)[图片](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 5,970 条结果 (用时 0.69 秒)

Google 学术: Higher plasma bilirubin predicts veno-occlusive disease in early childhood undergoing hematopoietic stem cell transplantation with cyclosporine

Treatment of severe veno-occlusive disease with ... - Richardson - 被引用次数: 222

... prior to allogeneic stem cell transplantation: a phase II ... - Andersson - 被引用次数: 171

... -occlusive disease following stem cell transplantation: ... - Coppell - 被引用次数: 139

Hepatic Veno-Occlusive Disease following Stem Cell ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者: JA Coppell - 2010 - 被引用次数: 138 - [相关文章](#)

2009年9月18日 - Severe VOD is characterized by high mortality and progression to multiorgan failure Keywords: Veno-occlusive disease, Stem cell transplantation, Incidence, or ursodiol prophylaxis for VOD during SCT may not have been clearly 255 consecutive patients undergoing bone marrow transplantation for ...

缺少字词: childhood

[PDF] Hepatic Veno-occlusive Disease (Sinusoidal Obstruction ...

williams.medicine.wisc.edu/mayovod.pdf ▾ [翻译此页](#)

作者: S KUMAR - 2003 - 被引用次数: 141 - [相关文章](#)

[全部](#)[新闻](#)[视频](#)[图片](#)[更多 ▾](#)[搜索工具](#)

找到约 8,100 条结果 (用时 0.64 秒)

Google 学术: Higher plasma bilirubin predicts veno-occlusive disease in early childhood undergoing hematopoietic stem cell transplantation with cyclosporine

Treatment of severe veno-occlusive disease with ... - Richardson - 被引用次数: 222

... prior to allogeneic stem cell transplantation: a phase II ... - Andersson - 被引用次数: 172

... -occlusive disease following stem cell transplantation: ... - Coppell - 被引用次数: 141

Hepatic Veno-Occlusive Disease following Stem Cell ...

www.sciencedirect.com/science/article/.../S1083879109004182 ▾ 翻译此页

作者: JA Coppell - 2010 - 被引用次数: 139 - 相关文章

The occurrence of hepatic veno-occlusive disease (VOD) has been reported in up to 60% of patients following stem cell transplantation (SCT), with incidence vary. ... as defined by the study criteria during the 5 years before Institutional Review undergoing autologous hematopoietic progenitor cell transplantation: a high ...

Treatment of Severe Veno-Occlusive Disease With Defibrotide

www.bloodjournal.org/content/92/3/737 ▾ 翻译此页

作者: PG Richardson - 1998 - 被引用次数: 222 - 相关文章

Hepatic veno-occlusive disease (VOD) is the most common of the ... past day +100, contrasted with the 2% predicted survival reported in comparable patients. ... and autologous (auto) hematopoietic stem cell transplantation (SCT).1Perhaps the ... endothelial cells and hepatocytes in zone 3 of the liver acinus.2 9-11 Early ...

Predictive markers for hepatic veno-occlusive disease after ...

www.nature.com/bmt/journal/v26/n8/full/1702624a.html 翻译此页