

Name of Journal: *World Journal of Transplantation*

ESPS Manuscript NO: 23818

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Proposal of new expanded selection criteria using total tumor size and ¹⁸F-FDG-

PET/CT ²⁷ for living donor liver transplantation in patients with hepatocellular

carcinoma: The National Cancer Center Korea (NCCCK) criteria

Seung Duk Lee¹, Bora Lee², Seong Hoon Kim¹, Jungnam Joo², Seok-Ki Kim³, Young-

Match Overview

1	CrossCheck 186 words Lee, Seung Duk, Seong Hoon Kim, Seok-Ki Kim, Young-Kyu Kim, and Sang-Jae Park. "Clinical Impact of 18F-Flu	3%
2	CrossCheck 123 words Lee, Seung Duk, Seong Hoon Kim, Young-Kyu Kim, Chu Ihan Kim, Seok-Ki Kim, Sung-Sik Han, and Sang-Jae Pa	2%
3	CrossCheck 121 words "Abstracts :", Transplantation Journal, 2015.	2%
4	CrossCheck 61 words Ken Shirabe. "Comparative evaluation of expanded criteria for patients with hepatocellular carcinoma beyond the	1%
5	CrossCheck 47 words Silva, M.F.. "Criteria for liver transplantation for HCC: What should the limits be?", Journal of Hepatology, 201111	1%
6	Internet 44 words crawled on 02-Nov-2015 www.science.gov	1%

学术搜索

找到约 95 条结果 (用时0.09秒)

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☒ 包含引用**Extended indication for living donor liver transplantation in patients with hepatocellular carcinoma**

Y Soejima, A Taketomi, T Yoshizumi, H Uchiyama... - ..., 2007 - journals.lww.com

... The indication for LDLT can therefore be **expanded** beyond the Milan **criteria**, especially for patients **with** small multiple **tumors** <5 cm. ... in patients **with** HCC exceeding the Milan **criteria**, to determine how the current **criteria** for patient **selection** can be safely **extended** in the ...

被引用次数: 117 相关文章 所有 7 个版本 引用

Prediction of tumor recurrence by 18F-FDG PET in liver transplantation for hepatocellular carcinoma

snmjournals.org 中

JW Lee, JC Paeng, KW Kang, HW Kwon... - Journal of Nuclear ..., 2009 - Soc Nuclear Med

... as candidates (2). Recently, attempts have been made to **expand** the Milan ... **Expanded criteria** for liver transplantation in patients **with** hepatocellular carcinoma: a report from ... Liver transplantation for hepatocellular carcinoma: **expansion** of the **tumor size** limits does not adversely ...

被引用次数: 88 相关文章 所有 9 个版本 引用

Liver transplantation for hepatocellular carcinoma in cirrhosis: is clinical tumor classification before transplantation realistic?

GC Sotiropoulos, M Malagó, E Molmenti, A Paul... - ..., 2005 - journals.lww.com

... The appropriate **selection criteria** for patients **with** presumed or confirmed HCC is dependent on ... cases reflecting the tendency of the international medical community to "**expand**" the limits ... clinical/pathologic staging and the accuracy of the various systems/**criteria** of classification ...

被引用次数: 100 相关文章 所有 8 个版本 引用

Liver transplantation for the treatment of small hepatocellular carcinomas in patients with cirrhosis

V Mazzaferro, E Regalia, R Doci... - ... England Journal of ..., 1996 - Mass Medical Soc

... cirrhosis who had unresectable hepatocellular carcinomas and who received liver transplants; in this study we also assessed the influence of characteristics used to **select** patients for ... Patient **Selection** and Indications for Liver Transplantation. ... 2014) **Expanded use** of aggressive ...

被引用次数: 4731 相关文章 所有 5 个版本 引用

学术搜索

获得 1 条结果 (用时0.11秒)

小提示: 只搜索中文(简体)结果, 可在 [学术搜索设置](#) 指定搜索语言

- 时间不限
- 2016以来
- 2015以来
- 2012以来
- 自定义范围...
- 按相关性排序
- 按日期排序
- 搜索所有网页
- 中文网页
- 简体中文网页
- ☒ 包括专利
- ☒ 包含引用

PS-1-1 Impact of anemia on clinical outcome in elderly patients is associated with the sex-difference

K Orimoto - [jlc.jst.go.jp](#)

... mutation of promoter region (-77 T>C). In case 1, additional new point mutation ... efficiently perform gene analysis and determine the diagnosis early for the selection of treatment ... response was assessed using the modified International Wording Group response criteria and was ...

引用

全部 新闻 图片 视频 更多 ▾ 搜索工具

找到约 8,560 条结果 (用时 1.00 秒)

Clinical Impact of 18F-Fluorodeoxyglucose Positron ...

journals.lww.com/transplantjournal/_layouts/articleviewer.aspx?... - 翻译此页

Background: The relevant number of patients with hepatocellular carcinoma (HCC) beyond ... Tomography/Computed Tomography in Living Donor Liver Transplantation for ... Expanded criteria, such as ¹⁸F-fluorodeoxyglucose positron emission ... our prospective database at the National Cancer Center, Republic of Korea.

Liver Transplantation for Hepatocellular Carcinoma beyond ...

www.hindawi.com/journals/isrn/2014/706945/ ▾ 翻译此页

作者: A Kornberg - 2014 - 被引用次数: 4 - 相关文章

2014年1月3日 - The Barcelona Clinic Liver Cancer (BCLC) group identified the absence ... In detail, patients with HCC meeting these so-called Milan criteria ... allocation or living donor liver transplantation (LDLT) [108–110]. ... patients with HCC beyond the Milan size limits and positive PET CT: Computed tomography.

2014 Korean Liver Cancer Study Group-National Cancer ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - 翻译此页

作者: Korean Liver Cancer Study Group - 2015 - 被引用次数: 3 - 相关文章

2015年5月13日 - and National Cancer Center, Korea (NCC) ... The guideline for the management of hepatocellular carcinoma (HCC) was first ¹⁸F-fluoro-2-deoxyglucose (¹⁸F-FDG) PET-CT may be effective for Living donor liver transplantation (LDLT) has been proposed as an ideal CT = computed tomography.

Update in management of hepatocellular carcinoma in ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - 翻译此页

作者: KKW Chu - 2015 - 被引用次数: 1 - 相关文章

2015年6月18日 - US National Library of Medicine ... Hepatocellular carcinoma (HCC) is