



Name of Journal: *World Journal of Transplantation*

ESPS Manuscript NO: 26201

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Pharmacological Tie2 activation in kidney transplantation

21

Kristina Thamm, Florence Njau, Paul Van Slyke, Daniel J Dumont, Joon-Keun

Park, Hermann Haller, Sascha David

Abstract

AIM: To investigate the therapeutic potential of vasculotide (VT) - a Tie2 activating therapeutic - in kidney transplantation, we performed an MHC-mismatched renal transplant model.

1

METHODS: We performed a murine MHC-mismatched renal transplant model (C57Bl/6 male into Balb/c female) with 60 min cold and 30 min warm ischemia time.

Match Overview

1	Internet 128 words crawled on 19-Jun-2016 jasn.asnjournals.org	4%
2	CrossCheck 53 words Ghosh, Chandra C., Kristina Thamm, Anthony V. Berghelli, Claudia Schrimpf, Manish R. Maski, Tanaz Abid, Katelyn E.	2%
3	CrossCheck 47 words "Poster Sessions", American Journal of Transplantation, 2 013.	1%
4	CrossCheck 29 words Annette SH Gouw. "The molecular characterization of the vascular features of focal nodular hyperplasia and hepato...	1%
5	CrossCheck 28 words David, S., P. Kumpers, P. van Slyke, and S. M. Parikh, "Mending Leaky Blood Vessels: The Angiopoietin-Tie2 Path...	1%
6	Internet 24 words crawled on 12-Apr-2016 www.ncbi.nlm.nih.gov	1%



全部 图片 新闻 视频 购物 更多 搜索工具

找到约 18,100 条结果 (用时 0.58 秒)

Google 学术: Pharmacological Tie2 activation in kidney transplantation

... circulating markers of endothelial activation in kidney ... - Rabelink - 被引用次数: 101

Mediators of inflammation in acute kidney injury - Akcay - 被引用次数: 182

... disease in dialysis and kidney transplantation - David - 被引用次数: 45

The Synthetic Tie2 Agonist Peptide Vasculotide Protects ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - 翻译此页

作者: E Rübig - 2016

2016年2月25日 - Thus, pharmaceutical agents that activate the Tie2 receptor pathway

..... in the setting of radio contrast administration, renal transplantation and ...

Angiopoietin/Tie2 Dysbalance Is Associated with Acute ...

journals.plos.org/plosone/article?id=10.1371/journal.pone... - 翻译此页

作者: RM Jongman - 2015 - 相关文章

2015年8月26日 - Introduction The pathophysiology of acute kidney injury (AKI) after

cardiac ... levels of Ang2. Given that endothelial activation occurs within 30min after the

induction of ... Different pharmacological strategies to intervene in the Ang/Tie2 system

.... of long-term allograft outcomes in kidney transplant recipients.

[全部](#) [图片](#) [新闻](#) [视频](#) [地图](#) [更多](#) [搜索工具](#)

找到约 7,270 条结果 (用时 0.61 秒)

Google 学术: Pharmacological Tie2 activation in kidney transplantation

... circulating markers of endothelial activation in kidney ... - Rabelink - 被引用次数: 107

Mediators of inflammation in acute kidney injury - Akcay - 被引用次数: 196

... disease in dialysis and kidney transplantation - David - 被引用次数: 45

The Angiopoietin-Tie2 Pathway in Sepsis - Journal of Pharmacology ...

jpet.aspetjournals.org/content/345/1/2.full.pdf - 翻译此页

作者: S David - 2013 - 被引用次数: 29 - 相关文章

acute kidney injury (AKI) complicate sepsis range between 40 and 80% (Ware and Matthay ...

activates the Tie2 receptor, promoting downstream signaling via the Nephrol Dial Transplant DOI:
10.1093/ndt/gfs336 [published ahead of print].

The Synthetic Tie2 Agonist Peptide Vasculotide Protects Renal ... - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: E Rübig - 2016

2016年2月25日 - Thus, pharmaceutical agents that activate the Tie2 receptor pathway in the setting
of radio contrast administration, renal transplantation and ...

Angiopoietin/Tie2 Dysbalance Is Associated with Acute Kidney ... - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: RM Jongman - 2015 - 相关文章

2015年8月26日 - The pathophysiology of acute kidney injury (AKI) after cardiac surgery of the Tie2
receptor leading to reduced endothelial cell activation and reduced vascular leakage[5] ... Different
pharmacological strategies to intervene in the Ang/Tie2 of long-term allograft outcomes in kidney
transplant recipients.

[全部](#) [图片](#) [新闻](#) [视频](#) [地图](#) [更多](#) [搜索工具](#)

找到约 7,710 条结果 (用时 0.66 秒)

Google 学术: Pharmacological Tie2 activation in kidney transplantation

- [... circulating markers of endothelial activation in kidney ... - Rabelink](#) - 被引用次数: 107
- [Mediators of inflammation in acute kidney injury - Akcay](#) - 被引用次数: 197
- [... disease in dialysis and kidney transplantation - David](#) - 被引用次数: 45

The Angiopoietin-Tie2 Pathway in Sepsis - Journal of Pharmacology ...

jpet.aspetjournals.org/content/345/1/2.full.pdf 翻译此页

作者: S David - 2013 - 被引用次数: 29 - 相关文章

acute **kidney** injury (AKI) complicate sepsis range between 40 and 80% (Ware and Matthay activates the **Tie2** receptor, promoting downstream signaling via the Nephrol Dial Transplant DOI: 10.1093/ndt/gfs336 [published ahead of print].

The Synthetic Tie2 Agonist Peptide Vasculotide Protects Renal ... - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: E Rübig - 2016 - 相关文章

2016年2月25日 - Thus, pharmaceutical agents that activate the **Tie2** receptor pathway in the setting of radio contrast administration, **renal transplantation** and ...

Angiopoietin/Tie2 Dysbalance Is Associated with Acute Kidney Injury ...

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: RM Jongman - 2015 - 相关文章

2015年8月26日 - The pathophysiology of acute kidney injury (AKI) after cardiac surgery of the **Tie2** receptor leading to reduced endothelial cell **activation** and reduced vascular leakage[5]. ... Different **pharmacological** strategies to intervene in the Ang/Tie2 of long-term allograft outcomes in **kidney** transplant recipients.