

Name of the Journal: *World Journal of Transplantation*

ESPS Manuscript no: 25608.

Manuscript Type: Review

Organ transplantation and drug eluting stents: Perioperative challenges

Aparna Dalal

### Match Overview

1	Internet 121 words crawled on 19-May-2009 <a href="http://www.cja-jca.org">www.cja-jca.org</a>	2%
2	Internet 105 words crawled on 17-Mar-2016 <a href="http://www.cascadehealthcare.org">www.cascadehealthcare.org</a>	2%
3	CrossCheck 87 words Lhermusier, Thibault, Nevin C. Baker, and Ron Waksman. "Overview of the 2014 Food and Drug Administration	2%
4	Internet 79 words crawled on 27-Jul-2016 <a href="http://f1000.com">f1000.com</a>	1%
5	CrossCheck 39 words Erbel, R., and W. Wijns. "The Year in Cardiology 2013: coronary intervention", <i>European Heart Journal</i> , 2014.	1%
6	Internet 36 words crawled on 05-May-2018 <a href="http://www.pubfacts.com">www.pubfacts.com</a>	1%

学术搜索

找到约 6,060 条结果 (用时0.09秒)

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

 包括专利 包含引用**Immunosuppressive drugs for kidney transplantation**

PF Halloran - New England Journal of Medicine, 2004 - Mass Medical Soc

... that inborn errors in this pathway produce immunodeficiency without damaging other organs, in contrast ... that are performed today represent a permanent cure for end-stage organ failure: ... of end-stage renal disease. 104 Patients who have undergone liver transplantation have an ...

被引用次数: 1005 相关文章 所有 16 个版本 引用

**Airway anastomotic dehiscence associated with use of sirolimus immediately after lung transplantation**

MB King-Biggs, JM Dunitz, SJ Park, SK Savik... - ..., 2003 - journals.lww.com

... term survival still lags behind that observed after transplantation of other organs ( 1,2 ... of obliterative bronchiolitis after lung transplantation ( 5,6 ). Studies in other human organ transplants demonstrate that ... 1 week, and at 1, 2, 4, and 6 months after transplantation were compared ...

被引用次数: 119 相关文章 所有 5 个版本 引用

**SIROLIMUS (RAPAMYCIN)-BASED THERAPY IN HUMAN RENAL TRANSPLANTATION: Similar Efficacy and Different Toxicity Compared with Cyclosporine<sup>1, 2</sup>**

..., Sirolimus European Renal Transplant Study ... - ..., 1999 - journals.lww.com

... can be used as base therapy in the prophylaxis of acute renal transplant rejection, and ... tacrolimus (FK 506), the two base therapy agents currently used in organ transplantation, achieve their ... a primary cadaveric donor kidney that was functional within 24 hr after transplantation. ...

被引用次数: 913 相关文章 所有 8 个版本 引用

**Sirolimus-eluting stents versus standard stents in patients with stenosis in a native coronary artery**

JW Moses, MB Leon, JJ Popma... - ... England Journal of ..., 2003 - Mass Medical Soc

... system requires a meticulous integration of the stent design, drug-carrier vehicle ... Lack of neointimal proliferation after implantation of sirolimus-coated stents in human coronary ... Coronary restenosis elimination with a sirolimus eluting stent: first European human experience with 6 ...

被引用次数: 4691 相关文章 所有 7 个版本 引用

ucdenver.edu 中文

researchgate.net

学术搜索

找到约 5,690 条结果 (用时0.08秒)

文章

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

我的图书馆

### Immunosuppressive drugs for kidney transplantation

PF Halloran - New England Journal of Medicine, 2004 - Mass Medical Soc

... that inborn errors in this pathway produce immunodeficiency without damaging other organs, in contrast ... that are performed today represent a permanent cure for end-stage organ failure. ... of end-stage renal disease. 104 Patients who have undergone liver transplantation have an ...

被引用次数: 1046 相关文章 所有 17 个版本 引用 保存

时间不限

2016以来

2015以来

2012以来

自定义范围...

### Airway anastomotic dehiscence associated with use of sirolimus immediately after lung transplantation

MB King-Biggs, JM Dunitz, SJ Park, SK Savik... - ..., 2003 - journals.lww.com

... term survival still lags behind that observed after transplantation of other organs ( 1,2 ... of obliterative bronchiolitis after lung transplantation ( 5,6 ). Studies in other human organ transplants demonstrate that ... 1 week, and at 1, 2, 4, and 6 months after transplantation were compared ...

被引用次数: 126 相关文章 所有 6 个版本 引用 保存

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

### SIROLIMUS (RAPAMYCIN)-BASED THERAPY IN HUMAN RENAL TRANSPLANTATION: Similar Efficacy and Different Toxicity Compared with Cyclosporine<sup>1, 2</sup>

..., Sirolimus European Renal Transplant Study ... - ..., 1999 - journals.lww.com

... can be used as base therapy in the prophylaxis of acute renal transplant rejection, and ... tacrolimus (FK 506), the two base therapy agents currently used in organ transplantation, achieve their ... a primary cadaveric donor kidney that was functional within 24 hr after transplantation. ...

被引用次数: 924 相关文章 所有 8 个版本 引用 保存

 包括专利 包含引用

创建快讯

[HTML] Sirolimus-eluting stents versus standard stents in patients with stenosis in a native coronary artery



全部 新闻 图片 视频 更多 ▾ 搜索工具

找到约 29,400 条结果 (用时 0.70 秒)

## Google 学术: Organ transplantation and drug eluting stents: Perioperative challenges

Immunosuppressive drugs for kidney transplantation - Halloran - 被引用次数: 1051

... use of sirolimus immediately after lung transplantation - King-Biggs - 被引用次数: 126

... THERAPY IN HUMAN RENAL TRANSPLANTATION: ... - Groth - 被引用次数: 927

### Perioperative complications in patients with drug-eluting stents: a ...

[www.ncbi.nlm.nih.gov/pubmed/18084986](http://www.ncbi.nlm.nih.gov/pubmed/18084986) ▾ 翻译此页

作者: M Conroy - 2007 - 被引用次数: 21 - 相关文章

Perioperative complications in patients with drug-eluting stents: a three-year audit at Geelong ... Severe bleeding problems were encountered in one case.

缺少字词: organ transplantation

### Perioperative management of patients with drug-eluting stents. - NCBI

[www.ncbi.nlm.nih.gov/pubmed/20170869](http://www.ncbi.nlm.nih.gov/pubmed/20170869) ▾ 翻译此页

作者: AO Abualsaud - 2010 - 被引用次数: 65 - 相关文章

Thrombosis of a drug-eluting stent (DES) is a catastrophic complication. The risk of stent thrombosis (ST) is increased in the perioperative setting and is strongly ...

缺少字词: organ transplantation challenges

### Textbook of Organ Transplantation Set - 第 539 页 - Google 图书结果

<https://books.google.com.hk/books?isbn=1118889622> - 翻译此页

Allan D. Kirk, Stuart J. Knechtle, Christian P. Larsen - 2014 - Medical

Drug-eluting stents usually require a minimum of 6 months and preferably 12 ... Perioperative management Dialysis in the immediate pretransplant setting It is easy ... of repeated volume challenges