



Name of Journal: *World Journal of Transplantation*

ESPS Manuscript NO: 28592

Manuscript Type: Original Article

Observational Study

Persistent epstein-barr viral load in epstein-barr viral naïve pediatric heart transplant recipients: Risk of late-onset post-transplant lymphoproliferative disease

Bibhuti Das, Robert Morrow, Rong Huang, David Fixler

Match Overview

1	Internet 123 words crawled on 16-May-2010 emedicine.medscape.com	3%
2	Internet 83 words crawled on 09-Feb-2014 antimicrobe.org	2%
3	Internet 38 words crawled on 13-Mar-2012 jasn.asnjournals.org	1%
4	Internet 20 words crawled on 02-Apr-2016 www.edaud.org	1%
5	Internet 20 words crawled on 02-Jul-2015 publichealthlab.ca	1%
6	Crossref 20 words "American Transplant Congress 2007 Executive and F ... gram Planning Committees and Abstract Review Comm	1%

学术搜索

找到约 76 条结果 (用时0.19秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☐ 包含引用

创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

[HTML] Epstein - Barr Virus and Posttransplant Lymphoproliferative Disorder in Solid Organ Transplant Recipients

U Allen, J Preiksaitis - American Journal of Transplantation, 2009 - Wiley Online Library

... particularly those experiencing primary infection after transplant, asymptomatic intermittent or persistent viral load rebound occurs ... prospective studies are needed to determine the significance of chronic, sustained elevations of ... 4 Thorley-Lawson D, Gross A. Persistence of the ...

被引用次数: 84 相关文章 所有 6 个版本 引用 保存

Viral prophylaxis in organ transplant patients

M Slifkin, S Doron, DR Snyderman - Drugs, 2004 - Springer

... in heart and lung transplant recipients correlating persistent Epstein-Barr virus infection with ... Reduced incidence of Epstein-Barr virus-associated posttransplant lymphoproliferative disorder using preemptive ... treatment of hepatitis B e antigen-positive chronic hepatitis B. N Engl J ...

被引用次数: 100 相关文章 所有 8 个版本 引用 保存

[HTML] Sustained Epstein - Barr virus detection in paediatric liver transplantation. Insights into occurrence of late PTLD

L D'Antiga, M Del Rizzo, C Mengoli, U Cillo... - ... transplantation, 2007 - Wiley Online Library

... None developed chronic rejection. ... of strict EBV monitoring in the first months after transplant, little is known about late and chronically persistent infection in ... In fact it is well established that persistence of EBV is a risk factor for development of lymphomas.27 Moreover a recent ...

被引用次数: 30 相关文章 所有 6 个版本 引用 保存

The management of posttransplant lymphoproliferative disorder

NV Frey, DE Tsai - Medical Oncology, 2007 - Springer

... a complete remission but 62% of patients also experienced acute or chronic GVHD (75). ... 6. Thorley-Lawson DA, Gross A. Persistence of the Epstein- Barr virus and the ... Vaccine strategies

学术搜索

找到约 258 条结果 (用时0.10秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☐ 包含引用

创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Epstein-Barr virus-negative post-transplant lymphoproliferative disorders: a distinct entity?

BP Nelson, MA Nalesnik, DW Bahler... - The American journal ..., 2000 - journals.lww.com

... the setting of immunosuppression after solid-organ or bone marrow transplantation are usually but not invariably reported to be associated with the Epstein-Barr virus (EBV ... search of an electronic medical record database generated 141 adult transplant patients (age 16 ...

被引用次数: 281 相关文章 所有 7 个版本 引用 保存

Epstein-Barr virus and post - transplant lymphoproliferative disease

RD Holmes, RJ Sokol - Pediatric transplantation, 2002 - Wiley Online Library

... the viral load is > 200 genomes/10⁵ PBL, LMP2a and LMP1 are persistently detectable and ... with EBV viral loads of > 200 genomes/10⁵ PBL, and with persistent or intermittent ... Gastrointestinal endoscopy and biopsy should be performed on all patients with chronic diarrhea or ...

被引用次数: 141 相关文章 所有 8 个版本 引用 保存

Persistence of the Epstein-Barr virus and the origins of associated lymphomas

DA Thorley-Lawson, A Gross - New England Journal of Medicine, 2004 - Mass Medical Soc

... Epstein-Barr virus (EBV) is perhaps best known for its ability to immortalize human B lymphocytes ... viral infection and persistence (Figure 2Figure 2 The Cycle of Persistent EBV Infection ... An alternative explanation for the persistence of EBV infection has been suggested by Kurth ...

被引用次数: 756 相关文章 所有 6 个版本 引用 保存

Chronic high Epstein - Barr viral load carriage in pediatric liver transplant recipients

M Green, K Soltys, DT Rowe, SA Webber... - ... transplantation, 2009 - Wiley Online Library

... of immune suppression likely protects against progression to EBV disease despite the persistence of the ... virus gene expression in the peripheral blood of transplant recipients with persistent circulating viral ... Chronic high Epstein-Barr viral load state and risk for late-onset post ...

[全部](#)[新闻](#)[图片](#)[地图](#)[更多 ▾](#)[搜索工具](#)

找到约 1,660 条结果 (用时 0.87 秒)

Chronic high Epstein-Barr viral load state and risk for late-onset ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/18211510> - 翻译此页

作者: MA Bingler - 2008 - 被引用次数: 88 - 相关文章

Chronic high Epstein-Barr viral load state and risk for late-onset posttransplant lymphoproliferative disease/lymphoma in children. ... Increased use of serial EBV-PCR monitoring after pediatric transplantation has led to the ... We reviewed data on 71 pediatric heart recipients who had serial viral load monitoring since 1997.

Using Epstein-Barr Viral Load Assays To Diagnose, Monitor, and ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2863367/> - 翻译此页

作者: ML Gulley - 2010 - 被引用次数: 141 - 相关文章

While many healthy transplant recipients have low viral loads, high EBV ... In high-risk patients, serial testing permits early clinical intervention to ... Onset is delayed occasionally beyond a year and rarely beyond a decade after transplantation. found six cases of PTLD among 41 pediatric heart transplant recipients (172).

Epstein-Barr virus-related post-transplant lymphoproliferative disorder ...

www.sciencedirect.com/science/article/pii/S1198743X1460505X - 翻译此页

作者: R San-Juan - 2014 - 被引用次数: 14 - 相关文章

2014年12月13日 - Prophylaxis guided by clinical risk factors of early and late PTLD in SOT. ... Chronic or persistent high EBV load SOT carriers are more frequent ... Epstein-Barr virus contributes to the pathogenesis of PTLD in more than 70% of cases [7 and 8] use in kidney and heart but not in liver transplant recipients [2].

Epstein-Barr Virus and Posttransplant Lymphoproliferative Disorder in ...

onlinelibrary.wiley.com/doi/10.1111/ajt.12104/full ▾ 翻译此页

作者: UD Allen - 2013 - 被引用次数: 31 - 相关文章

2013年3月6日 - The Epstein-Barr virus (EBV) genome is found in the majority (>90%) of ... A significant