



28044-Review

Quotes Excluded  
Bibliography Excluded

3%  
SIMILAR

Name of Journal: *World Journal of Transplantation*

ESPS Manuscript NO: 28044

Manuscript Type: Original Article

*Observational Study*

Time spent in hospital after liver transplantation: Effects of primary liver disease and comorbidity

**3**  
Chutwichai Tovikkai, Susan C Charman, Raaj K Praseedom, Alexander E Gimson, Jan van der Meulen

## Match Overview



- |   |   |     |
|---|---|-----|
| 1 | <b>Crossref</b> 39 words<br>"The ILTS 20th Annual International Congress", Liver Transplantation, 2014.   | 1%  |
| 2 | <b>Crossref</b> 33 words<br>"Posters", Transplant International, 2013.  | 1%  |
| 3 | <b>Internet</b> 15 words<br>crawled on 11-Jun-2016<br><a href="http://bmjopen.bmj.com">bmjopen.bmj.com</a>  | <1% |
| 4 | <b>Crossref</b> 14 words<br>Tovikkai, Chutwichai, Susan C. Charman, Raaj K. Praseedom, Alexander E. Gimson, Christopher J.E. Watson, Lynn P. C.     | <1% |
| 5 | <b>Crossref</b> 9 words<br>Tovikkai, C., S. C. Charman, R. K. Praseedom, A. E. Gimson, and J. van der Meulen. "Time-varying impact of comorbidities | <1% |



全部 新闻 图片 视频 更多 ▾ 搜索工具

找到约 88,700 条结果 (用时 0.71 秒)

### Longterm deleterious effects of aortohepatic conduits in primary liver ...

[onlinelibrary.wiley.com/doi/10.1002/lt.23689/pdf](https://onlinelibrary.wiley.com/doi/10.1002/lt.23689/pdf) - 翻译此页

作者: T Hibi - 2013 - 被引用次数: 7 - 相关文章

1Miami Transplant Institute, University of Miami/Jackson Memorial Hospital, Miami, FL; 2DeWitt ... increased incidence of late (>1 month after transplantation) hepatic artery ... In conclusion, in adult primary liver transplantation, the placement of an aortohepatic conduit ... tion, time spent in the operating room, posttransplant.

### Variation in Biliary Complication Rates Following Liver ...

[onlinelibrary.wiley.com/doi/10.1111/ajt.12970/pdf](https://onlinelibrary.wiley.com/doi/10.1111/ajt.12970/pdf) ▾ 翻译此页

作者: DA Axelrod - 2015 - 被引用次数: 4 - 相关文章

impact on the outcome of liver transplantation (LT), variation in BC rates ... of death (brain death [DBD] or DCD), ischemic time, age and comorbidities. Patients ...

### Long-term deleterious effects of aortohepatic conduits in primary liver ...

[onlinelibrary.wiley.com/doi/10.1002/lt.23689/full](https://onlinelibrary.wiley.com/doi/10.1002/lt.23689/full) - 翻译此页

作者: T Hibi - 2013 - 被引用次数: 7 - 相关文章

2013年7月29日 - Conflicting results exist with respect to the rates of comorbidities, and long-term ... In conclusion, in adult primary liver transplantation, the placement of an ... The onset of HAT within 1 month after transplantation was defined as ... time spent in the operating room, posttransplant hospital stay, and era (the first ...

### Impact of Pretransplant Hepatic Encephalopathy on Liver ...

[www.hindawi.com/journals/ijh/2013/952828/](http://www.hindawi.com/journals/ijh/2013/952828/) ▾ 翻译此页

作者: LW Teperman - 2013 - 被引用次数: 6 - 相关文章

2013年10月1日 - Consequences of Pretransplant HE on Posttransplant Outcomes ... In addition, after liver transplant, cognitive function in patients with ... and the total number of days spent in the hospital after transplant [57]. ... Figure 4: Kaplan-Meier estimate of time to first breakthrough HE episode

[全部](#) [新闻](#) [图片](#) [视频](#) [购物](#) [更多 ▾](#) [搜索工具](#)

找到约 167,000 条结果 (用时 0.85 秒)

### Liver transplantation for alcoholic liver disease

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) - [翻译此页](#)

2010年9月21日 - Alcoholic liver disease (ALD) is the second commonest indication ... liver transplantation (OLT) in males and after viral hepatitis, is the ... This period of abstinence is important as it not only gives time for the ... Comorbid medical conditions maybe either as a direct effect of ... PBC: Primary biliary cirrhosis.

### Multiple indications for everolimus after liver transplantation in current ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: I Bilbao - 2014 - 被引用次数: 4 - [相关文章](#)

2014年6月24日 - RESULTS: Mean age at the time of conversion to everolimus was  $57.7 \pm 10$  years ... Keywords: Everolimus, Liver transplantation, Indications, Off-protocol, Outcome ... primary immunosuppressant to replace the widespread use of CNL. ... After conversion, liver function was completely restored within 1 mo.

### [PDF] Download (985Kb) - LSHTM Research Online

[researchonline.lshtm.ac.uk/2172795/1/bmjopen-2014-006971.pdf](http://researchonline.lshtm.ac.uk/2172795/1/bmjopen-2014-006971.pdf) ▾ [翻译此页](#)

作者: C Tovikkai - 2015 - 被引用次数: 2 - [相关文章](#)

Meulen, J (2015) Time-varying impact of comorbidities on mortality after liver transplantation: a national cohort study using linked clinical and administrative data. ... Hospital Episode Statistics (HES), an administrative database of hospital ... age, sex, the primary liver disease (9 groups), era of liver transplantation ...

### PEER REVIEW HISTORY BMJ Open publishes all reviews undertaken ...

[bmjopen.bmj.com/content/5/5/e006971.reviewer-comments.pdf](http://bmjopen.bmj.com/content/5/5/e006971.reviewer-comments.pdf) - [翻译此页](#)

2014年12月17日 - Time-varying Impact of Comorbidities on Mortality After Liver Transplantation: ... CID-10 of all liver transplant centres in the NHS hospitals in England ... three periods, whereas prior



全部 新闻 图片 视频 购物 更多 ▾ 搜索工具

找到约 222,000 条结果（用时 1.10 秒）

### PEER REVIEW HISTORY BMJ Open publishes all reviews undertaken ...

[bmjopen.bmj.com/content/5/5/e006971.reviewer-comments.pdf](http://bmjopen.bmj.com/content/5/5/e006971.reviewer-comments.pdf) - 翻译此页

2014年12月17日 - Time-varying Impact of Comorbidities on Mortality After Liver Transplantation: ... CID-10 of all liver transplant centres in the NHS hospitals in England ... three periods, whereas prior congestive failure and non-hepatic malignancy ... spent a relatively short time on the waiting list before receiving a transplant.

### Comorbidity in cirrhosis - NCBI - National Institutes of Health

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: P Jepsen - 2014 - 被引用次数: 10 - 相关文章

2014年6月21日 - Comorbidities are neither causes nor consequences of cirrhosis, but they can increase ... Keywords: Liver cirrhosis, Comorbidity, Prognosis, Epidemiology .... had at least one of these comorbidities at the time of cirrhosis diagnosis. ... The first study followed 169 patients for one month after transplantation.

### Liver transplantation for alcoholic liver disease

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: V Varma - 2010 - 被引用次数: 35 - 相关文章

2010年9月21日 - Alcoholic liver disease (ALD) is the second commonest indication ... liver transplantation (OLT) in males and after viral hepatitis, is the ... This period of abstinence is important as it not only gives time for the .... Comorbid medical conditions maybe either as a direct effect of .... PBC: Primary biliary cirrhosis.

### The Current Economic Burden of Cirrhosis

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: GW Neff - 2011 - 被引用次数: 41 - 相关文章

In addition, liver transplantation (the only cure for cirrhosis) continues to ... and increase health-related quality of life after liver transplantation ... in waiting time may incur additional hospital costs for patients