

Name of Journal: *World Journal of Transplantation*

ESPS Manuscript NO: 30496

Manuscript Type: Minireviews

Influence of tacrolimus metabolism rate on renal function after solid organ transplantation

Gerold Thölking, Hans Ulrich Gerth, Katharina Schuette-Nuetgen, Stefan Reuter

Abstract

The calcineurin inhibitor (CNI) tacrolimus (TAC) is an integral part of the immunosuppressive regimen after solid organ transplantation. Although TAC is very effective in prevention of acute rejection episodes, its highly variable

Match Overview

1	Internet 73 words crawled on 16-Oct-2015 journals.plos.org	2%
2	Internet 42 words crawled on 03-Sep-2016 www.nature.com	1%
3	Crossref 39 words Thölking, Gerold, Christian Formann, Raphael Koch, Hans Ulrich Gerth, Dirk Pabst, Hermann Pavenstädt, Iyad Kabar, An	1%
4	Internet 27 words crawled on 08-Apr-2016 campus.uni-muenster.de	1%
5	Internet 12 words crawled on 25-Oct-2015 www.science.gov/libris/hccs.edu	<1%

[全部](#)[新闻](#)[图片](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 36,300 条结果 (用时 0.67 秒)

Google 学术: Influence of tacrolimus metabolism rate on renal function after solid organ transplantation

... of tacrolimus in solid organ transplantation - Staatz - 被引用次数: 437

... IMMUNOSUPPRESSION AFTER CADAVERIC RENAL ... - Pirsch - 被引用次数: 1126

... IN RENAL TRANSPLANTATION AFTER ... - Neylan - 被引用次数: 243

The Tacrolimus Metabolism Rate Influences Renal Function After ...

<https://www.ncbi.nlm.nih.gov/labs/articles/25340655/> ▾ 翻译此页

2014年10月23日 - The Tacrolimus Metabolism Rate Influences Renal Function After Kidney ... in Solid Organ Transplantation: Focus on Improving Renal Function ...

Calcineurin inhibitor-sparing regimens in solid organ transplantation ...

<https://www.ncbi.nlm.nih.gov/pubmed/18217899> - 翻译此页

作者: SM Flechner - 2008 - 被引用次数: 290 - 相关文章

However, the CNIs have a significant adverse impact on renal function and ... rate for at least two yr in most studies in kidney transplantation; however, ... possibly because withdrawal was attempted after the kidney damage was too extensive. ... Creatinine/metabolism; Cyclosporine/therapeutic use; Glomerular Filtration ...

Chronic Kidney Disease after Nonrenal Solid-Organ Transplantation

jasn.asnjournals.org/content/18/12/3031.full ▾ 翻译此页

作者: RD Bloom - 2007 - 被引用次数: 110 - 相关文章

The risk for CKD is influenced by many factors, some of which have a direct ... PREVALENCE OF CKD AFTER NONRENAL ORGAN TRANSPLANTATION. Historically, CKD prevalence rates in nonrenal

[全部](#)[新闻](#)[图片](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 54,200 条结果 (用时 0.94 秒)

Google 学术: Influence of tacrolimus metabolism rate on renal function after solid organ transplantation

... of tacrolimus in solid organ transplantation - Staatz - 被引用次数: 442

... IMMUNOSUPPRESSION AFTER CADAVERIC RENAL ... - Pirsch - 被引用次数: 1126

... IN RENAL TRANSPLANTATION AFTER ... - Neylan - 被引用次数: 243

The Tacrolimus Metabolism Rate Influences Renal Function After ...

<https://www.ncbi.nlm.nih.gov/labs/articles/25340655/> - 翻译此页

2014年10月23日 - The Tacrolimus Metabolism Rate Influences Renal Function After Kidney ... in Solid Organ Transplantation: Focus on Improving Renal Function ...

Calcineurin inhibitor-sparing regimens in solid organ transplantation ...

<https://www.ncbi.nlm.nih.gov/pubmed/18217899> - 翻译此页

作者: SM Flechner - 2008 - 被引用次数: 291 - 相关文章

However, the CNIs have a significant adverse impact on renal function and ... rate for at least two yr in most studies in kidney transplantation; however, ... possibly because withdrawal was attempted after the kidney damage was too extensive. ... Creatinine/metabolism; Cyclosporine/therapeutic use; Glomerular Filtration ...

Race, calcineurin inhibitor exposure and renal function after solid ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4819428/> - 翻译此页

作者: L Yessayan - 2015 - 相关文章

A decline in glomerular filtration rate over time was seen with total tacrolimus exposure ... However, total calcineurin inhibitor exposure effect on estimated glomerular ... Progressive renal dysfunction, glomerular