

1

Name of journal: World Journal of Nephrology

ESPS Manuscript NO: 16024

Columns: Original Article

*Prospective Study***Low T3 syndrome and long-term mortality in chronic hemodialysis patients**

Fragidis Stylianos, Sombolos Konstantinos, Thodis Elias, Panagoutsos Stylianos, Mourvati Euthymia, Pikilidou Maria, Papagianni Aikaterini, Pasadakis Ploumis, Vargemezis Vasilios

Abstract

AIM: The aim of this prospective study was to investigate the predictive value of low freeT3 for long-term mortality in chronic HD patients and explore a possible causative role of chronic inflammation.

Match Overview

1	Internet 86 words crawled on 27-Mar-2008 ndt.oxfordjournals.org	2%
2	Internet 77 words ndt.oupjournals.org	2%
3	CrossCheck 54 words "Abstracts", Journal of Sleep Research, 08/31/2010	1%
4	Internet 42 words crawled on 14-Jul-2006 www.medicrit.com	1%
5	Internet 39 words crawled on 17-Oct-2014 circres.ahajournals.org	1%
6	CrossCheck 32 words J. J. Carrero. "Clinical and biochemical implications of low thyroid hormone levels (total and free forms) in euthyroid patients with chronic kidney disease"	1%
7	CrossCheck 30 words Jillian H. Broadbear. "Self-administration of fentanyl, cocaine and ketamine: effects on the pituitary-adrenal axis in rats"	1%
8	Internet 29 words crawled on 13-Jan-2014	1%

[网页](#)[新闻](#)[图片](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 120,000 条结果 (用时 0.60 秒)

Google 学术: Low T3 syndrome and long-term mortality in chronic hemodialysis patients

... tunnel syndrome and mortality of hemodialysis patients - Koda - 被引用次数: 262

... risk in the chronic kidney disease patient; how do new ... - Stenvinkel - 被引用次数: 303

The nonthyroidal illness syndrome - Adler - 被引用次数: 168

[PDF] Abnormal thyroid function predicts mortality in patients ...

homepage.vghtpe.gov.tw/~jcma/75/2/54.pdf ▾ [翻译此页](#)

作者: YC Lin - 2012 - 被引用次数: 5 - [相关文章](#)

increasingly in patients with chronic kidney disease in comparison with the normal population. ... thyroid and heart function of patients who underwent long-term PD for >8 years during the past 25 years in ... inflammation and malnutrition.⁵ In addition, dialysis patients also show low free triiodothyronine (T3) levels, which are.

[PDF] Abnormal thyroid function in peritoneal dialysis patients ...

homepage.vghtpe.gov.tw/~jcma/75/2/47.pdf ▾ [翻译此页](#)

作者: YS Lin - 2012 - 被引用次数: 2 - [相关文章](#)

... of thyroid functions in patients with chronic kidney disease (CKD) or end-stage renal ... levels.¹ Low T3 syndrome is the most frequently observed thyroid alteration in ...

[网页](#)[新闻](#)[图片](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 100,000 条结果 (用时 0.58 秒)

Google 学术: Low T3 syndrome and long-term mortality in chronic hemodialysis patients

... tunnel syndrome and mortality of hemodialysis patients - Koda - 被引用次数: 266

... risk in the chronic kidney disease patient: how do new ... - Stenvinkel - 被引用次数: 307

The nonthyroidal illness syndrome - Adler - 被引用次数: 170

Interactions between thyroid disorders and kidney disease

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: G Basu - 2012 - 被引用次数: 31 - 相关文章

Chronic kidney disease (CKD) is characterized by a low T3 syndrome which is may not be associated with long-term mortality in CKD and dialysis patients.

[PDF] Abnormal thyroid function predicts mortality in patients ...

homepage.vghtpe.gov.tw/~jcma/75/2/54.pdf ▾ 翻译此页

作者: YC Lin - 2012 - 被引用次数: 5 - 相关文章

increasingly in patients with chronic kidney disease in comparison with the normal population. ... thyroid and heart function of patients who underwent long-term PD for >8 years during the past 25 years in ... inflammation and malnutrition.5 In addition, dialysis