

33

Name of Journal: *World Journal of Nephrology*

ESPS Manuscript NO: 22572

Manuscript Type: Review

How do kinases contribute to tonicity-dependent regulation of the transcription factor NFAT5?

Xiaoming Zhou

Match Overview

1	CrossCheck 184 words Zhou, X., H. Wang, M. B. Burg, and J. D. Ferraris. "Inhibitory phosphorylation of GSK-3 by AKT, PKA, and PI3K cont	2%
2	CrossCheck 146 words "Regulation of tonicity-dependent activation of NFAT5 by mitogen-activated protein kinases", <i>Abdomen</i> , 2015.	1%
3	Internet 141 words crawled on 04-Jan-2010 www.ncbi.nlm.nih.gov	1%
4	Internet 73 words crawled on 28-May-2010 ajpcell.physiology.org	1%
5	CrossCheck 60 words Laura R. Pearce. "The nuts and bolts of AGC protein kinases", <i>Nature Reviews Molecular Cell Biology</i> , 01/2010	1%
6	CrossCheck 48 words Wang, H., J. D. Ferraris, J. D. Klein, J. M. Sands, M. B. Burg, and X. Zhou. "PKC contributes to high NaCl-induce ...	<1%

学术搜索

找到约 5,500 条结果 (用时0.10秒)

文章

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

我的图书馆

Non - alcoholic steatohepatitis in the Asia-Pacific region: Future shock?

S Chitturi, GC Farrell, J George - Journal of gastroenterology ..., 2004 - Wiley Online Library
 ... for up to 20% and 2-3%, respectively, of liver test **abnormalities** in most ... 6. First, because NAFLD and NASH are principally **disorders** associated with **abnormal** fat distribution ... sugar, lipid profile (total, low-density **lipoprotein** (LDL)- and high-density **lipoprotein** (HDL)-cholesterol ...

被引用次数: 133 相关文章 所有 4 个版本 引用 保存

时间不限

2015以来

2014以来

2011以来

自定义范围...

Emerging epidemic of cardiovascular disease in developing countries

KS Reddy, S Yusuf - Circulation, 1998 - Am Heart Assoc
 ... 32 Thus, **South Asians** in urban and migrant environments may be at a higher risk of ... to the confluence of (1) genetic factors that predispose to higher **lipoprotein(a)** levels ... is equipped to handle mostly the pretransitional agenda of infectious and nutritional deficiency **disorders**....

被引用次数: 1247 相关文章 所有 5 个版本 引用 保存

ahajournals.org 中的 [HTML]

按相关性排序

按日期排序

Heart disease and stroke statistics—2010 update A report from the American Heart Association

D Lloyd-Jones, RJ Adams, TM Brown, M Carnethon... - Circulation, 2010 - Am Heart Assoc

被引用次数: 3752 相关文章 所有 10 个版本 引用 保存

搜索所有网页

中文网页

简体中文网页

The polypill in the prevention of cardiovascular diseases key concepts, current status, challenges, and future directions

E Lonn, J Bosch, KK Teo, P Pais, D Xavier, S Yusuf - Circulation, 2010 - Am Heart Assoc

... to recognize that the relationship between most risk factors (BP, low-density **lipoprotein** [LDL] cholesterol ... societies and in many urban settings in low-income countries may be biologically **abnormal**. ... is conducted in 256 centers in 22 countries in North and **South America**, Europe ...

被引用次数: 116 相关文章 所有 5 个版本 引用 保存

 包括专利 包含引用 创建快讯**Inadequate vitamin D status: does it contribute to the disorders comprising syndrome 'X'?**

researchgate.net 中的 [PDF]

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

[HTML] MAP kinases and the adaptive response to hypertonicity: functional preservation from yeast physiology.org 中的 [HTML] to mammals

D Sheikh-Hamad, MC Gustin - American Journal of ..., 2004 - Am Physiological Soc

... It should be pointed out that TonEBP probably has multiple functions in cell biology in ... with an important function for this protein outside the kidney as mice can survive past ... As discussed above, urea does not impose water shift across biological membranes and does not cause ...

被引用次数: 139 相关文章 所有 4 个版本 引用 保存

Rac1/osmosensing scaffold for MEKK3 contributes via phospholipase C-γ1 to activation of the pnas.org 中的 [HTML] osmoprotective transcription factor NFAT5

X Zhou, Y Izumi, MB Burg... - Proceedings of the ..., 2011 - National Acad Sciences

... p38δ decreases it, but the phosphospecific antibodies commonly used to measure p38 activity do not directly ... Both MKK3 and MKK6 can activate p38 by phosphorylating it ... on its lipase activity (3). This activation evidently is independent of Rac1 because Rac1 does not contribute ...

被引用次数: 29 相关文章 所有 7 个版本 引用 保存

[HTML] Increased reactive oxygen species contribute to high NaCl-induced activation of the physiology.org 中的 [HTML] osmoregulatory transcription factor TonEBP/OREBP

X Zhou, JD Ferraris, Q Cai... - American Journal of ..., 2005 - Am Physiological Soc

... of NaCl above the normal systemic level of ~290 mosmol/kgH₂O can cause cell ... An otherwise identical construct, in which the GAL4dbd construct did not contain a TAD, was used as a ... chloride (MnTBAP; 40 μM), a SOD mimetic (3), and catalase (400 U/ml) do not significantly ...

被引用次数: 44 相关文章 所有 7 个版本 引用 保存

Osmoprotective transcription factor NFAT5/TonEBP modulates nuclear factor-κB activity molbiolcell.org 中的 [HTML]

I Roth, V Leroy, HM Kwon, PY Martin... - Molecular biology of ..., 2010 - Am Soc Cell Biol

[网页](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 17,600 条结果 (用时 0.77 秒)

Regulation of tonicity-dependent activation of NFAT5 by ...

www.smartscitech.com/index.php/Abdomen/article/view/767 ▾ [翻译此页](#)

作者: X Zhou - 2015 - 被引用次数: 1 - 相关文章

The **transcription factor NFAT5** is essential for these tissues to survive and function ... This mini-review **will** focus on mitogen-activated protein **kinases** (MAPKs), which ... **kinases** have been demonstrated to **contribute to tonicity-dependent** ...

[PDF] Download this PDF file - Smart Science Technology

www.smartscitech.com/index.php/Abdomen/article/.../pdf ▾ [翻译此页](#)

作者: X Zhou - 2015 - 被引用次数: 1 - 相关文章

2015年4月13日 - **transcription factor NFAT5** is essential for these tissues to survive and function properly by ... This mini-review **will** focus on mitogen-activated protein **kinases** (MAPKs), which include most studied **kinases** in **regulation of tonicity-dependent** ... it is concluded that p38 **contributes to tonicity-dependent**.

Osmoprotective Transcription Factor NFAT5/TonEBP ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者: I Roth - 2010 - 被引用次数: 41 - 相关文章

Osmoprotective **Transcription Factor NFAT5/TonEBP** Modulates Nuclear Factor-κB Activity ... **transcription factor** whose activity is **regulated** by extracellular tonicity. ... Rather, we reveal a **tonicity-dependent** interaction between TonEBP and p65 evidence that p38 **kinase** signaling **contributes** to TonEBP activity (Nadkarni ...

NFAT5 in cellular adaptation to hypertonic stress ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者: CYK Cheung - 2013 - 被引用次数: 16 - 相关文章

2013年4月23日 It is also the only known tonicity **regulated transcription factor** in