

Name of Journal: *World Journal of Clinical Oncology*

ESPS Manuscript NO: 22809

Manuscript Type: Minireviews

How botulinum toxin in neurogenic detrusor overactivity can reduce upper urinary tract damage?

Maximilien Baron, Philippe Grise, Jean-Nicolas Cornu

Abstract

Intradetrusor injections of botulinum toxin is the cornerstone of medical treatment of neurogenic detrusor overactivity. The primary aim of this treatment is to ensure a low pressure regimen in the urinary bladder, but the mechanisms leading to long-

Match Overview

1	CrossCheck 138 words Chen, Yih-Chou, and Hann-Chong Kuo. "The Therapeutic Effects of Repeated Detrusor Injections Between 200 or 30	2%
2	CrossCheck 119 words Hann-Chong Kuo. "Effect of repeated detrusor onabotulinumtoxinA injections on bladder and renal function in pati	2%
3	Internet 110 words crawled on 21-Jul-2010 fb.bionfo.pl	2%
4	CrossCheck 80 words Berway, Brian M., and Sam B. Bhayani. "Lower Urinary Tract Calcifi", Campbell-Walsh Urology, 2012.	1%
5	CrossCheck 88 words Cruz, F., "Efficacy and Safety of OnabotulinumtoxinA in Patients with Urinary Incontinence Due to Neurogenic Detru	1%
6	CrossCheck 88 words Hitt, Victor W., "Urodynamic And Video-Urodynamic Evaluation of the Lower Urinary Tract", Campbell-Walsh Urology,	1%
7	CrossCheck 85 words Wolner, Jens, Kathrin Schmidig, Flavia Gregorini, Thomas M. Kessler, Reinhard Zbinden, and Ulrich Mehnert. "Is th	1%
8	CrossCheck 83 words Frederico Mascarenhas. "Trigonal injection of botulinum toxin-A does not cause vesicoureteral reflux in neurogenic p	1%

学术搜索

找到约 524 条结果 (用时0.11秒)

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☒ 包含引用**Intravesical resiniferatoxin versus botulinum-A toxin injections for neurogenic detrusor overactivity: a prospective randomized study**

A Giannantoni, SM Di Stasi, RL Stephen, V Bini... - The Journal of ..., 2004 - Elsevier

... Key Words. capsaicin, botulinum toxins; bladder, neurogenic. ... Botulinum-a toxin detrusor injection as a novel approach in the treatment of bladder spasticity in children with neurogenic bladder. Eur Urol, 44 (2003), p. 139. ...

被引用次数: 131 相关文章 所有 6 个版本 引用

Success of repeat detrusor injections of botulinum a toxin in patients with severe neurogenic detrusor overactivity and incontinence

J Grosse, G Kramer, M Stöhrer - European urology, 2005 - Elsevier

... Patients with repeat BTX-A injections for neurogenic lower urinary tract dysfunction (detrusor overactivity, low ... in 2, and aneurysm, dysmelia, hernia, iatrogenic, spinal cord tumor, and spinal cord ischemia ... In the present study, the botulinum toxin treatment was not conceived as a ...

被引用次数: 233 相关文章 所有 5 个版本 引用

Botulinum toxin as a new therapy option for voiding disorders: current state of the art

T Leppold, A Reitz, B Schurch - European urology, 2003 - Elsevier

... 1. Introduction. Clostridium botulinum, a gram-positive, rod-shaped anaerobic bacterium produces the botulinum toxin, a neurotoxin causing the food related poisoning called botulism. ... Effect of botulinum-A toxin injections into the overactive detrusor muscle in spinal cord ...

被引用次数: 170 相关文章 所有 7 个版本 引用

Clinical usefulness of urodynamic assessment for maintenance of bladder function in patients with spinal cord injury

M Nosseir, A Hinkel, J Pannek - Neurourology and ..., 2007 - Wiley Online Library

[全部](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 17,700 条结果 (用时 0.62 秒)

Google 学术: How botulinum toxin in neurogenic detrusor overactivity can reduce upper urinary tract damage?

... incontinence due to neurogenic detrusor overactivity - Reitz - 被引用次数: 391

Botulinum-A toxin for treating detrusor hyperreflexia in ... - Schurch - 被引用次数: 722

EAU guidelines on neurogenic lower urinary tract ... - Stöhrer - 被引用次数: 335

Use of botulinum toxin in individuals with neurogenic ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者: TA Linsenmeyer - 2013 - 被引用次数: 20 - 相关文章

Search terms included botulinum toxin, neurogenic bladder, NDO, botox bladder, botox ...

The term "neurogenic detrusor overactivity (NDO)" is used to describe a ... NDO may also cause lower urinary tract complications such as recurrent ... drainage from the upper tracts by lowering the pressure within the bladder wall.

The effect of spinal cord-injury level on the outcome of ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: W Al Taweel - 2015

NDO usually impair the quality of life (QOL) and upper urinary tract function. ... improve bladder compliance, reduce symptoms, prevent upper urinary tract damage ... Botulinum toxin inhibit acetylcholine neurotransmitter release by cleaving the ... toxin bladder injections for the treatment of neurogenic detrusor overactivity in ...

Botulinum toxin A in the treatment of spinal cord injury ...

www.scielo.br/scielo.php?pid=S1677...script=sci_arttext ▾ [翻译此页](#)

作者: RA Alvares - 2010 - 被引用次数: 5 - 相关文章

[全部](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 17,800 条结果 (用时 0.57 秒)

Google 学术 : How botulinum toxin in neurogenic detrusor overactivity can reduce upper urinary tract damage?

... incontinence due to neurogenic detrusor overactivity - Reitz - 被引用次数 : 391

Botulinum-A toxin for treating detrusor hyperreflexia in ... - Schurch - 被引用次数 : 721

EAU guidelines on neurogenic lower urinary tract ... - Stöhrer - 被引用次数 : 335

Use of botulinum toxin in individuals with neurogenic ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者 : TA Linsenmeyer - 2013 - 被引用次数 : 20 - [相关文章](#)

Search terms included botulinum toxin, neurogenic bladder, NDO, botox bladder, botox ... The term "neurogenic detrusor overactivity (NDO)" is used to describe a ... NDO may also cause lower urinary tract complications such as recurrent ... drainage from the upper tracts by lowering the pressure within the bladder wall.

Botulinum toxin A in the treatment of spinal cord injury patients

www.scielo.br/scielo.php?pid=S1677...script=sci_arttext ▾ [翻译此页](#)

作者 : RA Alvares - 2010 - 被引用次数 : 5 - [相关文章](#)

Key words: neurogenic bladder; spinal cord injury; botulinum toxin A, anticholinergic refractory ... potential structural damage to the bladder wall and upper urinary tract. ... cord injury patients in an attempt to reduce neurogenic detrusor overactivity, Additionally, the injection can often occur in a subendothelial region.

Botulinum Toxin Injections for Neurogenic Detrusor ...

emedicine.medscape.com/article/2036931-overview ▾ [翻译此页](#)

Various neurologic conditions may cause detrusor overactivity and urinary ... the use of botulinum toxin injections to treat neurogenic detrusor overactivity (NDO). ... as