



28134-Review

 Quotes Excluded
 Bibliography Excluded

 12%
 SIMILAR

 Name of Journal: *World Journal of Nephrology*

ESPS Manuscript NO: 28134

Manuscript Type: ORIGINAL ARTICLE

Observational Study

 Factors associating with oxygenation of lower-limb muscle tissue in
 hemodialysis patients

 Haruhisa Miyazawa, Susumu Ookawara, Kiyonori Ito, Katsunori Yanai,
 Hiroki Ishii, Taisuke Kitano, Mitsutoshi Shindo, Yuichiro Ueda, Yoshio
 Kaku, Keiji Hirai, Taro Hoshino, Kaoru Tabei, Yoshiyuki Morishita

Abstract

Match Overview

1	CrossCheck 186 words Ito, Kiyonori, Susumu Ookawara, Yuichiro Ueda, Sawako Goto, Haruhisa Miyazawa, Hodaka Yamada, Taisuke Kitano,	6%
2	CrossCheck 22 words Susumu Ookawara, "Mathematical Analysis of Urea Rebound in Long-term Hemodialysis Patients", Therapeutic Aphe	1%
3	CrossCheck 22 words "Poster Session : Abstracts", Nephrology, 2014.	1%
4	CrossCheck 20 words Panuccio, V., G. Enia, R. Tripepi, C. Torino, M. Garozzo, G. G. Battaglia, C. Marcantoni, L. Infantone, G. Giordano,	1%
5	CrossCheck 18 words Harimoto, N., K. Shirabe, Y.-I. Yamashita, T. Ikegami, T. Yoshizumi, Y. Soejima, T. Ikeda, Y. Maehara, A. Nishie, and	1%
6	CrossCheck 12 words Lip, G.Y.H., "Risk factors and stroke risk stratification for atrial fibrillation: Limitations and new possibilities", American	<1%

[全部](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 3,240 条结果 (用时 0.71 秒)

Factors Affecting Cerebral Oxygenation in Hemodialysis Patients ...paperity.org/.../factors-affecting-cerebral-oxygenation-in-hemodialysis-patie... ▾ [翻译此页](#)

Effect of ischemic and pharmacological preconditioning of lower limb muscle ... We aimed to identify the factors affecting the cerebral rSO₂ in HD patients. ... Oxygenation Associates with pH, Hemodialysis Duration, Serum Albumin Concentration, ... the functional status such as cerebral blood flow and cerebral oxygenation.

[PDF] Acid-Base Balance - ScholarlyCommons - University of Pennsylvaniarepository.upenn.edu/cgi/viewcontent.cgi?filename=8&article... ▾ [翻译此页](#)

作者: MAQ Curley - 被引用次数: 67 - 相关文章

2001年1月1日 - Chapter 8.pdf - Oxygenation and Ventilation ... Chapter 12.pdf - Nutrition Support ... pH of 7.40 correlates with a free H⁺ concentration of 40. nM Eq/L ... Krebs cycle oxidations in muscles and renal cortex ... Acid inorganic phosphate (NaH₂PO₄) ... (which directly affects acid-base status) more quickly and.

Metabolism before, during and after anaesthesia in colic and healthy ...www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: AH Edner - 2007 - 被引用次数: 13 - 相关文章

2007年11月15日 - In both groups, plasma concentrations of CK increased and serum phosphate ... Muscle oxygenation was insufficient during anaesthesia in both groups, ... The post-anaesthetic period was associated with increased lipolysis and ... ATP was lower and creatine and lactate were higher in colic horses at ...

[PDF] Supportive therapy - Elsevier Storebooksite.elsevier.com/samplechapters/9780702027680/9780702027680.pdf ▾ [翻译此页](#)

Arterial blood samples are necessary to evaluate the respiratory status and are the ... lishment of an airway if needed, ventilation, and oxygenation. ... Total parenteral nutrition ... physiologic pH, are albumin, globulin, and inorganic phosphate. ... flow rate of 50 – 75 mL/kg will provide an oxygen



Factors affecting oxygenation of lower-limb muscle tissue in hemodialysis pat



全部

图片

新闻

视频

更多 ▾

搜索工具

已启用安全搜索

找到约 103,000 条结果 (用时 0.53 秒)

Google 学术: Factors affecting oxygenation of lower-limb muscle tissue in hemodialysis patients

... changes and skeletal muscle oxygenation measured ... - De Blasi - 被引用次数: 20

Moving our critically ill patients: mobility barriers and ... - Morris - 被引用次数: 153

... neuropathy in uraemic patients caused by bovine ... - Bolton - 被引用次数: 52

Factors Affecting Cerebral Oxygenation in Hemodialysis Patients - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者: K Ito - 2015 - 相关文章

2015年2月23日 - Factors Affecting Cerebral Oxygenation in Hemodialysis Patients: ... The rSO₂ levels were significantly lower in HD patients compared with ... regional saturation of oxygen (rSO₂), a marker of tissue oxygenation, and tension in regulation of cardiac output and leg blood flow during exercise in humans.

Microcirculatory changes and skeletal muscle oxygenation measured ...

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者: RA De Blasi - 2009 - 被引用次数: 20 - 相关文章

2009年11月30日 - In all patients haemodialysis induces changes in tissue haemoglobin ... during dialysis, none have yet identified a single, proven causative factor. ... Further exclusion criteria were patients with lower-limb changes likely to interfere reflect different types of oxygenation differently affected by fluid removal.

Factors Affecting Cerebral Oxygenation in Hemodialysis Patients ...

paperity.org/.../factors-affecting-cerebral-oxygenation-in-hemodialysis-patie... ▾ 翻译此页

Effect of ischemic and pharmacological preconditioning of lower limb muscle We aimed to identify

[全部](#)[图片](#)[视频](#)[新闻](#)[更多 ▾](#)[搜索工具](#)

找到约 714,000 条结果 (用时 0.76 秒)

Google 学术: Factors associating with oxygenation of lower-limb muscle tissue in hemodialysis patients

... changes and skeletal muscle oxygenation measured ... - De Blasi - 被引用次数: 20

Near-infrared spectroscopy grades the severity of ... - Komiyama - 被引用次数: 69

... site infection: risk factors and preventive measures - Bandyk - 被引用次数: 93

Microcirculatory changes and skeletal muscle oxygenation measured ...

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: RA De Blasi - 2009 - 被引用次数: 20 - 相关文章

2009年11月30日 - In all patients haemodialysis induces changes in tissue haemoglobin ... normal activities of everyday life is associated with an increased risk of mortality [4] ... Further exclusion criteria were patients with lower-limb changes likely to of the partial pressure of oxygen in arterial blood, neither of these factors ...

Factors Affecting Cerebral Oxygenation in Hemodialysis Patients ...

paperity.org/.../factors-affecting-cerebral-oxygenation-in-hemodialysis-patie... - [翻译此页](#)

Effect of ischemic and pharmacological preconditioning of lower limb muscle We aimed to identify the factors affecting the cerebral rSO2 in HD patients. showed that cerebral rSO2 independently associated with pH (standardized ... of oxygen (rSO2), a marker of tissue oxygenation, at the frontal cerebral cortex in a ...

Impaired Tissue Perfusion | Circulation

circ.ahajournals.org/content/118/9/968 - [翻译此页](#)

作者: BI Levy - 2008 - 被引用次数: 247 - 相关文章

2008年8月26日 - Measures of coronary flow reserve are somewhat nonspecific: A low ... Tissue Perfusion in Diabetes, Obesity, and Other Risk Factors In the case of renal disease, glomerular and