

[全部](#)[新闻](#)[图片](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 59,400 条结果 (用时 0.58 秒)

Current epidemiology of diabetic retinopathy in patients with type 1 ...

<https://bmcpublichealth.biomedcentral.com/articles/10.../s12889-018-5859-x> ▼ [翻译此页](#)

作者: LGN Melo - 2018

2018年8月8日 - This was a **nationwide, cross-sectional study** conducted between August ... we found an **association** between serum uric acid levels and **diabetic retinopathy**. ... in patients with **type 1 diabetes**: a national **multicenter** study in Brazil ... with VTDR thereby preventing blindness and **visual impairment** [9, 10, 11].

Current epidemiology of diabetic retinopathy in patients with type 1 ...

https://www.researchgate.net/.../326911311_Current_epidemiology_of_diab... - [翻译此页](#)

2018年8月18日 - Methods: This was a **nationwide, cross-sectional study** conducted between August ... The study included 1760 patients with **type 1 diabetes**.

Risk factors of diabetic retinopathy and sight-threatening diabetic ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5588996/> - [翻译此页](#)

作者: Y Liu - 2017 - 被引用次数: 2 - [相关文章](#)

2017年9月1日 - Many epidemiological studies on DR, either **cross-sectional studies** or cohort ... considered to be the most important risk factors for progression of **vision loss**. ... **nationwide**, and it involved a cross-sectional investigation in eight with **type 2 diabetes** from the **Renal Insufficiency And Cardiovascular Events** ...

The Relationship Between Diabetic Retinopathy and Diabetic ... - IOVS

<https://iovs.arvojournals.org/article.aspx?articleid=2166511> ▼ [翻译此页](#)

作者: WJ Lee - 2014 - 被引用次数: 22 - [相关文章](#)

This was a population-based, **cross-sectional study**. From the fifth (2011, 2012) ... considered **type 2 DM**. In this study, we included only patients with **type 2 DM**.

Chronic Kidney Disease and Diabetic Retinopathy in Patients with ...

<https://journals.plos.org/plosone/article?id=10.1371/journal.pone...> ▼ [翻译此页](#)

作者: A Rodríguez-Poncelas - 2016 - 被引用次数: 17 - [相关文章](#)

2016年2月17日 - Methods This was a population-based, **cross-sectional study**. ... DR was categorized as non-vision threatening **diabetic retinopathy** and vision threatening **diabetic retinopathy**. ... This **association** was lower in patients with eGFR levels 44 to 30 ... **CKD** in DM2 is more heterogeneous than in **type 1 diabetes**, ...

Name of Journal: *World Journal of Nephrology*

Manuscript NO: 42343

Manuscript Type: ORIGINAL ARTICLE

Observational Study

Associations of renal function with diabetic retinopathy and visual impairment in
type 2 diabetes: A multicenter nationwide cross-sectional study

Kaewput W *et al.* Renal function and low vision in diabetic retinopathy

Wisit Kaewput, Charat Thongprayoon, Ram Rangsin, Prajej Ruangkanasetr,
Michael A Mao, Wisit Cheungpasitporn

Match Overview

1	Crossref 69 words J. S. Dubiel. "Association between endothelial progenitor cell depletion in blood and mild-to-moderate renal insuffici...	2%
2	Internet 61 words crawled on 27-Mar-2017 iovs.arvojournals.org	2%
3	Crossref 50 words Chee Wai Wong, Ecosse L. Lamoureux, Ching-Yu Cheng, Gemmy Chui Ming Cheung, E. Shyong Tai, Tien Y. Wong, C	1%
4	Crossref 22 words Wisit Kaewput, Charat Thongprayoon, Mathirut Mungthin, Sarawut Jindarat et al. "Temporal trends in optimal diabetic c	1%
5	Internet 16 words crawled on 14-Apr-2016 annals.org	<1%
6	Crossref 13 words Ruta, L. M., D. J. Magliano, R. LeMesurier, H. R. Taylor, P. Z. Zimmet, and J. E. Shaw. "Prevalence of diabetic retinopat...	<1%
7	Crossref 13 words Jeon, Sohee, and Won Ki Lee. "EFFECT OF INTRAVITREAL TRIAMCINOLONE IN DIABETIC MACULAR EDEMA UN...	<1%
8	Internet 13 words crawled on 25-Nov-2018 tandfonline.com	<1%
9	Internet 12 words crawled on 28-Oct-2015 www.globalizationandhealth.com	<1%

找到约 80,100 条结果 (用时 0.87 秒)

[The association between renal function and neurological diseases in ...](https://www.ncbi.nlm.nih.gov/pubmed/30445880)

<https://www.ncbi.nlm.nih.gov/pubmed/30445880> - 翻译此页

作者: W Kaewput - 2018

2018年11月16日 - The **association** between **renal function** and neurological diseases in **type 2 diabetes: a multicenter nationwide cross-sectional study**. Kaewput ...

缺少字词: **retinopathy visual impairment**

[Association of diabetic retinopathy and renal function in patients with ...](https://www.ncbi.nlm.nih.gov/pubmed/17722706)

<https://www.ncbi.nlm.nih.gov/pubmed/17722706> ▼ 翻译此页

作者: G Wolf - 2007 - 被引用次数: 59 - 相关文章

Association of diabetic retinopathy and renal function in patients with types 1 and 2 diabetes mellitus. ... **METHODS:** The **study design** was **cross-sectional**. ... clinic were **studied** (323 patients with Type 1, 906 patients with **Type 2 diabetes**).

缺少字词: **visual impairment multicenter nationwide**

[The Relationship Between Diabetic Retinopathy and Diabetic ... - IOVS](https://iovs.arvojournals.org/article.aspx?articleid=2166511)

<https://iovs.arvojournals.org/article.aspx?articleid=2166511> ▼ 翻译此页

作者: WJ Lee - 2014 - 被引用次数: 25 - 相关文章

This was a population-based, **cross-sectional study**. From the fifth (2011, 2012) ... considered **type 2 DM**. In this study, we included only patients with **type 2 DM**.

[The Relationship Between Diabetic Retinopathy and Diabetic ...](https://www.researchgate.net/.../265515507_The_Relationship_Between_Dia...)

https://www.researchgate.net/.../265515507_The_Relationship_Between_Dia... - 翻译此页

Article in Investigative Ophthalmology & **Visual Science** 55(10) · September ... A **cross sectional study** in 2014 found that microalbuminuria was associated ... in complications of both retina and kidney, an **association** between the two ... Evaluation of **kidney function** and risk factors of **retinopathy** in **Type 2 diabetes mellitus** ...

[Current epidemiology of diabetic retinopathy in patients with type 1 ...](https://www.researchgate.net/.../326911311_Current_epidemiology_of_diab...)

https://www.researchgate.net/.../326911311_Current_epidemiology_of_diab... - 翻译此页

2018年8月18日 - **Methods:** This was a **nationwide, cross-sectional study** conducted between August ... The study included 1760 patients with **type 1 diabetes**.

[全部](#)[新闻](#)[图片](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 61,100 条结果 (用时 0.58 秒)

Association of diabetic retinopathy and renal function in patients with ...

<https://www.ncbi.nlm.nih.gov/pubmed/17722706> ▾ [翻译此页](#)

作者 : G Wolf - 2007 - 被引用次数 : 59 - [相关文章](#)

Association of **diabetic retinopathy** and **renal function** in patients with types 1 and 2 diabetes mellitus. ... METHODS: The **study design** was **cross-sectional**. ... clinic were **studied** (323 patients with Type 1, 906 patients with **Type 2 diabetes**).

缺少字词 : visual impairment multicenter nationwide

The association between renal function and neurological diseases in ...

<https://www.ncbi.nlm.nih.gov/pubmed/30445880> - [翻译此页](#)

作者 : W Kaewput - 2018

2018年11月16日 - The **association** between **renal function** and neurological diseases in **type 2 diabetes: a multicenter nationwide cross-sectional study**. Kaewput ...

缺少字词 : retinopathy visual impairment

The Relationship Between Diabetic Retinopathy and Diabetic ... - IOVS

<https://iovs.arvojournals.org/article.aspx?articleid=2166511> ▾ [翻译此页](#)

作者 : WJ Lee - 2014 - 被引用次数 : 25 - [相关文章](#)

This was a population-based, **cross-sectional study**. From the fifth (2011, 2012) ... considered **type 2 DM**. In this study, we included only patients with **type 2 DM**.

The Relationship Between Diabetic Retinopathy and Diabetic ...

https://www.researchgate.net/.../265515507_The_Relationship_Between_Dia... - [翻译此页](#)

Article in Investigative Ophthalmology & **Visual Science** 55(10) - September ... A **cross sectional study** in 2014 found that microalbuminuria was associated ... in complications of both retina and kidney, an **association** between the two ... Evaluation of **kidney function** and risk factors of **retinopathy** in **Type 2 diabetes mellitus** ...

Current epidemiology of diabetic retinopathy in patients with type 1 ...

https://www.researchgate.net/.../326911311_Current_epidemiology_of_diab... - [翻译此页](#)

2018年8月18日 - Methods: This was a **nationwide, cross-sectional study** conducted between August ... The study included 1760 patients with **type 1 diabetes**.

United Kingdom Diabetic Retinopathy Electronic Medical Record (UK ...

<https://bjophtholmol.bmj.com/content/early/2018/09/29/bjophtholmol-2018-312568> - [翻译此页](#)

作者 : AK Denniston - 2018