

Name of journal: World Journal of Methodology

ESPS Manuscript NO: 16824

Columns: MINIREVIEWS

Forkhead box protein A2 and T helper type 2-mediated pulmonary inflammation

Ling Sun, Xiao-Ju Tang, Feng-Ming Luo

Abstract

FOXA2 [the transcription factor forkhead box protein A2; also known as HNF3 β (hepatocyte nuclear factor 3 β) or TCF3 β (transcription factor 3 β)], has been found to play pivotal roles in multiple phases of mammalian life, from the early development to the organofaction, and subsequently in homeostasis and metabolism in the adult. In the embryonic development period, FOXA2 is required for the formation of the primitive node and notochord, and its absence results in embryonic lethality. Moreover, FOXA2 plays an important

Match Overview

1	CrossCheck 162 words "The forkhead box transcription factor-2 (Foxa2) and lung disease", Inflammation and Cell Signaling, 2014.	3%
2	CrossCheck 67 words J. R. Friedman. "The Foxa family of transcription factors ... development and metabolism", Cellular and Molecular Life	1%
3	CrossCheck 52 words Benayoun, B.A. "Forkhead transcription factors: key players in health and disease", Trends in Genetics, 201106	1%
4	CrossCheck 36 words Basseres, D.S. "Frequent downregulation of the transcription factor Foxa2 in lung cancer through epigenetic silencing	1%
5	CrossCheck 28 words Besnard, V. "Immunohistochemical localization of Foxa1 and Foxa2 in mouse embryos and adult tissues", Gene Expr	1%
6	CrossCheck 27 words S.-W. Park. "Distinct Roles of FOXA2 and FOXA3 in Allergic Airway Disease and Asthma", American Journal of Respir	1%
7	Internet 27 words crawled on 01-Sep-2010 vuneo.org	1%
8	CrossCheck 21 words Alten, Leonie, Karin Schuster-Gossler, Michael P. Eichenlaub, Beate Wittbrodt, Joachim Wittbrodt, and Achim Gossler	<1%
9	CrossCheck 20 words Wan, H. "Foxa2 regulates alveolarization and goblet cell hyperplasia", Development, 2004.	<1%



ead box protein A2 and T helper type 2-mediated pulmonary inflammation



网页 图片 新闻 视频 更多 搜索工具

找到约 65,300 条结果 (用时 0.73 秒)

Google 学术 : Forkhead box protein A2 and T helper type 2-mediated pulmonary inflammation

... in asthma: intracellular signalling pathways as targets ... - Lai - 被引用次数 : 39

... of T helper type 1 (Th1)/Th2 and Th2/regulatory T cell ... - Ying - 被引用次数 : 10

The role of inflammation in the pathogenesis of lung ... - Cho - 被引用次数 : 35

Cytotoxic T lymphocyte antigen 4 immunoglobulin modified ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) - 翻译此页

作者 : L Ying - 2011 - 被引用次数 : 10 - 相关文章

2011年3月15日 - T helper type 2 (Th2) and regulatory T cells (Treg) have been ... DCs or DCs infected with DC-green fluorescent protein (GFP) were injected intravenously into mice. ... inflammatory airway disease that results from dysregulated T helper ... of CD4⁺CD25⁺forkhead box P3 (FoxP3)⁺ Treg cells are impaired in ...

Helminths in the hygiene hypothesis - Wiley Online Library

onlinelibrary.wiley.com > ... > Vol 177 Issue 1 > Abstract - 翻译此页

作者 : RM Maizels - 2014 - 被引用次数 : 9 - 相关文章

2014年6月9日 - ... and to induce further forkhead box protein 3 (FoxP3⁺) Treg differentiation [104]. These type 2 macrophages mediate wound-healing effects [105] and ... brasiliensis secreted proteins drives T helper type 2 immune responses. ... the initiation of adaptive T helper 2 cell-mediated allergic lung inflammation.

Regulatory T cells in many flavors control asthma - Nature

www.nature.com > ... > 17 February 2010 - 翻译此页

作者 : A Ray - 2010 - 被引用次数 : 82 - 相关文章

2010年2月17日 - ¹Division of Pulmonary, Allergy and Critical Care Medicine, Department ... The cytokines most commonly implicated in Treg-mediated suppression ... T helper 2 type (Th2) cells are believed to augment the inflammatory response ... X-linked: forkhead box protein 3 mutations and lack of regulatory T cells.

[网页](#)[图片](#)[新闻](#)[视频](#)[更多](#)[搜索工具](#)

找到约 56,400 条结果 (用时 0.92 秒)

Google 学术: Forkhead box protein A2 and T helper type 2-mediated pulmonary inflammation

... in asthma: intracellular signalling pathways as targets ... - Lai - 被引用次数: 40

... of T helper type 1 (Th1)/Th2 and Th2/regulatory T cell ... - Ying - 被引用次数: 11

The role of inflammation in the pathogenesis of lung ... - Cho - 被引用次数: 36

Cytotoxic T lymphocyte antigen 4 immunoglobulin modified ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者: L Ying - 2011 - 被引用次数: 10 - 相关文章

2011年3月15日 - T helper type 2 (Th2) and regulatory T cells (Treg) have been ... DCs or DCs infected with DC-green fluorescent protein (GFP) were injected intravenously into mice. ... inflammatory airway disease that results from dysregulated T helper ... of CD4⁺CD25⁺forkhead box P3 (FoxP3)⁺ Treg cells are impaired in ...

CD137 deficiency does not affect development of airway ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者: AK Behrendt - 2012 - 被引用次数: 1 - 相关文章

Intracellular staining of forkhead box protein 3 (FoxP3) was performed using the ... Next, we examined lung sections with regard to airway inflammation and ... ³[H]-Thymidine-proliferation assay and T helper type 2 (Th2) cytokine Inhibition of Th2-mediated allergic airway inflammatory disease by CD137 costimulation.