



30770-Review

Quotes Included
Bibliography Included19%
SIMILARName of Journal: *World Journal of Methodology*

ESPS Manuscript NO: 30770

Manuscript Type: Minireviews

Chromogranin A as a valid marker in oncology: Clinical application or false hopes?

Stavros Gkolfinopoulos, Konstantinos Tsapakidis, Konstantinos Papadimitriou,
Demetris Papamichael, Panteleimon Kountourakis**Abstract**

Chromogranin A, due to its primary expression throughout the neuroendocrine system, is a widely accepted biomarker for the assessment of neuro-endocrine tumors. It has been traditionally used in the management of patients with tumours of gastro-enteropancreatic origin. Lately, it has also been implicated in various conditions and diseases, both benign and malignant. However, the paucity of data of

Match Overview

1	Crossref 138 words Mateo, Joaquin, John V. Heymach, and Amado J. Zurita. "Circulating Biomarkers of Response to Sunitinib in Gastro..."	4%
2	Crossref 80 words Verbeek, Wieke, Tiny Korse, and Margot Tesselaar. "GEP-NET5 UPDATE - Secreting gastro-enteropancreatic neuro..."	3%
3	Internet 52 words crawled on 15-Oct-2008 www.glivec.com	2%
4	Crossref 44 words M Peracchi. "Plasma chromogranin A in patients with sporadic gastro-entero-pancreatic neuroendocrine tumors or neuro..."	1%
5	Internet 38 words crawled on 24-May-2013 www.clinics.org.br	1%
6	Internet 33 words crawled on 24-Apr-2010 mobile.answers.com	1%



全部 图片 新闻 视频 更多 ▾ 搜索工具

找到约 422 条结果 (用时 0.63 秒)

CGAK - Clinical: Chromogranin A, Serum - Mayo Medical Laboratories

www.mayomedicallaboratories.com/test-catalog/Clinical+and.../34641 ▾ 翻译此页

Urine 5-hydroxyindolacetic acid (5-HIAA) and serum **chromogranin A** (CGA) increase in ... As is typical for tumor **marker use** in follow-up and surveillance, a 40% to 50% ... Possible Adjunct in Outcome Prediction and Follow-up of Prostate **Cancer**: ... for PPI in such patients without risking significant **false-elevations** in CGA.

Chromogranin A – unspecific neuroendocrine marker. Clinical utility ...

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: P Gut - 2016 - 被引用次数: 1 - 相关文章

2016年2月2日 - The **marker** for neuroendocrine tumors is **chromogranin A**, which often in ... In **clinical** practice, the most common causes of **false** (non-NET) CgA results is the **use** of Elevated **chromogranin** in cases of prostate **cancer** shows ...

Chromogranin A as serum marker for neuroendocrine neoplasia - NCBI

www.ncbi.nlm.nih.gov/pubmed/9253344 ▾ 翻译此页

作者: FR Nobels - 1997 - 被引用次数: 372 - 相关文章

Chromogranin A (CgA) is gaining acceptance as a serum **marker** of ... small tumors, and its clinical value, compared with other neuroendocrine **markers**, have ... have useful **clinical applications** in subjects with neuroendocrine tumors for whom ...

缺少字词: **valid oncology false hopes**

<http://academic.research.microsoft.com/Publication/28020239> ...

academic.research.microsoft.com/LowPublicationSitemap396.xml

... -of-lipid-storage-diseasescurrent-status-and-clinical-applications 2015-08-21 /28020375/altered-expression-of-syndecan-1-in-prostate-cancer 2015-08-21 ... -marker-for-the-diagnosis-of-pneumocystis-pneumonia-in-patients-with-aids /28020576/screening-tests-for-bacteriuria-a-validity-study 2015-08-

[全部](#)[图片](#)[新闻](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 417 条结果 (用时 0.80 秒)

Chromogranin A – unspecific neuroendocrine marker. Clinical utility ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4754364/> - 翻译此页

作者: P Gut - 2016 - 被引用次数: 2 - 相关文章

2016年2月2日 - The **marker** for neuroendocrine tumors is **chromogranin A**, which often in ... In **clinical** practice, the most common causes of **false** (non-NET) CgA results is the **use** of ... Elevated **chromogranin** in cases of prostate **cancer** shows ...

Chromogranin A as Serum Marker for Gastroenteropancreatic ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/22344444> - 翻译此页

作者: S Nölting - 2012 - 被引用次数: 15 - 相关文章

2012年2月15日 - **Chromogranin A** (CgA) is an acidic glycoprotein which is exclusively ... The **clinical** sensitivity of CgA has been demonstrated to depend on the assay ... analyzed our single-center experience with CgA as tumor **marker**. drugs that may increase CgA levels and lead to **false** positive results J. **Cancer**.

Chromogranin A as serum marker for neuroendocrine neoplasia - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/9253344> - 翻译此页

作者: FR Nobels - 1997 - 被引用次数: 374 - 相关文章

Chromogranin A (CgA) is gaining acceptance as a serum **marker** of ... small tumors, and its clinical value, compared with other neuroendocrine **markers**, have ... have useful **clinical applications** in subjects with neuroendocrine tumors for whom ...

缺少字词: valid oncology false hopes

IJMS | Free Full-Text | Clinical Significance of Serum Biomarkers in ...

www.mdpi.com/1422-0067/13/1/1126/htm - 翻译此页

作者: JA Sandoval - 2012 - 被引用次数: 15 - 相关文章

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 471 条结果 (用时 0.51 秒)

小提示： 仅限搜索**简体中文**结果。您可以在设置中指定搜索语言

Chromogranin A – unspecific neuroendocrine marker. Clinical utility ...

<https://www.ncbi.nlm.nih.gov> > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) - 翻译此页

作者：P Gut - 2016 - 被引用次数：2 - 相关文章

2016年2月2日 - The **marker** for neuroendocrine tumors is **chromogranin A**, which often in ... In **clinical** practice, the most common causes of **false** (non-NET) CgA results is the **use** of Elevated **chromogranin** in cases of prostate **cancer** shows ...

Chromogranin A as Serum Marker for Gastroenteropancreatic ... - NCBI

<https://www.ncbi.nlm.nih.gov> > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) - 翻译此页

作者：S Nölting - 2012 - 被引用次数：15 - 相关文章

2012年2月15日 - **Chromogranin A** (CgA) is an acidic glycoprotein which is exclusively ... The **clinical** sensitivity of CgA has been demonstrated to depend on the assay ... analyzed our single-center experience with CgA as tumor **marker**; drugs that may increase CgA levels and lead to **false** positive results J. **Cancer**.

CGAK - Clinical: Chromogranin A, Serum - Mayo Medical Laboratories

www.mayomedicallaboratories.com/test-catalog/Clinical+and.../34641 ▾ 翻译此页

CGAK: **Chromogranin A** (CGA) is a 439-amino acid protein with a molecular weight of ... the possible exception of prognostic information in advanced prostate **cancer**. ... As is typical for tumor **marker use** in follow-up and surveillance, a 40% to 50% ... for PPI in such patients without risking significant **false**-elevations in CGA.