

Name of Journal: *World Journal of Methodology*

Manuscript NO: 33042

Manuscript Type: Original Article

Retrospective Study

Accuracy of crescent sign on ocular ultrasound in diagnosing papilledema

Ananth Bhosale, Virna M Shah, Parag K Shah

Abstract

AIM

To study the usefulness of orbital ultrasonography in the diagnosis of papilledema.

METHODS

Fifty patients who were referred to the neurophthalmology clinic and clinically suspected to have papilledema were selected. Thorough, clinical examination with

Match Overview

- | | | |
|---|---|----|
| 1 | Internet 27 words
crawled on 29-Jan-2016
www.nature.com | 2% |
| 2 | Crossref 10 words
Carter, S B, M Pistilli, K G Livingston, D R Gold, N J Volpe, K S Shindler, G T Liu, and M A Tamhankar. "Th | 1% |



[全部](#)

[图片](#)

[视频](#)

[新闻](#)

[购物](#)

[更多](#)

[设置](#)

[工具](#)

找到约 21,900 条结果 (用时 0.78 秒)

[The role of orbital ultrasonography in distinguishing papilledema from ...](#)
<https://www.ncbi.nlm.nih.gov> > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) - [翻译此页](#)

作者: SB Carter - 2014 - [被引用次数: 6](#) - [相关文章](#)

Published online 2014 Sep 5. doi: 10.1038/eye.2014.210 image of the **eye** to identify optic disc elevation and look for a fluid (**crescent**) sign. A-scan mode, which is ... The sensitivity of orbital **ultrasonography in diagnosing papilledema** was 90% and **accuracy** of reporting these radiographic signs in everyday practice.

[Optic Nerve Papilledema and Crescent Sign | Sinai EM Ultrasound](#)
sinaiem.us/2012/12/13/papilledema-and-the-crescent-sign/ - [翻译此页](#)

2012年12月13日 - Optic Nerve **Papilledema** and **Crescent Sign** useful for evaluating elevated intracranial ... Å It is best to average two measurements of each **eye**.

[Identification of Optic Disc Elevation and the Crescent Sign ...](#)
mobile.journals.lww.com/.../Identification_of_Optic_Disc_Elevation_and_th... - [翻译此页](#)

Point-of-care **ocular ultrasound** demonstrated increased ONSD, optic disc be determined if POC **ocular ultrasound** is **accurate** to **diagnose papilledema**.

[Identification of Optic Disc Elevation and the Crescent Sign Using ...](#)
https://www.researchgate.net/.../274400382_Identification_of_Optic_Disc_E... - [翻译此页](#)

Point-of-care **ocular ultrasound** has been used to detect **papilledema**. In previous ... Ultrasound **diagnosis** of **papilledema** and increased intracranial pressure in ...

[Optic Nerve Sonography in the Diagnostic Evaluation of ... - Hindawi](#)
<https://www.hindawi.com/journals/nri/2015/146059/> - [翻译此页](#)

作者: M Mehrpour - 2015 - [被引用次数: 5](#) - [相关文章](#)

2015年1月9日 - Differentiating pseudopapilledema from **papilledema** which is optic disk ... ONH elevation tends to be the most intimidating **ocular** finding especially when ... We asked them to **sign** written testimonials if they accept being ... and **accuracy** validity of optic **sonography in diagnosis** of



[全部](#)

[图片](#)

[视频](#)

[新闻](#)

[购物](#)

[更多](#)

[设置](#)

[工具](#)

找到约 21,900 条结果 (用时 0.78 秒)

[The role of orbital ultrasonography in distinguishing papilledema from ...](#)
<https://www.ncbi.nlm.nih.gov> > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) - [翻译此页](#)

作者: SB Carter - 2014 - [被引用次数: 6](#) - [相关文章](#)

Published online 2014 Sep 5. doi: 10.1038/eye.2014.210 image of the **eye** to identify optic disc elevation and look for a fluid (**crescent**) sign. A-scan mode, which is ... The sensitivity of orbital **ultrasonography in diagnosing papilledema** was 90% and **accuracy** of reporting these radiographic signs in everyday practice.

[Optic Nerve Papilledema and Crescent Sign | Sinai EM Ultrasound](#)
sinaiem.us/2012/12/13/papilledema-and-the-crescent-sign/ - [翻译此页](#)

2012年12月13日 - Optic Nerve **Papilledema** and **Crescent Sign** useful for evaluating elevated intracranial ... It is best to average two measurements of each **eye**.

[Identification of Optic Disc Elevation and the Crescent Sign ...](#)
mobile.journals.lww.com/.../Identification_of_Optic_Disc_Elevation_and_th... - [翻译此页](#)

Point-of-care **ocular ultrasound** demonstrated increased ONSD, optic disc be determined if POC **ocular ultrasound** is **accurate** to **diagnose papilledema**.

[Identification of Optic Disc Elevation and the Crescent Sign Using ...](#)
https://www.researchgate.net/.../274400382_Identification_of_Optic_Disc_E... - [翻译此页](#)

Point-of-care **ocular ultrasound** has been used to detect **papilledema**. In previous ... Ultrasound **diagnosis** of **papilledema** and increased intracranial pressure in ...

[Optic Nerve Sonography in the Diagnostic Evaluation of ... - Hindawi](#)
<https://www.hindawi.com/journals/nri/2015/146059/> - [翻译此页](#)

作者: M Mehrpour - 2015 - [被引用次数: 5](#) - [相关文章](#)

2015年1月9日 - Differentiating pseudopapilledema from **papilledema** which is optic disk ... ONH elevation tends to be the most intimidating **ocular** finding especially when ... We asked them to **sign** written testimonials if they accept being ... and **accuracy** validity of optic **sonography in diagnosis** of



全部

图片

新闻

视频

购物

更多

设置

工具

找到约 108,000 条结果（用时 0.75 秒）

Optic Nerve Papilledema and Crescent Sign | Sinai EM Ultrasound

sinaiem.us/2012/12/13/papilledema-and-the-crescent-sign/ - 翻译此页

2012年12月13日 - Optic Nerve **Papilledema** and **Crescent Sign** useful for evaluating elevated intracranial ... It is best to average two measurements of each **eye**. ... The ability to **diagnose papilledema** using bedside **sonography** is useful to ... in their ability to perform an **accurate** nondilated fundoscopic examination.

The role of orbital ultrasonography in distinguishing papilledema from ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4268455/> - 翻译此页

作者: SB Carter - 2014 - 被引用次数: 7 - 相关文章

Published online 2014 Sep 5. doi: 10.1038/**eye**.2014.210 image of the **eye** to identify optic disc elevation and look for a fluid (**crescent**) **sign**. A-scan mode, which is ... The sensitivity of orbital **ultrasonography in diagnosing papilledema** was 90% and **accuracy** of reporting these radiographic signs in everyday practice.

Identification of Optic Disc Elevation and the Crescent Sign Using ...

https://www.researchgate.net/.../274400382_Identification_of_Optic_Disc_E... - 翻译此页

Point-of-care **ocular ultrasound** has been used to detect **papilledema**. In previous ... A pilot **diagnostic accuracy** evaluation in a UK emergency department.

Papilledema and the Crescent Sign | SinaiEM

sinaiem.org/papilledema-and-the-crescent-sign/ - 翻译此页

It is best to average two measurements of each **eye**. ... Ophthalmologists refer to this as the **crescent sign**. ... The ability to **diagnose papilledema** using bedside **sonography** is useful to emergency physicians, as many ... do not feel confident in their ability to perform an **accurate** nondilated fundoscopic examination.