

Animal care and use statement

To whom it may concern at *World Journal of Gastroenterology*:


The animal protocol was designed to minimize pain or discomfort to the animals. The animals were acclimatized to laboratory conditions (23°C, 12h/12h light/dark, 50% humidity, ad libitum access to food and water) for two weeks prior to experimentation. Intra-gastric gavage administration was carried out with conscious animals, using straight gavage needles appropriate for the animal size (18-22 g body weight: 22 gauge, 1 inch length, 1.2 mm ball diameter). All animals were euthanized by barbiturate overdose (intravenous injection, 35 mg/kg pentobarbital sodium) for tissue.

Manuscript title: Jianpi Qingchang decoction (JPQCD) alleviates Dextran Sodium Sulfate- (DSS-) Induced Ulcerative Colitis in C57BL Mice By inhibiting NF- κ B activation.

First author and affiliation:

Lie Zheng, Department of Gastroenterology, Longhua Hospital Affiliated to Shanghai University of Traditional Chinese Medicine, Shanghai 200032, China
Lie Zheng, Ya-li Zhang, Institute of Digestive Diseases, Shanghai University of Traditional Chinese Medicine, Shanghai 200032, China

Paper ID: ESPS- 28443



Zhi-peng TANG, MD, PhD, Professor, Director, Institute of Digestive Diseases, Shanghai University of Traditional Chinese Medicine, Shanghai 200032, China.
Tel: +86-21-64385700.
Email: zhipengtang@sohu.com

September 5, 2016