

Conflict-of-Interest Statement

Clinical features of gastric mucosa-associated lymphoid tissue (MALT) lymphoma in patients with extra copies of MALT1

Masaya Iwamuro^{1,2}, Ryuta Takenaka³, Masahiro Nakagawa⁴, Yuki Moritou⁵, Shunsuke Saito⁶, Shinichiro Hori⁷, Tomoki Inaba⁸, Yoshinari Kawai⁹, Tatsuya Toyokawa¹⁰, Takehiro Tanaka¹¹, Tadashi Yoshino¹², and Hiroyuki Okada¹

¹Department of Gastroenterology and Hepatology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

²Department of General Medicine, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

³Department of Internal Medicine, Tsuyama Chuo Hospital

⁴Department of Internal Medicine, Hiroshima City Hospital

⁵Department of Gastroenterology, Mitoyo General Hospital,

⁶Department of Internal Medicine, Okayama Saiseikai General Hospital

⁷Department of Gastroenterology, Shikoku Cancer Center

⁸Department of Gastroenterology, Kagawa Prefectural Central Hospital

⁹Department of Gastroenterology, Onomichi Municipal Hospital

¹⁰Department of Gastroenterology, Fukuyama Medical Center

¹¹Department of Pathology, Okayama University Hospital

¹²Department of Pathology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

Conflict-of-interest: All of the authors declare that they have no conflicts of interest associated with this article.

Signature

Date

MASAYA IWAMURO

MAY 1. 2017

Conflict-of-Interest Statement

Clinical features of gastric mucosa-associated lymphoid tissue (MALT) lymphoma in patients with extra copies of MALT1

Masaya Iwamuro^{1,2}, Ryuta Takenaka³, Masahiro Nakagawa⁴, Yuki Moritou⁵, Shunsuke Saito⁶, Shinichiro Hori⁷, Tomoki Inaba⁸, Yoshinari Kawai⁹, Tatsuya Toyokawa¹⁰, Takehiro Tanaka¹¹, Tadashi Yoshino¹², and Hiroyuki Okada¹

¹Department of Gastroenterology and Hepatology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

²Department of General Medicine, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

³Department of Internal Medicine, Tsuyama Chuo Hospital

⁴Department of Internal Medicine, Hiroshima City Hospital

⁵Department of Gastroenterology, Mitoyo General Hospital,

⁶Department of Internal Medicine, Okayama Saiseikai General Hospital

⁷Department of Gastroenterology, Shikoku Cancer Center

⁸Department of Gastroenterology, Kagawa Prefectural Central Hospital

⁹Department of Gastroenterology, Onomichi Municipal Hospital

¹⁰Department of Gastroenterology, Fukuyama Medical Center

¹¹Department of Pathology, Okayama University Hospital

¹²Department of Pathology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

Conflict-of-interest: All of the authors declare that they have no conflicts of interest associated with this article.

Signature

Date

Ryuta Takenaka

May 2, 2017

Conflict-of-Interest Statement

Clinical features of gastric mucosa-associated lymphoid tissue (MALT) lymphoma in patients with extra copies of MALT1

Masaya Iwamuro^{1,2}, Ryuta Takenaka³, Masahiro Nakagawa⁴, Yuki Moritou⁵, Shunsuke Saito⁶, Shinichiro Hori⁷, Tomoki Inaba⁸, Yoshinari Kawai⁹, Tatsuya Toyokawa¹⁰, Takehiro Tanaka¹¹, Tadashi Yoshino¹², and Hiroyuki Okada¹

¹Department of Gastroenterology and Hepatology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

²Department of General Medicine, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

³Department of Internal Medicine, Tsuyama Chuo Hospital

⁴Department of Internal Medicine, Hiroshima City Hospital

⁵Department of Gastroenterology, Mitoyo General Hospital,

⁶Department of Internal Medicine, Okayama Saiseikai General Hospital

⁷Department of Gastroenterology, Shikoku Cancer Center

⁸Department of Gastroenterology, Kagawa Prefectural Central Hospital

⁹Department of Gastroenterology, Onomichi Municipal Hospital

¹⁰Department of Gastroenterology, Fukuyama Medical Center

¹¹Department of Pathology, Okayama University Hospital

¹²Department of Pathology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

Conflict-of-interest: All of the authors declare that they have no conflicts of interest associated with this article.

Signature

Date

Masahiro Nakagawa

5/07/2017

Conflict-of-Interest Statement

Clinical features of gastric mucosa-associated lymphoid tissue (MALT) lymphoma in patients with extra copies of MALT1

Masaya Iwamuro^{1,2}, Ryuta Takenaka³, Masahiro Nakagawa⁴, Yuki Moritou⁵, Shunsuke Saito⁶, Shinichiro Hori⁷, Tomoki Inaba⁸, Yoshinari Kawai⁹, Tatsuya Toyokawa¹⁰, Takehiro Tanaka¹¹, Tadashi Yoshino¹², and Hiroyuki Okada¹

¹Department of Gastroenterology and Hepatology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

²Department of General Medicine, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

³Department of Internal Medicine, Tsuyama Chuo Hospital

⁴Department of Internal Medicine, Hiroshima City Hospital

⁵Department of Gastroenterology, Mitoyo General Hospital,

⁶Department of Internal Medicine, Okayama Saiseikai General Hospital

⁷Department of Gastroenterology, Shikoku Cancer Center

⁸Department of Gastroenterology, Kagawa Prefectural Central Hospital

⁹Department of Gastroenterology, Onomichi Municipal Hospital

¹⁰Department of Gastroenterology, Fukuyama Medical Center

¹¹Department of Pathology, Okayama University Hospital

¹²Department of Pathology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

Conflict-of-interest: All of the authors declare that they have no conflicts of interest associated with this article.

Signature

Date

Yuki Moritou

May 2, 2017

Conflict-of-Interest Statement

Clinical features of gastric mucosa-associated lymphoid tissue (MALT) lymphoma in patients with extra copies of MALT1

Masaya Iwamuro^{1,2}, Ryuta Takenaka³, Masahiro Nakagawa⁴, Yuki Moritou⁵, Shunsuke Saito⁶, Shinichiro Hori⁷, Tomoki Inaba⁸, Yoshinari Kawai⁹, Tatsuya Toyokawa¹⁰, Takehiro Tanaka¹¹, Tadashi Yoshino¹², and Hiroyuki Okada¹

¹Department of Gastroenterology and Hepatology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

²Department of General Medicine, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

³Department of Internal Medicine, Tsuyama Chuo Hospital

⁴Department of Internal Medicine, Hiroshima City Hospital

⁵Department of Gastroenterology, Mitoyo General Hospital,

⁶Department of Internal Medicine, Okayama Saiseikai General Hospital

⁷Department of Gastroenterology, Shikoku Cancer Center

⁸Department of Gastroenterology, Kagawa Prefectural Central Hospital

⁹Department of Gastroenterology, Onomichi Municipal Hospital

¹⁰Department of Gastroenterology, Fukuyama Medical Center

¹¹Department of Pathology, Okayama University Hospital

¹²Department of Pathology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

Conflict-of-interest: All of the authors declare that they have no conflicts of interest associated with this article.

Signature

Date

Shunsuke Saito

2017.5.3

Conflict-of-Interest Statement

Clinical features of gastric mucosa-associated lymphoid tissue (MALT) lymphoma in patients with extra copies of MALT1

Masaya Iwamuro^{1,2}, Ryuta Takenaka³, Masahiro Nakagawa⁴, Yuki Moritou⁵, Shunsuke Saito⁶, Shinichiro Hori⁷, Tomoki Inaba⁸, Yoshinari Kawai⁹, Tatsuya Toyokawa¹⁰, Takehiro Tanaka¹¹, Tadashi Yoshino¹², and Hiroyuki Okada¹

¹Department of Gastroenterology and Hepatology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

²Department of General Medicine, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

³Department of Internal Medicine, Tsuyama Chuo Hospital

⁴Department of Internal Medicine, Hiroshima City Hospital

⁵Department of Gastroenterology, Mitoyo General Hospital,

⁶Department of Internal Medicine, Okayama Saiseikai General Hospital

⁷Department of Gastroenterology, Shikoku Cancer Center

⁸Department of Gastroenterology, Kagawa Prefectural Central Hospital

⁹Department of Gastroenterology, Onomichi Municipal Hospital

¹⁰Department of Gastroenterology, Fukuyama Medical Center

¹¹Department of Pathology, Okayama University Hospital

¹²Department of Pathology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

Conflict-of-interest: All of the authors declare that they have no conflicts of interest associated with this article.

Signature

Date

Shinichiro Hori

2 May, 2017

Conflict-of-Interest Statement

Clinical features of gastric mucosa-associated lymphoid tissue (MALT) lymphoma in patients with extra copies of MALT1

Masaya Iwamuro^{1,2}, Ryuta Takenaka³, Masahiro Nakagawa⁴, Yuki Moritou⁵, Shunsuke Saito⁶, Shinichiro Hori⁷, Tomoki Inaba⁸, Yoshinari Kawai⁹, Tatsuya Toyokawa¹⁰, Takehiro Tanaka¹¹, Tadashi Yoshino¹², and Hiroyuki Okada¹

¹Department of Gastroenterology and Hepatology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

²Department of General Medicine, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

³Department of Internal Medicine, Tsuyama Chuo Hospital

⁴Department of Internal Medicine, Hiroshima City Hospital

⁵Department of Gastroenterology, Mitoyo General Hospital,

⁶Department of Internal Medicine, Okayama Saiseikai General Hospital

⁷Department of Gastroenterology, Shikoku Cancer Center

⁸Department of Gastroenterology, Kagawa Prefectural Central Hospital

⁹Department of Gastroenterology, Onomichi Municipal Hospital

¹⁰Department of Gastroenterology, Fukuyama Medical Center


¹¹Department of Pathology, Okayama University Hospital


¹²Department of Pathology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

Conflict-of-interest: All of the authors declare that they have no conflicts of interest associated with this article.

Signature

Date





Conflict-of-Interest Statement

Clinical features of gastric mucosa-associated lymphoid tissue (MALT) lymphoma in patients with extra copies of MALT1

Masaya Iwamuro^{1,2}, Ryuta Takenaka³, Masahiro Nakagawa⁴, Yuki Moritou⁵, Shunsuke Saito⁶, Shinichiro Hori⁷, Tomoki Inaba⁸, Yoshinari Kawai⁹, Tatsuya Toyokawa¹⁰, Takehiro Tanaka¹¹, Tadashi Yoshino¹², and Hiroyuki Okada¹

¹Department of Gastroenterology and Hepatology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

²Department of General Medicine, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

³Department of Internal Medicine, Tsuyama Chuo Hospital

⁴Department of Internal Medicine, Hiroshima City Hospital

⁵Department of Gastroenterology, Mitoyo General Hospital,

⁶Department of Internal Medicine, Okayama Saiseikai General Hospital

⁷Department of Gastroenterology, Shikoku Cancer Center

⁸Department of Gastroenterology, Kagawa Prefectural Central Hospital

⁹Department of Gastroenterology, Onomichi Municipal Hospital

¹⁰Department of Gastroenterology, Fukuyama Medical Center

¹¹Department of Pathology, Okayama University Hospital

¹²Department of Pathology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

Conflict-of-interest: All of the authors declare that they have no conflicts of interest associated with this article.

Signature

Date

Yoshinari Kawai

May 1, 2017

Conflict-of-Interest Statement

Clinical features of gastric mucosa-associated lymphoid tissue (MALT) lymphoma in patients with extra copies of MALT1

Masaya Iwamuro^{1,2}, Ryuta Takenaka³, Masahiro Nakagawa⁴, Yuki Moritou⁵, Shunsuke Saito⁶, Shinichiro Hori⁷, Tomoki Inaba⁸, Yoshinari Kawai⁹, Tatsuya Toyokawa¹⁰, Takehiro Tanaka¹¹, Tadashi Yoshino¹², and Hiroyuki Okada¹

¹Department of Gastroenterology and Hepatology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

²Department of General Medicine, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

³Department of Internal Medicine, Tsuyama Chuo Hospital

⁴Department of Internal Medicine, Hiroshima City Hospital

⁵Department of Gastroenterology, Mitoyo General Hospital,

⁶Department of Internal Medicine, Okayama Saiseikai General Hospital

⁷Department of Gastroenterology, Shikoku Cancer Center

⁸Department of Gastroenterology, Kagawa Prefectural Central Hospital

⁹Department of Gastroenterology, Onomichi Municipal Hospital

¹⁰Department of Gastroenterology, Fukuyama Medical Center

¹¹Department of Pathology, Okayama University Hospital

¹²Department of Pathology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

Conflict-of-interest: All of the authors declare that they have no conflicts of interest associated with this article.

Signature

Date

Tatsuya Toyokawa

2 / May / 2017

Conflict-of-Interest Statement

Clinical features of gastric mucosa-associated lymphoid tissue (MALT) lymphoma in patients with extra copies of MALT1

Masaya Iwamuro^{1,2}, Ryuta Takenaka³, Masahiro Nakagawa⁴, Yuki Moritou⁵, Shunsuke Saito⁶, Shinichiro Hori⁷, Tomoki Inaba⁸, Yoshinari Kawai⁹, Tatsuya Toyokawa¹⁰, Takehiro Tanaka¹¹, Tadashi Yoshino¹², and Hiroyuki Okada¹

¹Department of Gastroenterology and Hepatology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

²Department of General Medicine, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

³Department of Internal Medicine, Tsuyama Chuo Hospital

⁴Department of Internal Medicine, Hiroshima City Hospital

⁵Department of Gastroenterology, Mitoyo General Hospital,

⁶Department of Internal Medicine, Okayama Saiseikai General Hospital

⁷Department of Gastroenterology, Shikoku Cancer Center

⁸Department of Gastroenterology, Kagawa Prefectural Central Hospital

⁹Department of Gastroenterology, Onomichi Municipal Hospital

¹⁰Department of Gastroenterology, Fukuyama Medical Center

¹¹Department of Pathology, Okayama University Hospital

¹²Department of Pathology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

Conflict-of-interest: All of the authors declare that they have no conflicts of interest associated with this article.

Signature

Date

Takehiro Tanaka .

May. 2, 2017

Conflict-of-Interest Statement

Clinical features of gastric mucosa-associated lymphoid tissue (MALT) lymphoma in patients with extra copies of MALT1

Masaya Iwamuro^{1,2}, Ryuta Takenaka³, Masahiro Nakagawa⁴, Yuki Moritou⁵, Shunsuke Saito⁶, Shinichiro Hori⁷, Tomoki Inaba⁸, Yoshinari Kawai⁹, Tatsuya Toyokawa¹⁰, Takehiro Tanaka¹¹, Tadashi Yoshino¹², and Hiroyuki Okada¹

¹Department of Gastroenterology and Hepatology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

²Department of General Medicine, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

³Department of Internal Medicine, Tsuyama Chuo Hospital

⁴Department of Internal Medicine, Hiroshima City Hospital

⁵Department of Gastroenterology, Mitoyo General Hospital,

⁶Department of Internal Medicine, Okayama Saiseikai General Hospital

⁷Department of Gastroenterology, Shikoku Cancer Center

⁸Department of Gastroenterology, Kagawa Prefectural Central Hospital

⁹Department of Gastroenterology, Onomichi Municipal Hospital

¹⁰Department of Gastroenterology, Fukuyama Medical Center


¹¹Department of Pathology, Okayama University Hospital

¹²Department of Pathology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

Conflict-of-interest: All of the authors declare that they have no conflicts of interest associated with this article.

Signature

Date

 May, 2, 2017

Conflict-of-Interest Statement

Clinical features of gastric mucosa-associated lymphoid tissue (MALT) lymphoma in patients with extra copies of MALT1

Masaya Iwamuro^{1,2}, Ryuta Takenaka³, Masahiro Nakagawa⁴, Yuki Moritou⁵, Shunsuke Saito⁶, Shinichiro Hori⁷, Tomoki Inaba⁸, Yoshinari Kawai⁹, Tatsuya Toyokawa¹⁰, Takehiro Tanaka¹¹, Tadashi Yoshino¹², and Hiroyuki Okada¹

¹Department of Gastroenterology and Hepatology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

²Department of General Medicine, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

³Department of Internal Medicine, Tsuyama Chuo Hospital

⁴Department of Internal Medicine, Hiroshima City Hospital

⁵Department of Gastroenterology, Mitoyo General Hospital,

⁶Department of Internal Medicine, Okayama Saiseikai General Hospital

⁷Department of Gastroenterology, Shikoku Cancer Center

⁸Department of Gastroenterology, Kagawa Prefectural Central Hospital

⁹Department of Gastroenterology, Onomichi Municipal Hospital

¹⁰Department of Gastroenterology, Fukuyama Medical Center

¹¹Department of Pathology, Okayama University Hospital

¹²Department of Pathology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences

Conflict-of-interest: All of the authors declare that they have no conflicts of interest associated with this article.

Signature

Date

Hiroyuki Okada

May 8, 2017