



Selecting the best strategy of treatment in newly diagnosed advanced st

[网页](#) [新闻](#) [图片](#) [视频](#) [更多](#) [搜索工具](#)

找到约 830,000 条结果 (用时 0.58 秒)

First-line medical treatment of epithelial ovarian cancer

www.uptodate.com/.../first-line-medical-treatment-of-epithelial-... [翻译此页](#)

2015年2月18日 - (See "Patient information: Ovarian cancer diagnosis and staging ... all newly diagnosed patients except in the case of selected women ... However, for women with optimally resected stage III disease, another treatment strategy You and your doctor should review which treatment options are best for you.

Surgical Debulking of Ovarian Cancer: What Difference ...

[www.ncbi.nlm.nih.gov/.../PubMed Central \(PMC\)](http://www.ncbi.nlm.nih.gov/.../PubMed Central (PMC)) [翻译此页](#)

作者: JO Schorge - 2010 - 被引用次数: 14 - 相关文章

Most of these patients will achieve remission regardless of initial treatment, but 80% to 90% ... has been achieved to reliably detect ovarian cancer at a more curable stage. ... including patient selection, the locations of tumors, and surgeon expertise. Patients with newly diagnosed, advanced ovarian cancer should have a ...

Ovarian Cancer. Symptoms and treatment of ... - Patient

patient.info > Professional Reference [翻译此页](#)

Malignant ovarian tumours may be solid or cystic. ... NEW - log your activity ... Women diagnosed with ovarian cancer should be offered genetic screening for the ... Doctors and patients can use Decision Aids together to help choose the best ... different treatment, but there is not the evidence available to guide strategy to the ...

Second-Line Treatment of Ovarian Cancer - The Oncologist

theoncologist.alphamedpress.org/content/5/1/26.full [翻译此页](#)

作者: M Markman - 2000 - 被引用次数: 238 - 相关文章

Patients with epithelial ovarian cancer are often diagnosed with advanced-stage disease.

8
 Name of Journal: *World Journal of Methodology*

ESPS Manuscript NO: 21790

Manuscript Type: MINIREVIEWS

Selecting the best strategy of treatment in newly diagnosed advanced-stage ovarian cancer patients

Lucas Minig, Cristina Zorrero, Pablo Padilla Iserte, Andres Poveda

Abstract

Although it is assumed that the **21** combination of chemotherapy and radical **5** surgery should be indicated in all newly diagnosed advanced-stage ovarian cancer patients, one of the main raised questions is how to select the best strategy of initial **51** treatment in this group of patients, **17** neoadjuvant chemotherapy followed by interval debulking surgery or primary debulking surgery followed by adjuvant chemotherapy. The selection criteria to offer one

Match Overview

1	CrossCheck 105 words Vergote, Ignace, Andreas du Bois, Frederic Amant, Florian Heitz, Karin Leunen, and Philipp Harter. "Neoadjuvant ch...	2%
2	CrossCheck 93 words Rockall, Andrea G. "Diffusion weighted MRI in ovarian cancer.", <i>Current Opinion in Oncology</i> , 2014.	2%
3	CrossCheck 41 words Minig, Lucas, M. Guadalupe, Rafael Alvarez, Javier Valero de Bernabe, and Ivan Diaz-Padill. "Surgical Treatment of ...	1%
4	CrossCheck 31 words Chi, D.S.. "What is the optimal goal of primary cytoreduct... e surgery for bulky stage IIIC epithelial ovarian carcinoma (1%
5	CrossCheck 24 words Ursula A Matulonis. "Bevacizumab and its use in epithelial ovarian cancer", <i>Future Oncology</i> , 02/16/2011	<1%
6	Internet 23 words crawled on 16-Dec-2009 www.igcs.org	<1%



Selecting the best strategy of treatment in newly diagnosed advanced-stage



网页 新闻 图片 视频 更多 搜索工具

找到约 676,000 条结果 (用时 0.84 秒)

Surgical Debulking of Ovarian Cancer: What Difference ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) 翻译此页

作者: JO Schorge - 2010 - 被引用次数: 15 - 相关文章

Key words: **Ovarian cancer**, Primary debulking surgery, Neoadjuvant ... advanced **ovarian cancers** are **diagnosed**, approximately 10 to 10 **malignant** cells are present. ... including **patient selection**, the locations of tumors, and surgeon expertise. ... the debate of how **best** to initially **treat** women with advanced **ovarian cancer**.

First-line medical treatment of epithelial ovarian cancer

www.uptodate.com/.../first-line-medical-treatment-of-epithelial-... 翻译此页

2015年2月18日 - (See "**Patient** information: **Ovarian cancer** diagnosis and **staging** ... all **newly diagnosed patients** except in the case of **selected** women ... However, for women with optimally resected stage III disease, another **treatment strategy** You and your doctor should review which **treatment** options are **best** for you.)

Neoadjuvant chemotherapy in advanced ovarian cancer ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) 翻译此页

作者: S Sato - 2014 - 被引用次数: 5 - 相关文章

NACT could be an alternative **treatment** option in **patients** with stage III or IV EOC. ... Keywords: advanced **ovarian cancer**, interval debulking surgery, ... approximately 70% of women with EOC are **diagnosed** with **advanced stage** Recently, **selection** of chemotherapy regimens based on histology have attracted attention.

The addition of new drugs to standard therapy in the first ...

annonc.oxfordjournals.org/content/21/suppl_7/vii211.long 翻译此页

作者: MA Bookman - 2010 - 被引用次数: 25 - 相关文章



[网页](#) [新闻](#) [图片](#) [视频](#) [更多 ▾](#) [搜索工具](#)

找到约 680,000 条结果 (用时 0.51 秒)

First-line medical treatment of epithelial ovarian cancer

www.uptodate.com/.../first-line-medical-treatment-of-epithelial-... ▾ [翻译此页](#)

2015年2月18日 - (See "[Patient information: Ovarian cancer diagnosis and staging ... all newly diagnosed patients](#) except in the case of [selected](#) women ... However, for women with optimally resected stage III disease, another [treatment strategy](#) You and your doctor should review which [treatment](#) options are [best](#) for you.

Surgical Debulking of Ovarian Cancer: What Difference ...

www.ncbi.nlm.nih.gov > ... > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: JO Schorge - 2010 - 被引用次数: 15 - [相关文章](#)

Key words: [Ovarian cancer](#), Primary debulking surgery, Neoadjuvant ... advanced [ovarian cancers](#) are [diagnosed](#), approximately 10 to 10 [malignant](#) cells are present. ... including [patient selection](#), the locations of tumors, and surgeon expertise. ... the debate of how [best](#) to initially [treat](#) women with advanced [ovarian cancer](#).

Neoadjuvant chemotherapy in advanced ovarian cancer ...

www.ncbi.nlm.nih.gov > ... > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: S Sato - 2014 - 被引用次数: 5 - [相关文章](#)

NACT could be an alternative [treatment](#) option in [patients](#) with stage III or IV EOC. ...
Keywords: advanced [ovarian cancer](#), interval debulking surgery, ... approximately 70% of women with EOC are [diagnosed](#) with [advanced stage](#) [Recently](#), [selection](#) of chemotherapy regimens based on histology have attracted attention.

Ovarian Cancer. Symptoms and treatment of ... - Patient

patient.info > [Professional Reference](#) ▾ [翻译此页](#)

[Malignant](#) ovarian tumours may be solid or cystic. ... [NEW](#) - log your activity ... Women [diagnosed](#) with [ovarian cancer](#) should be offered genetic screening for the ... Doctors and [patients](#) can use Decision Aids together to help [choose](#) the [best](#) different [treatment](#),