



Observational Study

Influence of childhood trauma on adolescent internet addiction: The mediating roles of loneliness and negative coping styles

Wang-Lin Dong, Yuan-Yuan Li, Yi-Ming Zhang, Qian-Wen Peng, Guang-Li Lu, Chao-Ran Chen

Specialty type: Psychiatry

Provenance and peer review:

Unsolicited article; Externally peer reviewed.

Peer-review model: Single blind

Peer-review report's scientific quality classification

Grade A (Excellent): A, A

Grade B (Very good): 0

Grade C (Good): 0

Grade D (Fair): 0

Grade E (Poor): 0

P-Reviewer: Hosak L, Czech Republic; Moshref L, Saudi Arabia

Received: August 23, 2023

Peer-review started: August 23, 2023

First decision: October 10, 2023

Revised: October 18, 2023

Accepted: November 21, 2023

Article in press: November 21, 2023

Published online: December 19, 2023



Wang-Lin Dong, Yuan-Yuan Li, Yi-Ming Zhang, Qian-Wen Peng, Chao-Ran Chen, College of Nursing and Health, Institute of Nursing and Health, Henan University, Kaifeng 475000, Henan Province, China

Guang-Li Lu, School of Business, Institute of Business Administration, Henan University, Kaifeng 475000, Henan Province, China

Corresponding author: Chao-Ran Chen, Doctor, PhD, Professor, College of Nursing and Health, Institute of Nursing and Health, Henan University, Jinming Avenue, Kaifeng 475000, Henan Province, China. kfccc@126.com

Abstract

BACKGROUND

In the information age, the use of the internet and multimedia tools has large effects on the life of middle school students. Improper use of the internet may result in internet addiction (IA). Thus, actively exploring the factors influencing adolescent and the mechanism of addiction as well as promoting adolescent physical and mental health and academic development are priorities that families, schools, and society urgently need to address.

AIM

To explore the effect of childhood trauma on adolescent IA and to consider the roles of loneliness and negative coping styles.

METHODS

A total of 11310 students from six junior high schools in Henan, China, completed the child trauma questionnaire, IA test, loneliness scale, and simple coping style questionnaire. In addition, data were collected from 1044 adolescents with childhood trauma for analysis with IBM SPSS 26.0 and AMOS 28.0; we examined the relationships among childhood trauma, IA, loneliness, and negative coping styles.

RESULTS

We found that childhood trauma not only directly affected adolescents' IA but also affected IA through loneliness and negative coping styles.

CONCLUSION

Therefore, this study has theoretical implications regarding adolescent mental health and may inform interventions for IA.

Key Words: Addictive behavior; Mental health; Coping styles; Trauma; Loneliness

©The Author(s) 2023. Published by Baishideng Publishing Group Inc. All rights reserved.

Core Tip: This study is concluded: (1) Childhood trauma has a positive predictive effect on teenagers' internet addiction (IA); (2) Childhood trauma has a negative psychological and behavioral impact on teenagers; (3) Loneliness and negative coping styles play a chain intermediary role in the influence of childhood on IA among teenagers; and (4) IA.

Citation: Dong WL, Li YY, Zhang YM, Peng QW, Lu GL, Chen CR. Influence of childhood trauma on adolescent internet addiction: The mediating roles of loneliness and negative coping styles. *World J Psychiatry* 2023; 13(12): 1133-1144

URL: <https://www.wjgnet.com/2220-3206/full/v13/i12/1133.htm>

DOI: <https://dx.doi.org/10.5498/wjp.v13.i12.1133>

INTRODUCTION

In the information age, the use of the internet and multimedia tools has a large effect on the lives of middle school students. Improper use of the internet may result in internet addiction (IA). IA is often defined as problematic, compulsive internet use (for gaming, social networks, pornography, *etc.*) that results in severe impairment of an individual's functioning in all aspects of life over a long period[1,2]. Worldwide, the current prevalence rate of IA is 7.02%; alarmingly, the age of IA onset is dropping, and the prevalence rate is increasing[3]. From 2004 to 2019, a questionnaire survey of 92171 middle school students in Shanghai, China, reported that the prevalence rate of IA was 4.3%, that students with high levels of loneliness exhibited IA, and that academic pressure aggravated IA[4]. Studies have shown that IA causes mental health problems in individuals and impairs psychosocial functioning, such as an inability to concentrate for long periods, isolation, anxiety, social withdrawal, depression, interpersonal avoidance, and sleep disorders[5-8]. Physical health problems such as dry eye, mouse hand, and cervical and lumbar spine pain can also occur [9,10]. Moreover, some studies have shown that IA is related to non-suicidal self-injury and suicide in adolescents[11-13]. Thus, actively exploring the factors influencing adolescent IA and the mechanism of addiction as well as promoting adolescent physical and mental health and academic development are priorities that families, schools, and society urgently need to address.

Childhood trauma and IA

Childhood trauma is often described as serious adverse childhood experiences, mainly involving neglect and abuse[14], which have a series of negative effects on physical and mental health[15,16]. Unfortunately, childhood trauma is very common. According to Koenen *et al*[17], 38.48% of children have been exposed to at least one traumatic event before the age of 13. Childhood trauma is associated with the development of various addictive behaviors, which have become an increasingly serious public health problem[18-20]. For example, a study proved that childhood trauma is an important predictor of gambling disorder; physical neglect is the single trauma subtype that significantly increases the incidence of gambling disorder in adulthood[21]. It remains unclear whether childhood trauma is common among adolescents with IA. Therefore, we hypothesized that childhood trauma positively predicts adolescent IA (H1).

The potential mediating role of loneliness

Loneliness refers to complex feelings when the intimate relationship and social needs of individuals are not fully satisfied and are often accompanied by negative emotional experiences such as isolation, helplessness, and pain[22,23]. Abuse and neglect are severe childhood traumatic events and are lonely experiences. It is difficult for people without the same experience to truly understand these feelings. The traumatized person may have friends who support him or her, but because the friends cannot understand these feelings, the traumatized person may not be willing to share his or her experiences[24]. Therefore, even with the support of friends, they may feel lonely after the trauma. According to the social compensation hypothesis, lonely people may compensate for emotional or social needs through self-disclosure, self-catharsis, and interpersonal communication through the internet[25]. Adolescents with high levels of loneliness have a higher risk of IA[26,27]. However, it is unclear whether childhood trauma affects IA through loneliness. We hypothesized that loneliness influences the impact of childhood trauma on IA (H2).

The potential mediating role of negative coping styles

Coping styles are the cognitive and behavioral styles adopted by individuals in the face of setbacks and pressures. They are usually divided into positive coping styles (problem-solving, cognitive reassessment, social support, *etc.*) and negative coping styles (avoiding or denying problems or attributing solutions to external factors)[28,29]. Childhood is an important period of development, and traumatic experiences during this period will have a long-term impact on cognition and emotion regulation[30]. Some studies have shown that adolescents with childhood trauma mainly exhibit negative coping styles[31,32]. A reasonable explanation for using a negative coping style is that continuous exposure to childhood trauma

may lead to changes in one's neurobiology that lead to increased vigilance and perceived environmental threat, thus changing one's perceived stress[33]. Traumatic events will result in negative coping styles, which is consistent with the stress response model[34]. Some studies have indicated that addictive behaviors are closely related to the selected coping style, especially negative coping styles[35-37]. Adolescents may exhibit negative coping methods on the internet such as venting, avoiding, or denying difficulties encountered in reality[38]. Based on previous theories and studies, we propose that negative coping styles mediate the relationship between childhood trauma and IA (H3).

Moreover, some studies have shown that loneliness affects coping styles[39,40], and negative coping styles positively predict IA[41,42]. However, few studies have shown that negative coping styles play an intermediary role in the relationship between loneliness and IA. In this study, we proposed that negative coping styles may mediate between loneliness and IA, and loneliness and negative coping styles have a chain mediating role in the relationship between childhood trauma and IA (H4).

Study framework

Childhood trauma, IA, loneliness, and negative coping styles interact with each other. Nevertheless, it remains unclear how these variables interact to lead to IA in adolescents. In this study, we proposed the conceptual framework shown in Figure 1. From the perspective of adolescents, we discuss the influence of childhood trauma on IA and investigate the role of loneliness and negative coping styles to provide empirical support and guidance for related research and interventions for adolescent mental health.

MATERIALS AND METHODS

Data collection and ethical considerations

From May to June 2023, volunteers were recruited from six junior and senior high schools in Henan Province, China, using a convenient sampling method. The inclusion criteria were as follows: (1) Enrolled in secondary school; and (2) Provided informed consent and volunteered to participate in this study. The exclusion criterion was the failure to complete all of the questionnaires, regardless of reason. This study was approved by the Institutional Review Committee of Henan Provincial Key Laboratory of Psychology and Behavior (20230516001), and all participants signed informed consent forms.

Questionnaire

General demographic data: We collected sociodemographic information including gender, age, parental marital status, only-child status, left-behind child status, family residential location, and relationships with teachers and classmates.

Childhood trauma questionnaire: We used the childhood trauma questionnaire compiled by Bernstein *et al*[43] and revised by Zhao *et al*[44]. The questionnaire consists of 28 questions, of which 3 are validity items designed to detect false-negative trauma reports. The questionnaire assesses five dimensions of childhood maltreatment. Each question is answered on a Likert scale, from 1 "never correct" to 5 "often correct". A higher overall score indicates a greater severity of trauma. The Cronbach's α coefficient of this study scale was 0.817.

IA test: The IA test is a self-report scale compiled by young that contains 20 items[45]. Each entry is scored according to the degree of compliance on a scale of 1-5, and the total score range is 20-100 points. The higher the score is, the more severe the IA. A score ≥ 50 points indicates the presence of IA. The Cronbach's α coefficient was 0.909 in this study.

Loneliness scale: We used the University of California-Los Angeles Loneliness Scale compiled by Russell *et al*[46] in 1978. The scale consists of 20 items with 4 response options, 11 questions, and 9 reverse-scored questions. The higher the score is, the stronger the individual's experience of loneliness. The Cronbach's α coefficient in this study was 0.815.

Coping styles scale: Coping styles were evaluated with the simple coping style questionnaire, which was compiled by Xie[47] based on the Chinese context. It consists of two dimensions, positive response, and negative response, with a total of 20 items. Items are rated on a 4-point Likert scale (1 = not used, 4 = frequently used). This study focused on the negative response scale, which consists of 8 items and focuses on the characteristics of negative responses. The scale in this study had a Cronbach's α coefficient of 0.728.

Statistical analysis

All data were analyzed using IBM SPSS 26.0 and Amos 28.0 in this study. First, the frequency and percentage are reported for the demographic characteristics of participants. In addition, we used Harman's single-factor test to test for possible common method deviations. Normality tests were performed on continuous variables to detect skewness and kurtosis. If IA, loneliness, childhood trauma, and negative coping styles followed a normal distribution, we used Pearson's correlation analysis to explore the relationships among these variables. Otherwise, we used Spearman correlation analysis. We then used structural equation modeling to examine the mediation effects. In this study, IA was the dependent variable, childhood trauma was the independent variable, and loneliness and negative coping styles were the mediating variables. Based on previous item parceling studies[48], we used a "project-building balance" approach to package entries on loneliness and coping styles. Finally, bootstrapping was used to test the mediation effect, and if $P < 0.05$, the mediation effect was considered significant.




Figure 1 Conceptual framework.

RESULTS

Sample results

We recruited a total of 11310 participants. Of these, 190 dropped out halfway and 11120 questionnaires were returned. After excluding questionnaires with incomplete data, we finally obtained 10819 valid questionnaires. Then, 9775 false-negative trauma reports were excluded. Finally, we analyzed the data of 1044 adolescents with childhood trauma, constituting 9.3% of the total number of participants in the survey, as shown in Figure 2. Bentler and Chou[49] proposed that the sample size should be more than 10 times the number of observed variables; therefore, 1044 samples met the requirements for testing the hypothesized model.

The demographic characteristics of the 1044 adolescents are shown in Table 1. Among them, 612 were male (58.6%), and 432 were female (41.4%). The students were in junior high school or high school, and the age range was 12-18 years. Among the sample, 937 were from two-parent families, and 105 were from single-parent families. A total of 70 (6.7%) students were only children, and the remaining 89.8% had siblings. In this survey, there were 458 (43.9%) left-behind children (students living with their grandparents, attending boarding school, or living alone), and there were 586 (56.1%) children living with their parents. Of these children, 56.6% were from rural areas, and the remaining 43.4% were from urban areas. A total of 48.8% of the students reported that they had a good relationship with their classmates, and 31.5% of the students reported that they had a good relationship with their teachers.

Bias test of common method

Because all data were collected with questionnaires, we used Harman's single-factor test to test for possible common method bias. The test results showed that there were 19 variables with eigenvalues greater than 1. The first variable explained 14.85% of the total variation, which is below the critical standard of 40%[50]. Hence, there were no serious common methodological biases in this study.

Descriptive statistics and correlations among variables

SPSS was used to examine the distributions of these variables, and all continuous variables had normal distributions. Therefore, we used Pearson correlation analysis to assess the correlations between variables. Means, standard deviations, and Pearson correlation coefficients of each variable are shown in Table 2. In this exploratory analysis, correlations between variables were examined with Pearson correlation analysis; there were significant correlations between each variable in this analysis at the significance level of 99%. Regarding the correlation coefficients, the r values were greater than 0. Thus, there was a significant positive correlation between the four dimensions of childhood trauma and each variable. The independent-sample t test results showed that there was a significant influence of parental marital relationship on IA ($t = -4.252$, $P < 0.001$). One-way ANOVA was used for variables with homogeneity of variance. The results showed that there were significant differences in IA among different ages ($F = 16.86$, $P < 0.001$). In addition, there were significant differences in IA according to relationships with peers and teachers ($F = 9.837$, $P < 0.001$). Considering that parent marital relationship (harmonious/disharmonious), age (12-18 years old), and relationship with teachers (poor/average/good) may influence IA, we decided to control for these variables in the subsequent mediation analysis.

SEM of factors influencing IA

Parents' marital relationship, age, and relationship with teachers were selected control variables because IA is significantly affected by these three variables. The model fit results are shown in Table 3; in accordance with Hu and Bentler [51], we provide several representative model fit indices. The CMIN/DF value of the model (4.616) was less than 5. The root mean square error of approximation value (0.059) was less than 0.08, and the root mean square residual value (0.040) was less than 0.05. In addition, the comparative fit index and goodness of fit index test results indicated excellent fit (0.9 or more). Therefore, the results of this analysis show that the SEM of factors influencing IA was satisfactory.

Table 1 Sample characteristics (*n* = 1044)

Variable	Option	<i>n</i>	<i>n</i>
Gender	Male	612	58.6
	Female	432	41.4
Age	12	16	1.5
	13	156	14.9
	14	175	16.8
	15	135	12.9
	16	286	27.4
	17	227	21.7
	18	49	4.7
Structure	Single parent	105	10.1
	Parents	937	89.8
Only child	Yes	70	6.7
	No	969	92.8
Stay-at-home children	Yes	458	43.9
	No	586	56.1
Residence	Village	591	56.6
	Town	449	43.4
Relationship with classmates	Poor	28	2.7
	General	506	48.5
	Good	509	48.8
Relationship with teachers	Poor	52	5.0
	General	662	63.4
	Good	329	31.5

Table 2 Correlations of variables and mean \pm SD

Variables	mean \pm SD	EN	PaEB	SB	BN	NCS	Loneliness	IA
EN	2.37 \pm 0.85	1						
PaEB	1.44 \pm 0.44	0.509 ^a	1					
SB	1.17 \pm 0.43	0.098 ^a	0.273 ^a	1				
BN	1.5 \pm 0.47	0.293 ^a	0.449 ^a	0.252 ^a	1			
NCS	2.22 \pm 0.58	0.092 ^a	0.217 ^a	0.212 ^a	0.263 ^a	1		
Loneliness	2.26 \pm 0.47	0.347 ^a	0.336 ^a	0.108 ^a	0.258 ^a	0.246 ^a	1	
IA	2.43 \pm 0.43	0.154 ^a	0.254 ^a	0.167 ^a	0.307 ^a	0.379 ^a	0.334 ^a	1

^a*P* < 0.01.

EN: Emotional neglect; PaEB: Physical and emotional abuse; SB: Sexual abuse; BN: Body neglect; NCS: Negative coping style; IA: Internet addiction.

Factors hypothesized to influence IA

According to the results shown in [Figure 3](#), childhood trauma positively predicted loneliness ($\beta = 0.50$, $P < 0.001$), childhood trauma positively predicted negative coping style ($\beta = 0.25$, $P < 0.001$), loneliness positively predicted negative coping style ($\beta = 0.21$, $P < 0.001$), loneliness positively predicted IA ($\beta = 0.14$, $P < 0.001$), negative coping style positively predicted IA ($\beta = 0.30$, $P < 0.001$), and childhood trauma positively predicted IA ($\beta = 0.17$, $P < 0.001$).

Table 3 Model fit test

Model	CMIN/DF	RMSEA	RMR	CFI	GFI
Childhood trauma and loneliness and negative coping styles and IA	4.616	0.059	0.040	0.926	0.937
Fitting standard	< 5	< 0.08	< 0.05	> 0.90	> 0.90

RMSEA: Root mean square error of approximation; RMR: Root mean square residual; CFI: Comparative fit index; GFI: Goodness of fit index; IA: Internet addiction.



**Figure 2 Flow diagram of participants.**

Figure 3 The SEM of factors influencing internet addiction. EN: Emotional neglect; PaEB: Physical and emotional abuse; SB: Sexual abuse; BN: Body neglect; L1-L4: Four items of loneliness; IA1: Tolerability and time management; IA2: Compulsivity and prominence; IA3: Interpersonal, study and health; IA4: Abstinence reaction; NCS1-NCS3: Three items of negative coping style; MS: Marital status; RwT: Relationship with teachers.

Finally, we used 5000 bootstrap samples to determine the 95% confidence interval, and assessed the mediating effects of loneliness and negative coping style on the relationship between childhood trauma and IA. The results are shown in Table 4; loneliness mediated in the relationship between childhood trauma and IA. Negative coping styles also mediated the relationship between childhood trauma and IA. In addition, loneliness and negative coping styles had a chain mediating role in the relationship between childhood trauma and IA. In short, childhood trauma not only directly affected IA but also indirectly affected IA through loneliness and negative coping style in a chain mediation effect.

Table 4 Structural equation modeling results

Effect	Path	Estimate	P value
Ind2	IA < loneliness < childhood trauma	0.093	0.005
Ind2	IA < negative coping style < childhood trauma	0.104	0.001
Ind3	IA < negative coping style < loneliness < childhood trauma	0.044	0.001
Direct	IA < childhood trauma	0.241	0.001
Total	IA < childhood trauma	0.476	0.001

IA: Internet addiction.

(Table 4).

DISCUSSION

Among the 1044 adolescents with childhood trauma, there were 473 (45.6%) students with IA, and the prevalence rate was as high as 45.6%, which is higher than the Hu *et al*[52] reported. Among these participants, 75 had severe IA. This may be related to the unique study population (adolescents with childhood trauma). We explored the relationship between childhood trauma and IA in adolescents. The mediating roles of loneliness and negative coping styles were determined through a chain mediation model. To address IA in adolescents with childhood trauma, it is of practical and theoretical importance to study the relationships among these variables.

Childhood trauma and IA

The results of this study revealed a direct relationship between childhood trauma and IA, suggesting that physical and emotional neglect/abuse in childhood are important predictors of adolescent IA, which is consistent with previous findings and supports H1. Studies have shown that childhood trauma can lead to poor behavior in adolescents[53,54]. For example, childhood trauma can directly predict adolescent mobile phone addiction as well as IA[55,56]. The present study showed that childhood trauma is significantly associated with IA, which is consistent with previous research results[57]. Importantly, this study also showed that adolescents with IA accounted for 45.6% of the sample, which differs from previous findings, suggesting that adolescents with childhood trauma are more likely to have IA. Traumatic childhood experiences have various adverse effects on adolescents in physical, psychological, emotional, and behavioral dimensions. Studies have shown that children who have experienced childhood trauma are often in a clinical or subclinical psychological state, and they will be more inclined to use the internet to express their sadness, depression, and other psychological states and obtain comfort[58]. Thus, we should pay attention not only to the health and academic needs of adolescents but also to their psychological and emotional needs. School-based health care centers and education systems are key resources for adolescent trauma interventions. Schools can identify students with childhood trauma through screening, focusing on their health. This will be more conducive to adolescents' healthy growth and reduce problem behaviors such as IA.

Mediation through loneliness

This study explored the mechanism underlying the association between childhood trauma and adolescent IA and showed that loneliness plays a mediating role in this relationship, supporting hypothesis 2. The results showed that childhood trauma significantly predicted adolescent loneliness, which is consistent with previous studies[59,60]. Loneliness is a common experience in adolescence. According to a survey, 11%-20% of those aged 12-15 years reported that they felt lonely at least "sometimes"[61]. Childhood trauma aggravates adolescents' depression and inferiority complexes, limits their social communication, and thus aggravates loneliness. Moreover, loneliness is a negative emotional state and is closely related to some mental disorders. For example, loneliness and depression are associated[62]. This study showed that loneliness has an impact on adolescent IA, which is consistent with previous research results[63]. Adolescents with high levels of loneliness tend to use the internet instead of offline social interactions to meet the need to belong[64]. However, IA aggravates the loneliness of adolescents. Therefore, we suggest that schools organize more recreational activities for spare time to meet the social needs of adolescents. We should also prioritize the identification of students with communication barriers, emphasize the restoration of interpersonal relationships with time, help students actively integrate into the community, and prevent or reduce adolescent loneliness.

Mediating effect of negative coping styles

This study showed that negative coping styles have a mediating role in the effects of childhood trauma on IA, supporting hypothesis 3. The family risk factor model suggests that living in abusive or neglectful family environments can exacerbate or impose risks of poor self-perception, negative emotions, and coping styles as they adapt to social environments[65,66]. The results of this study are consistent with the family risk model, showing that childhood trauma positively predicts negative coping styles. Coping styles play an important role as mediating variables in an individual's

stress process[67-69]. Positive coping styles are conducive to regulating negative emotions when facing difficulty. In contrast, individuals with negative coping styles are more likely to choose to avoid difficulties. The results of this study also showed that negative coping styles positively predict adolescent IA behavior, which is consistent with previous studies[70]. However, IA can lead to additional stressful events, increased mental health problems, and decreased academic performance. Therefore, negative coping styles and IA form a negative cycle. At schools, we should guide adolescents to select positive and healthy coping styles, which are highly important for preventing or reducing adolescent IA.

Chain mediating effect of loneliness and negative coping styles

This study also indicated that loneliness can positively predict negative coping styles, which is consistent with previous studies[39,71]. In addition, we found that loneliness and negative coping style act as chain mediators of the relationship between childhood trauma and IA, supporting hypothesis 4. Adolescents with childhood trauma will inevitably have some negative emotions[72-74]. The coping style selected reflects the emotion regulation strategies of adolescents facing difficulty. Adolescents with negative coping styles tend to internalize their emotions with self-blame and avoidance. Engaging in internet use is a way of venting after trauma. Previous studies have shown that high levels of loneliness and negative coping styles are more likely to produce IA problems[75,76]. Overall, childhood trauma can predict loneliness, and loneliness can predict IA by influencing negative coping styles. Importantly, loneliness and coping styles can be changed. We can formulate intervention measures focusing on alleviating loneliness and cultivating positive coping styles, especially among adolescents with childhood trauma. We can help students enhance their mental health and psychological adjustment, develop a healthier and positive coping style, learn to reduce loneliness, and reduce the occurrence of IA among adolescents.

Limitations

First, this study investigated only six schools in one province, which somewhat reduces the generalizability of the conclusions. A study with a nationally representative sample and a multicenter design is needed. Second, this study used self-report data, which may have some problems, such as recall bias. Although no common method bias was found in this study, more objective assessments should also be considered in subsequent studies. Finally, this study had a cross-sectional design, and further longitudinal studies are needed to investigate causality.

CONCLUSION

This study constructed a chain mediation model from the perspective of adolescents to explore the process and mechanisms by which childhood trauma influences IA. Childhood trauma had a positive predictive effect on adolescent IA, and loneliness and negative coping styles had a chain mediating role in the influence of childhood on IA among adolescents. The path of childhood trauma® loneliness® negative coping styles® IA in adolescents was confirmed. This study provides empirical support and guidance for research and interventions for adolescent IA. In addition, it provides important insights into the mental health of middle school and the development of harmonious school life.

ARTICLE HIGHLIGHTS

Research background

Internet addiction (IA) refers to a compulsive or excessive use of the internet that interferes with daily life activities, relationships, and overall well-being. It is characterized by an individual's inability to control or limit their online behavior, leading to negative consequences.

Research motivation

This study aimed to explore the effect of childhood trauma on adolescent IA and to consider the roles of loneliness and negative coping styles.

Research objectives

The study hypothesized that childhood trauma would be positively associated with adolescent IA, and this relationship would be partially mediated by loneliness and negative coping styles. Negative coping styles refer to maladaptive strategies used to deal with stress, such as avoidance, substance use, and self-blame.

Research methods

This study constructed a chain mediation model from the perspective of adolescents to explore the process and mechanisms by which childhood trauma influences IA. Childhood trauma had a positive predictive effect on adolescent IA, and loneliness and negative coping styles had a chain mediating role in the influence of childhood on IA among adolescents.

Research results

The results showed that childhood trauma was positively associated with both loneliness and negative coping styles. Moreover, loneliness and negative coping styles were found to mediate the relationship between childhood trauma and adolescent IA. The findings suggest the importance of addressing childhood trauma and its subsequent impact on mental health and addictive behaviors.

Research conclusions

This study provides empirical support and guidance for research and interventions for adolescent IA, and it also provides important insights into the mental health of middle school and the development of harmonious school life.

Research perspectives

This study used self-report data, which may have some problems, such as recall bias. Although no common method bias was found in this study, more objective assessments should also be considered in subsequent studies.

FOOTNOTES

Co-first authors: Wang-Lin Dong and Yuan-Yuan Li.

Author contributions: Dong WL wrote the first draft of the manuscript; Dong WL, Li YY, Zhang YM, Peng QW, and Lu GL were responsible for the analysis and interpretation of data; Chen CR directed all the work.

Institutional review board statement: This study was approved by the Institutional Review Committee of Henan Provincial Key Laboratory of Psychology and Behavior (20230516001).

Informed consent statement: All participants signed informed consent forms.

Conflict-of-interest statement: All the authors report no relevant conflicts of interest for this article.

Data sharing statement: The datasets used during the current study are available from the corresponding author on reasonable request.

STROBE statement: The authors have read the STROBE Statement-checklist of items, and the manuscript was prepared and revised according to the STROBE Statement-checklist of items.

Open-Access: This article is an open-access article that was selected by an in-house editor and fully peer-reviewed by external reviewers. It is distributed in accordance with the Creative Commons Attribution NonCommercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited and the use is non-commercial. See: <https://creativecommons.org/licenses/by-nc/4.0/>

Country/Territory of origin: China

ORCID number: Chao-Ran Chen 0000-0002-6237-2999.

S-Editor: Wang JJ

L-Editor: A

P-Editor: Wang JJ

REFERENCES

- 1 **Marin MG**, Nuñez X, de Almeida RMM. Internet Addiction and Attention in Adolescents: A Systematic Review. *Cyberpsychol Behav Soc Netw* 2021; **24**: 237-249 [PMID: 33121255 DOI: 10.1089/cyber.2019.0698]
- 2 **Besser B**, Loerbroks L, Bischof G, Bischof A, Rumpf HJ. Performance of the DSM-5-based criteria for Internet addiction: A factor analytical examination of three samples. *J Behav Addict* 2019; **8**: 288-294 [PMID: 31120319 DOI: 10.1556/2006.8.2019.19]
- 3 **Pan YC**, Chiu YC, Lin YH. Systematic review and meta-analysis of epidemiology of internet addiction. *Neurosci Biobehav Rev* 2020; **118**: 612-622 [PMID: 32853626 DOI: 10.1016/j.neubiorev.2020.08.013]
- 4 **Yan Q**, Yang YT, Qi Y, Qi WJ, Yang DL, Luo CY. [Trends in the prevalence of Internet addiction among adolescents from 2004 to 2019 in Shanghai]. *Chinese J School Health* 2022; **43**: 1193-1197 [DOI: 10.16835/j.cnki.1000-9817.2022.08.017]
- 5 **Tahir MJ**, Malik NI, Ullah I, Khan HR, Perveen S, Ramalho R, Siddiqi AR, Waheed S, Shalaby MMM, De Berardis D, Jain S, Vetrivendan GL, Chatterjee H, Gopal Franco WX, Shafiq MA, Fatima NT, Abeysekera M, Sayyeda Q, Shamat SF, Aiman W, Akhtar Q, Devi A, Aftab A, Shoib S, Lin CY, Pakpour AH. Internet addiction and sleep quality among medical students during the COVID-19 pandemic: A multinational cross-sectional survey. *PLoS One* 2021; **16**: e0259594 [PMID: 34739502 DOI: 10.1371/journal.pone.0259594]
- 6 **Cao Y**, Liu Q, Yu Q, Fan J, Wang X, Yao R, Zhu X. Depression mediates the relationship of experiential avoidance and internet addiction: a cross-lagged mediation analysis. *Curr Psychol* 2023; **1-11** [PMID: 37359623 DOI: 10.1007/s12144-023-04511-6]
- 7 **Wölfling K**, Schabinger N, Beutel ME, Müller KW, Dreier M. Male, lonely, anxious and depressive - Comorbidities and Risk Factors of Internet Addiction. *Suchttherapie* 2015; **16**: 157-162 [DOI: 10.1055/s-0035-1564110]

- 8 **Perez-Oyola JC**, Walter-Chavez DM, Zila-Velasque JP, Pereira-Victorio CJ, Failoc-Rojas VE, Vera-Ponce VJ, Valladares-Garrido D, Valladares-Garrido MJ. Internet addiction and mental health disorders in high school students in a Peruvian region: a cross-sectional study. *BMC Psychiatry* 2023; **23**: 408 [PMID: [37286950](#) DOI: [10.1186/s12888-023-04838-1](#)]
- 9 **Pantic I**, Milanovic A, Loboda B, Blachnio A, Przepiorka A, Nesic D, Mazic S, Dugalic S, Ristic S. Association between physiological oscillations in self-esteem, narcissism and internet addiction: A cross-sectional study. *Psychiatry Res* 2017; **258**: 239-243 [PMID: [28843628](#) DOI: [10.1016/j.psychres.2017.08.044](#)]
- 10 **Al-Ansari A**, El Tantawi M, AlMadan N, Nazir M, Gaffar B, Al-Khalifa K, AlBaty A. Internet Addiction, Oral Health Practices, Clinical Outcomes, and Self-Perceived Oral Health in Young Saudi Adults. *ScientificWorldJournal* 2020; **2020**: 7987356 [PMID: [32848514](#) DOI: [10.1155/2020/7987356](#)]
- 11 **Tang J**, Ma Y, Lewis SP, Chen R, Clifford A, Ammerman BA, Gazimbi MM, Byrne A, Wu Y, Lu X, Chang H, Kang C, Tiemeier H, Yu Y. Association of Internet Addiction With Nonsuicidal Self-injury Among Adolescents in China. *JAMA Netw Open* 2020; **3**: e206863 [PMID: [32496567](#) DOI: [10.1001/jamanetworkopen.2020.6863](#)]
- 12 **Shinetsseg O**, Jung YH, Park YS, Park EC, Jang SY. Association between Smartphone Addiction and Suicide. *Int J Environ Res Public Health* 2022; **19** [PMID: [36141872](#) DOI: [10.3390/ijerph191811600](#)]
- 13 **Khatcherian E**, Zullino D, De Leo D, Achab S. Feelings of Loneliness: Understanding the Risk of Suicidal Ideation in Adolescents with Internet Addiction. A Theoretical Model to Answer to a Systematic Literature Review, without Results. *Int J Environ Res Public Health* 2022; **19** [PMID: [35206200](#) DOI: [10.3390/ijerph19042012](#)]
- 14 **Barczyk ZA**, Foulds JA, Porter RJ, Douglas KM. Childhood trauma and cognitive functioning in mood disorders: A systematic review. *Bipolar Disord* 2023; **25**: 263-277 [PMID: [36949602](#) DOI: [10.1111/bdi.13321](#)]
- 15 **Cabanis M**, Outadi A, Choi F. Early childhood trauma, substance use and complex concurrent disorders among adolescents. *Curr Opin Psychiatry* 2021; **34**: 393-399 [PMID: [33993169](#) DOI: [10.1097/YCO.0000000000000718](#)]
- 16 **Pei C**, Fan C, Luo H, Bai A, Ni S, Luo M, Huang J, Zhou Y, Huo L. Sleep problems in adolescents with depression: Role of childhood trauma, alexithymia, rumination, and self-esteem. *J Affect Disord* 2023; **338**: 83-91 [PMID: [37269886](#) DOI: [10.1016/j.jad.2023.05.095](#)]
- 17 **Lopez M**, Ruiz MO, Rovnaghi CR, Tam GK, Hiscox J, Gotlib IH, Barr DA, Carrion VG, Anand KJS. The social ecology of childhood and early life adversity. *Pediatr Res* 2021; **89**: 353-367 [PMID: [33462396](#) DOI: [10.1038/s41390-020-01264-x](#)]
- 18 **Hoover LV**, Yu HP, Duval ER, Gearhardt AN. Childhood trauma and food addiction: The role of emotion regulation difficulties and gender differences. *Appetite* 2022; **177**: 106137 [PMID: [35738482](#) DOI: [10.1016/j.appet.2022.106137](#)]
- 19 **Legendre M**, Sabourin S, Bégin C. Maladaptive Eating Behaviors and Childhood Trauma: A Focus on Food Addiction. *Cureus* 2022; **14**: e26966 [PMID: [35989855](#) DOI: [10.7759/cureus.26966](#)]
- 20 **Ieick R**, Karsinti E, Brousse G, Chrétienneau C, Trabut JB, Belforte B, Coeuru P, Moisan D, Deschenau A, Cottencin O, Gay A, Lack P, Pelissier-Alicot AL, Dupuy G, Fortias M, Etain B, Lépine JP, Laplanche JL, Bellivier F, Vorspan F, Bloch V. Childhood trauma and the severity of past suicide attempts in outpatients with cocaine use disorders. *Subst Abus* 2022; **43**: 623-632 [PMID: [34597243](#) DOI: [10.1080/08897077.2021.1975875](#)]
- 21 **Horak NS**, Eagle G, Stein DJ, Lochner C. Gambling Disorder and Childhood Trauma: A Complex Association. *J Gambl Stud* 2021; **37**: 515-528 [PMID: [33006105](#) DOI: [10.1007/s10899-020-09983-w](#)]
- 22 **Pop LM**, Iorga M, Iurcov R. Body-Esteem, Self-Esteem and Loneliness among Social Media Young Users. *Int J Environ Res Public Health* 2022; **19** [PMID: [35564458](#) DOI: [10.3390/ijerph19095064](#)]
- 23 **Hawkey LC**, Cacioppo JT. Loneliness matters: a theoretical and empirical review of consequences and mechanisms. *Ann Behav Med* 2010; **40**: 218-227 [PMID: [20652462](#) DOI: [10.1007/s12160-010-9210-8](#)]
- 24 **Birkeland MS**, Blix I, Thoresen S. Trauma in the third decade: Ruminative coping, social relationships and posttraumatic stress symptoms. *J Affect Disord* 2021; **278**: 601-606 [PMID: [33035947](#) DOI: [10.1016/j.jad.2020.09.095](#)]
- 25 **Eslinger PJ**, Anders S, Ballarini T, Boutros S, Krach S, Mayer AV, Moll J, Newton TL, Schroeter ML, de Oliveira-Souza R, Raber J, Sullivan GB, Swain JE, Lowe L, Zahn R. The neuroscience of social feelings: mechanisms of adaptive social functioning. *Neurosci Biobehav Rev* 2021; **128**: 592-620 [PMID: [34089764](#) DOI: [10.1016/j.neubiorev.2021.05.028](#)]
- 26 **Siste K**, Hanafi E, Sen LT, Murtani BJ, Christian H, Limawan AP, Siswidiani LP, Adrian A. Implications of COVID-19 and Lockdown on Internet Addiction Among Adolescents: Data From a Developing Country. *Front Psychiatry* 2021; **12**: 665675 [PMID: [34054619](#) DOI: [10.3389/fpsy.2021.665675](#)]
- 27 **Rennoch G**, Schlomann A, Zank S. The Relationship Between Internet Use for Social Purposes, Loneliness, and Depressive Symptoms Among the Oldest Old. *Res Aging* 2023; **45**: 630-642 [PMID: [36606365](#) DOI: [10.1177/01640275221150017](#)]
- 28 **Puglisi-Allegra S**, Andolina D. Serotonin and stress coping. *Behav Brain Res* 2015; **277**: 58-67 [PMID: [25108244](#) DOI: [10.1016/j.bbr.2014.07.052](#)]
- 29 **Ebata AT**, Moos RH. Personal, Situational, and Contextual Correlates of Coping in Adolescence. *J Res Adolesc* 1994; **4**: 99-125 [DOI: [10.1207/s15327795jra0401_6](#)]
- 30 **Browne C**, Winkelman C. The effect of childhood trauma on later psychological adjustment. *J Interpers Violence* 2007; **22**: 684-697 [PMID: [17515430](#) DOI: [10.1177/0886260507300207](#)]
- 31 **Okechukwu FO**, Ogba KTU, Nwufu JI, Ogba MO, Onyekachi BN, Nwanosike CI, Onyishi AB. Academic stress and suicidal ideation: moderating roles of coping style and resilience. *BMC Psychiatry* 2022; **22**: 546 [PMID: [35962365](#) DOI: [10.1186/s12888-022-04063-2](#)]
- 32 **Lai W**, Li W, Guo L, Wang W, Xu K, Dou Q, Shi J, Teopiz KM, McIntyre RS, Lu C. Association between bullying victimization, coping style, and mental health problems among Chinese adolescents. *J Affect Disord* 2023; **324**: 379-386 [PMID: [36587905](#) DOI: [10.1016/j.jad.2022.12.080](#)]
- 33 **Solberg MA**, Peters RM, Resko SM, Templin TN. Does Coping Mediate the Relationship Between Adverse Childhood Experiences and Health Outcomes in Young Adults? *J Child Adolesc Trauma* 2023; **16**: 1-13 [PMID: [36844997](#) DOI: [10.1007/s40653-023-00527-z](#)]
- 34 **Rood L**, Roelofs J, Bögels SM, Meesters C. Stress-reactive rumination, negative cognitive style, and stressors in relationship to depressive symptoms in non-clinical youth. *J Youth Adolesc* 2012; **41**: 414-425 [PMID: [21451946](#) DOI: [10.1007/s10964-011-9657-3](#)]
- 35 **Estévez A**, Macía L, López-González H, Momeñe J, Jauregui P, Etxaburu N, Granero R, Fernández-Aranda F, Mestre-Bach G, Vintró-Alcaraz C, Munguía L, Baenas I, Mena-Moreno T, Mora-Maltas B, Valenciano-Mendoza E, Jiménez-Murcia S. Cyberbullying and Gambling Disorder: Associations with Emotion Regulation and Coping Strategies. *J Gambl Stud* 2023; **39**: 1399-1416 [PMID: [36181619](#) DOI: [10.1007/s10899-022-10160-4](#)]
- 36 **Antons S**, Mueller SM, Wegmann E, Trotzke P, Schulte MM, Brand M. Facets of impulsivity and related aspects differentiate among

- recreational and unregulated use of Internet pornography. *J Behav Addict* 2019; **8**: 223-233 [PMID: 31120316 DOI: 10.1556/2006.8.2019.22]
- 37 **Horváth Z**, Urbán R. Testing the stress-strain-coping-support (SSCS) model among family members of an alcohol misusing relative: The mediating effect of burden and tolerant-inactive coping. *Addict Behav* 2019; **89**: 200-205 [PMID: 30321692 DOI: 10.1016/j.addbeh.2018.10.010]
- 38 **Lei H**, Cheong CM, Li S, Lu M. The relationship between coping style and Internet addiction among mainland Chinese students: A meta-analysis. *Psychiatry Res* 2018; **270**: 831-841 [PMID: 30551332 DOI: 10.1016/j.psychres.2018.10.079]
- 39 **Lo HKY**, Wong GHS, Chan JKN, Wong CSM, Lei JHC, So YK, Fung VSC, Chu RST, Chung AKK, Lee KCK, Cheng CPW, Chan WC, Chang WC. COVID-19 perseverative cognition and depressive symptoms in Hong Kong: The moderating role of resilience, loneliness and coping strategies. *J Affect Disord* 2023; **337**: 86-93 [PMID: 37230268 DOI: 10.1016/j.jad.2023.05.058]
- 40 **Deckx L**, van den Akker M, Buntinx F, van Driel M. A systematic literature review on the association between loneliness and coping strategies. *Psychol Health Med* 2018; **23**: 899-916 [PMID: 29533084 DOI: 10.1080/13548506.2018.1446096]
- 41 **Li Q**, Dai W, Zhong Y, Wang L, Dai B, Liu X. The Mediating Role of Coping Styles on Impulsivity, Behavioral Inhibition/Approach System, and Internet Addiction in Adolescents From a Gender Perspective. *Front Psychol* 2019; **10**: 2402 [PMID: 31708840 DOI: 10.3389/fpsyg.2019.02402]
- 42 **Shan X**, Ou Y, Ding Y, Yan H, Chen J, Zhao J, Guo W. Associations Between Internet Addiction and Gender, Anxiety, Coping Styles and Acceptance in University Freshmen in South China. *Front Psychiatry* 2021; **12**: 558080 [PMID: 34135779 DOI: 10.3389/fpsyg.2021.558080]
- 43 **Bernstein DP**, Fink L, Handelsman L, Foote J, Lovejoy M, Wenzel K, Sapareto E, Ruggiero J. Initial reliability and validity of a new retrospective measure of child abuse and neglect. *Am J Psychiatry* 1994; **151**: 1132-1136 [PMID: 8037246 DOI: 10.1176/ajp.151.8.1132]
- 44 **Zhao XF**, Zhang YL, Li LF, Zhou YF, Li HZ, Yang SC. [Reliability and validity of Chinese version of childhood abuse questionnaire]. *Clinical Recovery in China* 2005 [DOI: 10.3321/j.issn:1673-8225.2005.20.052]
- 45 **Kaya F**, Delen E, Young KS. Psychometric properties of the Internet Addiction Test in Turkish. *J Behav Addict* 2016; **5**: 130-134 [PMID: 28092191 DOI: 10.1556/2006.4.2015.042]
- 46 **Russell D**, Peplau LA, Ferguson ML. Developing a measure of loneliness. *J Pers Assess* 1978; **42**: 290-294 [PMID: 660402 DOI: 10.1207/s15327752jpa4203_11]
- 47 **Xie YN**. [Preliminary study on reliability and validity of simple coping style scale]. *Journal of Clinical Psychology in China* 1998; 53-54
- 48 **Landis RS**, Beal DJ, Tesluk PE. A Comparison of Approaches to Forming Composite Measures in Structural Equation Models. *Organizational Res Methods* 2000; **3**: 186-207 [DOI: 10.1177/109442810032003]
- 49 **Bentler PM**, Chou CP. Practical Issues in Structural Modeling. *Sociol Methods Res* 2016; **16**: 78-117 [DOI: 10.1177/0049124187016001004]
- 50 **Podsakoff PM**, MacKenzie SB, Lee JY, Podsakoff NP. Common method biases in behavioral research: a critical review of the literature and recommended remedies. *J Appl Psychol* 2003; **88**: 879-903 [PMID: 14516251 DOI: 10.1037/0021-9010.88.5.879]
- 51 **Hu L**, Bentler PM. Cutoff criteria for fit indexes in covariance structure analysis: Conventional criteria versus new alternatives. *Struct Equ Modeling: A Multidiscipl J* 1999; **6**: 1-55 [DOI: 10.1080/10705199909540118]
- 52 **Hu M**, Xu L, Zhu W, Zhang T, Wang Q, Ai Z, Zhao X. The Influence of Childhood Trauma and Family Functioning on Internet Addiction in Adolescents: A Chain-Mediated Model Analysis. *Int J Environ Res Public Health* 2022; **19** [PMID: 36294219 DOI: 10.3390/ijerph192013639]
- 53 **Wiss DA**, Brewerton TD. Adverse Childhood Experiences and Adult Obesity: A Systematic Review of Plausible Mechanisms and Meta-Analysis of Cross-Sectional Studies. *Physiol Behav* 2020; **223**: 112964 [PMID: 32479804 DOI: 10.1016/j.physbeh.2020.112964]
- 54 **Garami J**, Valikhani A, Parkes D, Haber P, Mahlberg J, Misiak B, Frydecka D, Moustafa AA. Examining Perceived Stress, Childhood Trauma and Interpersonal Trauma in Individuals With Drug Addiction. *Psychol Rep* 2019; **122**: 433-450 [PMID: 29569991 DOI: 10.1177/0033294118764918]
- 55 **Xie Y**, Shen Y, Wu J. Cumulative childhood trauma and mobile phone addiction among chinese college students: role of self-esteem and self-concept clarity as serial mediators. *Curr Psychol* 2023; 1-9 [PMID: 37359599 DOI: 10.1007/s12144-023-04734-7]
- 56 **Forster M**, Rogers C, Sussman SY, Yu S, Rahman T, Zeledon H, Benjamin SM. Adverse childhood experiences and problematic smartphone use among college students: Findings from a pilot study. *Addict Behav* 2021; **117**: 106869 [PMID: 33609812 DOI: 10.1016/j.addbeh.2021.106869]
- 57 **Sheng X**, Yang M, Ge M, Zhang L, Huang C, Cui S, Yuan Q, Ye M, Zhou R, Cao P, Peng R, Zhang K, Zhou X. The relationship between Internet addiction and childhood trauma in adolescents: The mediating role of social support. *Front Psychol* 2022; **13**: 996086 [PMID: 36275326 DOI: 10.3389/fpsyg.2022.996086]
- 58 **Yang M**, Sheng X, Ge M, Zhang L, Huang C, Cui S, Yuan Q, Ye M, Zhou R, Cao P, Peng R, Zhou X, Zhang K. Childhood trauma and psychological sub-health among Chinese adolescents: the mediating effect of Internet addiction. *BMC Psychiatry* 2022; **22**: 762 [PMID: 36471293 DOI: 10.1186/s12888-022-04384-2]
- 59 **Heshmati R**, Azmoodeh S, Kheiriabad M, Ghasemi A, Lo C. Loneliness in Breast Cancer Patients with Early Life Adversity: An Investigation of the Effects of Childhood Trauma and Self-Regulation. *Curr Oncol* 2023; **30**: 5145-5157 [PMID: 37232847 DOI: 10.3390/curroncol30050389]
- 60 **Sabaß L**, Buchenrieder N, Rek SV, Nenov-Matt T, Lange J, Barton BB, Musil R, Jobst A, Padberg F, Reinhard MA. Attachment mediates the link between childhood maltreatment and loneliness in persistent depressive disorder. *J Affect Disord* 2022; **312**: 61-68 [PMID: 35728677 DOI: 10.1016/j.jad.2022.06.021]
- 61 **Pearce E**, Barreto M, Victor C, Hammond C, Eccles AM, Richins MT, O'Neil A, Knowles ML, Qualter P. Choking under pressure: Does it get easier with age? How loneliness affects social monitoring across the life span. *Int J Behav Dev* 2022; **46**: 50-62 [PMID: 35001994 DOI: 10.1177/0165025420979369]
- 62 **Cooper K**, Hards E, Moltrecht B, Reynolds S, Shum A, McElroy E, Loades M. Loneliness, social relationships, and mental health in adolescents during the COVID-19 pandemic. *J Affect Disord* 2021; **289**: 98-104 [PMID: 33962368 DOI: 10.1016/j.jad.2021.04.016]
- 63 **Landry J**, Asokumar A, Crump C, Anisman H, Matheson K. Early life adverse experiences and loneliness among young adults: The mediating role of social processes. *Front Psychol* 2022; **13**: 968383 [PMID: 36204733 DOI: 10.3389/fpsyg.2022.968383]
- 64 **Zhang D**, Wu XC, Tian YX. The relationship between adolescent post-traumatic stress disorder symptoms and Internet addiction symptoms: the mediation of punishment sensitivity and loneliness and the regulation of gender. *Sci Psychol* 2021; **44**: 1134-1140
- 65 **Liel C**, Eickhorst A, Zimmermann P, Stemmler M, Walper S. Fathers, mothers and family violence: Which risk factors contribute to the occurrence of child maltreatment and exposure to intimate partner violence in early childhood? Findings in a German longitudinal in-depth study. *Child Abuse Negl* 2022; **123**: 105373 [PMID: 34801847 DOI: 10.1016/j.chiabu.2021.105373]
- 66 **Cao H**, Zhang R, Li L, Yang L. Coping Style and Resilience Mediate the Effect of Childhood Maltreatment on Mental Health Symptomology.

- Children (Basel)* 2022; **9** [PMID: 36010009 DOI: 10.3390/children9081118]
- 67 **Yang T**, Liu J, Zhang Y, Zhang Q, Shangguan L, Li Z, Luo X, Gong J. Coping style predicts sense of security and mediates the relationship between autistic traits and social anxiety: Moderation by a polymorphism of the FKBP5 gene. *Behav Brain Res* 2021; **404**: 113142 [PMID: 33508350 DOI: 10.1016/j.bbr.2021.113142]
- 68 **Pelekanakis A**, Doré I, Sylvestre MP, Sabiston CM, O'Loughlin J. Mediation by coping style in the association between stressful life events and depressive symptoms in young adults. *Soc Psychiatry Psychiatr Epidemiol* 2022; **57**: 2401-2409 [PMID: 35895096 DOI: 10.1007/s00127-022-02341-8]
- 69 **Pritchard AJ**, Palombit RA. Measuring behavioral coping style and stress reactivity experimentally in wild olive baboons. *Behav Processes* 2022; **195**: 104564 [PMID: 34915059 DOI: 10.1016/j.beproc.2021.104564]
- 70 **Sun P**, Sun Y, Jiang H, Jia R, Li Z. Gratitude and Problem Behaviors in Adolescents: The Mediating Roles of Positive and Negative Coping Styles. *Front Psychol* 2019; **10**: 1547 [PMID: 31379645 DOI: 10.3389/fpsyg.2019.01547]
- 71 **Zhang Y**, Huang L, Luo Y, Ai H. The Relationship Between State Loneliness and Depression Among Youths During COVID-19 Lockdown: Coping Style as Mediator. *Front Psychol* 2021; **12**: 701514 [PMID: 34594266 DOI: 10.3389/fpsyg.2021.701514]
- 72 **Cole BS**. Recognizing the Trauma of Adverse Childhood Experiences. *J Christ Nurs* 2021; **38**: 248-252 [PMID: 34477588 DOI: 10.1097/CNJ.0000000000000884]
- 73 **Wilson-Genderson M**, Heid AR, Cartwright F, Pruchno R. Adverse childhood experiences, adult trauma, and depressive symptom trajectories. *Aging Ment Health* 2022; **26**: 2170-2178 [PMID: 34541986 DOI: 10.1080/13607863.2021.1978926]
- 74 **Loewy RL**, Corey S, Amirfathi F, Dabit S, Fulford D, Pearson R, Hua JPY, Schlosser D, Stuart BK, Mathalon DH, Vinogradov S. Childhood trauma and clinical high risk for psychosis. *Schizophr Res* 2019; **205**: 10-14 [PMID: 29779964 DOI: 10.1016/j.schres.2018.05.003]
- 75 **Wang X**, Ding T, Lai X, Yang C, Luo J. Negative Life Events, Negative Copying Style, and Internet Addiction in Middle School Students: A Large Two-year Follow-up Study. *Int J Ment Health Addict* 2023; 1-11 [PMID: 37363770 DOI: 10.1007/s11469-023-01045-7]
- 76 **Mozafar Saadati H**, Mirzaei H, Okhovat B, Khodamoradi F. Association between internet addiction and loneliness across the world: A meta-analysis and systematic review. *SSM Popul Health* 2021; **16**: 100948 [PMID: 34754896 DOI: 10.1016/j.ssmph.2021.100948]



Published by **Baishideng Publishing Group Inc**
7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA

Telephone: +1-925-3991568

E-mail: bpgoffice@wjgnet.com

Help Desk: <https://www.f6publishing.com/helpdesk>

<https://www.wjgnet.com>

