



Digital interventions empowering mental health reconstruction among students after the COVID-19 pandemic

Xin-Qiao Liu, Yu-Xin Guo, Xin-Ran Zhang, Lin-Xin Zhang, Yi-fan Zhang

Specialty type: Psychiatry

Provenance and peer review:

Invited article; Externally peer reviewed.

Peer-review model: Single blind

Peer-review report's scientific quality classification

Grade A (Excellent): 0
Grade B (Very good): B
Grade C (Good): C
Grade D (Fair): 0
Grade E (Poor): 0

P-Reviewer: Kar SK, India; Shafqat S, Pakistan

Received: April 12, 2023

Peer-review started: April 12, 2023

First decision: May 12, 2023

Revised: May 13, 2023

Accepted: May 24, 2023

Article in press: May 24, 2023

Published online: June 19, 2023



Xin-Qiao Liu, Yu-Xin Guo, Xin-Ran Zhang, Lin-Xin Zhang, Yi-fan Zhang, School of Education, Tianjin University, Tianjin 300350, China

Corresponding author: Xin-Qiao Liu, PhD, Associate Professor, School of Education, Tianjin University, No. 135 Yaguan Road, Jinnan District, Tianjin 300350, China.
xinqiaoliu@pku.edu.cn

Abstract

With the gradual end of the coronavirus disease 2019 (COVID-19) pandemic, the reconstruction of students' mental health is urgently necessary. Digital interventions offer advantages such as high accessibility, anonymity, and accurate identification, which can promote the reconstruction of students' mental health through the provision of psychological support platforms, psychological assessment tools, and online mental health activities. However, we recognize that digital interventions must undergo many adjustments, and corresponding ethical norms require further clarification. It is crucial for different stakeholders to collaborate and work toward maximizing the effectiveness of digital interventions for the reconstruction of mental health after the COVID-19 pandemic.

Key Words: Digital interventions; Artificial intelligence; Big data; Students; Mental health

©The Author(s) 2023. Published by Baishideng Publishing Group Inc. All rights reserved.

Core Tip: As the coronavirus disease 2019 (COVID-19) pandemic has gradually come to an end, a challenge that has emerged is how to restore the mental health of students after the pandemic. This paper contends that digital interventions are cutting-edge and that effective approaches should be fully utilized to address the impact of the COVID-19 pandemic on the mental health of students.

Citation: Liu XQ, Guo YX, Zhang XR, Zhang LX, Zhang YF. Digital interventions empowering mental health reconstruction among students after the COVID-19 pandemic. *World J Psychiatry* 2023; 13(6): 397-401

URL: <https://www.wjgnet.com/2220-3206/full/v13/i6/397.htm>

DOI: <https://dx.doi.org/10.5498/wjp.v13.i6.397>

TO THE EDITOR

We have read the observational study titled “Investigating adolescent mental health of Chinese students during the coronavirus disease 2019 (COVID-19) pandemic: Multicenter cross-sectional comparative investigation” authored by Huang *et al*[1] and published in the 11th issue of the *World Journal of Psychiatry* in 2022. In this paper, the impact of the COVID-19 pandemic on the daily life and learning of adolescents was analyzed from four aspects: Time distribution, cohabitation groups, and positive and negative effects. The Patient Health Questionnaire-9 and the Generalized Anxiety Disorder Questionnaire-7 were used to measure the impact of the COVID-19 pandemic on the mental health of adolescents. The results of the study indicated that there were significant differences in the time distribution of daily activities and cohabitation groups for adolescents before and after the COVID-19 pandemic. The academic performance of adolescents from different grades was negatively impacted by the pandemic, with distinct features observed for students at different grade levels; in particular, there was a significant increase in the rate of severe anxiety among junior high school students[1].

We believe that the conclusion of the article is highly valuable for discussion. The COVID-19 pandemic has greatly impacted the daily lives and learning of adolescents, and the mental health status of this population deserves more attention. Our previous research also showed that the prevalence rates of depression and anxiety among Asian university students range from approximately 20% to 40%[2,3], which are relatively high rates and have various negative effects on the daily lives of these students. Given the uniqueness of the COVID-19 pandemic, most studies suggest that the mental health of adolescents has shown a deteriorating trend during the pandemic[4,5]. Other studies have also reported results consistent with the findings of Huang *et al*[1], indicating that the incidence of mental disorders among adolescents, such as depression, anxiety, and stress, has decreased during the COVID-19 pandemic[6-8]. However, the mental health status of adolescents remains concerning. During the COVID-19 pandemic, the improvement of mental health among adolescents is often accompanied by an increase in attachment security and communication with parents, continuous optimization of organizational structures within schools, and gradual adaptation to daily life changes[7,9]. In our study, family, school, and individual factors were considered to be influencing factors of individual depression and anxiety levels, such as family relationships, parental education level, school environment, peer relationships, and lifestyle factors[2,3]. Therefore, general intervention measures should start from these three aspects, namely, enhancing family support for the mental state of adolescents, providing various forms of psychological counseling in schools, and adolescents themselves making efforts to maintain a positive attitude. These measures would improve the mental health status of adolescents during and after the COVID-19 pandemic.

Currently, there are abundant research findings on the impact of the COVID-19 pandemic on students' mental health. However, as the pandemic ends, it remains challenging to effectively address the mental health crisis caused by the pandemic and reshape positive mindsets in individuals. Digital therapy is emerging rapidly and gradually becoming a hot topic in the research and practice of mental health interventions. Digital interventions, carried out *via* the internet, big data, and artificial intelligence, provide a new form for screening, assessing, intervening and treating mental health problems[10,11]. Several studies have confirmed the effectiveness of digital interventions in the treatment of mental health[12-15]. Their advantages are mainly reflected in the following three aspects. First, digital interventions are highly accessible, which can alleviate the imbalance between the supply and demand of mental health services[16,17]. The COVID-19 pandemic was characterized by a sudden onset, long duration, and broad impact. The resulting mental health problems have become increasingly prominent, and many professional psychologists are needed to provide targeted mental health services. In fact, the public health system has a limited capacity to respond to emergencies, and mental health resources are limited[18]. In the context of the intelligence era, students can access various forms of digital intervention services through the internet and mobile platforms to address potential mental health problems in a timely manner[19]. Second, digital interventions are anonymous, which can reduce the risk of stigmatization. Due to concerns about stigmatization, many students have low willingness to seek psychological help, and their anxiety and depression may not be relieved in a timely manner[20]. With the use of digital interventions, students can access services anonymously at any time[21]. Third, digital interventions can accurately identify psychological health problems and provide effective solutions. Through health data tracking and intelligent analysis systems, digital interventions can accurately screen students with potential psychological health problems, making it easier to provide psychological counseling in a timely manner. In addition, based on the different needs of students, digital interventions can also provide personalized psychological support, making them more flexible and convenient to use[16,22].

It is worth noting that there are still some challenges in more extensive and efficient mining and application of digital psychological health interventions. First, students inevitably face the risk of information leakage when using applications and other mobile platforms. Various countries have not established an effective supervision and management system, and the corresponding ethical norms need to be further clarified[23,24]. Second, digital interventions are essential tools. Psychological health practitioners should combine their professional literacy and fully utilize the characteristics of digital technology to maximize the potential of digital interventions[25]. Finally, technology changes rapidly,

and digital psychological health interventions have not kept up with the pace[18]. Different stakeholders need to work together to inject new vitality into digital psychological health interventions using the latest artificial intelligence and virtual reality technologies.

The rapid development of artificial intelligence provides powerful support for the improvement and popularization of mental health services. In response to the challenges encountered in the application of digital psychological interventions, the latest research proposes suggestions from three aspects: Theory, practice, and future development trends. First, the theoretical foundation for the development of digital intervention needs to transform good clinical practice standards (such as CBT) into key components of mental health services[26]. Second, to improve the effectiveness of digital psychological interventions, a participatory design approach should be widely adopted[27], and cultural relevance should be integrated into mobile applications or online platforms[28,29]. Finally, future digital psychological interventions should fully utilize the latest developments in artificial intelligence, applying algorithms such as machine learning and deep learning to automatically identify and analyze emotional states and establish a mental health database. In addition, protecting user data privacy, reducing costs, and improving usability are also key issues that need to be addressed in the future[30,31]. Regarding the protection of user privacy, we believe that students' information literacy should be given attention. In the digital environment, students are vulnerable to data malfunctions and the unethical use of their data. To prevent this situation, students should be aware of the risks they may face in digital media, improve their digital literacy and safety awareness, effectively use and manage their digital archives, and have a healthy online/offline social life.

In conclusion, after the outbreak of the COVID-19 pandemic, restoring the mental health of students is urgently necessary. Digital interventions can promote the reconstruction of students' mental health by providing a platform for psychological support, offering psychological assessment tools, and facilitating online mental health activities. We believe that digital interventions should be actively adopted to support students' mental health and enhance social welfare.

FOOTNOTES

Author contributions: Liu XQ designed the study; Liu XQ, Guo YX, Zhang XR, Zhang LX, and Zhang YF wrote the manuscript; and all authors contributed equally to this work and have approved the final manuscript.

Supported by the Tianjin Philosophy and Social Science Planning Project "Research on Value-added Evaluation of Career Adaptability for Engineering Students Oriented towards Outstanding Engineers", No. TJJXQN22-001.

Conflict-of-interest statement: All the authors report no relevant conflicts of interest for this article.

Open-Access: This article is an open-access article that was selected by an in-house editor and fully peer-reviewed by external reviewers. It is distributed in accordance with the Creative Commons Attribution NonCommercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited and the use is non-commercial. See: <https://creativecommons.org/licenses/by-nc/4.0/>

Country/Territory of origin: China

ORCID number: Xin-Qiao Liu 0000-0001-6620-4119; Yu-Xin Guo 0000-0001-7823-3195; Yi-fan Zhang 0000-0002-8870-9983.

S-Editor: Chen YL

L-Editor: A

P-Editor: Chen YL

REFERENCES

- 1 Huang BW, Guo PH, Liu JZ, Leng SX, Wang L. Investigating adolescent mental health of Chinese students during the COVID-19 pandemic: Multicenter cross-sectional comparative investigation. *World J Psychiatry* 2022; **12**: 1323-1334 [PMID: 36438680 DOI: 10.5498/wjp.v12.i11.1323]
- 2 Liu XQ, Guo YX, Xu Y. Risk factors and digital interventions for anxiety disorders in college students: Stakeholder perspectives. *World J Clin Cases* 2023; **11**: 1442-1457 [PMID: 36926387 DOI: 10.12998/wjcc.v11.i7.1442]
- 3 Liu XQ, Guo YX, Zhang WJ, Gao WJ. Influencing factors, prediction and prevention of depression in college students: A literature review. *World J Psychiatry* 2022; **12**: 860-873 [PMID: 36051603 DOI: 10.5498/wjp.v12.i7.860]
- 4 Fruehwirth JC, Biswas S, Perreira KM. The Covid-19 pandemic and mental health of first-year college students: Examining the effect of Covid-19 stressors using longitudinal data. *PLoS One* 2021; **16**: e0247999 [PMID: 33667243 DOI: 10.1371/journal.pone.0247999]
- 5 Hawes MT, Szenczy AK, Klein DN, Hajcak G, Nelson BD. Increases in depression and anxiety symptoms in adolescents

- and young adults during the COVID-19 pandemic. *Psychol Med* 2022; **52**: 3222-3230 [PMID: [33436120](#) DOI: [10.1017/S0033291720005358](#)]
- 6 **Foster S**, Estévez-Lamorte N, Walitz S, Dzemaili S, Mohler-Kuo M. Perceived stress, coping strategies, and mental health status among adolescents during the COVID-19 pandemic in Switzerland: a longitudinal study. *Eur Child Adolesc Psychiatry* 2022; 1-13 [PMID: [36515772](#) DOI: [10.1007/s00787-022-02119-y](#)]
 - 7 **Hussong J**, Möhler E, Kühn A, Wenning M, Gehrke T, Burckhart H, Richter U, Nonnenmacher A, Zemlin M, Lücke T, Brinkmann F, Rothoef T, Lehr T. Mental Health and Health-Related Quality of Life in German Adolescents after the Third Wave of the COVID-19 Pandemic. *Children (Basel)* 2022; **9** [PMID: [35740717](#) DOI: [10.3390/children9060780](#)]
 - 8 **Shi W**, Zhao L, Liu M, Hong B, Jiang L, Jia P. Resilience and mental health: A longitudinal cohort study of Chinese adolescents before and during COVID-19. *Front Psychiatry* 2022; **13**: 948036 [PMID: [36061276](#) DOI: [10.3389/fpsy.2022.948036](#)]
 - 9 **Yang B**, Chen BB, Qu Y, Zhu Y. The positive role of parental attachment and communication in Chinese adolescents' health behavior and mental health during COVID-19. *J Adolesc* 2022; **94**: 1081-1095 [PMID: [35971991](#) DOI: [10.1002/jad.12085](#)]
 - 10 **Harith S**, Backhaus I, Mohbin N, Ngo HT, Khoo S. Effectiveness of digital mental health interventions for university students: an umbrella review. *PeerJ* 2022; **10**: e13111 [PMID: [35382010](#) DOI: [10.7717/peerj.13111](#)]
 - 11 **Yosep I**, Hikmat R, Mardiyah A. Types of Digital-Based Nursing Interventions for Reducing Stress and Depression Symptoms on Adolescents During COVID-19 Pandemic: A Scoping Review. *J Multidiscip Healthc* 2023; **16**: 785-795 [PMID: [37006343](#) DOI: [10.2147/JMDH.S406688](#)]
 - 12 **Harrer M**, Adam SH, Baumeister H, Cuijpers P, Karyotaki E, Auerbach RP, Kessler RC, Bruffaerts R, Berking M, Ebert DD. Internet interventions for mental health in university students: A systematic review and meta-analysis. *Int J Methods Psychiatr Res* 2019; **28**: e1759 [PMID: [30585363](#) DOI: [10.1002/mpr.1759](#)]
 - 13 **Lattie EG**, Adkins EC, Winquist N, Stiles-Shields C, Wafford QE, Graham AK. Digital Mental Health Interventions for Depression, Anxiety, and Enhancement of Psychological Well-Being Among College Students: Systematic Review. *J Med Internet Res* 2019; **21**: e12869 [PMID: [31333198](#) DOI: [10.2196/12869](#)]
 - 14 **Rith-Najarian LR**, Boustani MM, Chorpita BF. A systematic review of prevention programs targeting depression, anxiety, and stress in university students. *J Affect Disord* 2019; **257**: 568-584 [PMID: [31326690](#) DOI: [10.1016/j.jad.2019.06.035](#)]
 - 15 **Bolinski F**, Boumparis N, Kleiboer A, Cuijpers P, Ebert DD, Riper H. The effect of e-mental health interventions on academic performance in university and college students: A meta-analysis of randomized controlled trials. *Internet Interv* 2020; **20**: 100321 [PMID: [32382515](#) DOI: [10.1016/j.invent.2020.100321](#)]
 - 16 **Sugarman DE**, Meyer LE, Reilly ME, Rauch SL, Greenfield SF. Exploring Technology-Based Enhancements to Inpatient and Residential Treatment for Young Adult Women with Co-Occurring Substance Use. *J Dual Diagn* 2021; **17**: 236-247 [PMID: [34261413](#) DOI: [10.1080/15504263.2021.1940412](#)]
 - 17 **Li J**. Digital technologies for mental health improvements in the COVID-19 pandemic: a scoping review. *BMC Public Health* 2023; **23**: 413 [PMID: [36859184](#) DOI: [10.1186/s12889-023-15302-w](#)]
 - 18 **Philippe TJ**, Sikder N, Jackson A, Koblanski ME, Liow E, Pilarinos A, Vasarhelyi K. Digital Health Interventions for Delivery of Mental Health Care: Systematic and Comprehensive Meta-Review. *JMIR Ment Health* 2022; **9**: e35159 [PMID: [35551058](#) DOI: [10.2196/35159](#)]
 - 19 **Baños RM**, Herrero R, Vara MD. What is the Current and Future Status of Digital Mental Health Interventions? *Span J Psychol* 2022; **25**: e5 [PMID: [35105398](#) DOI: [10.1017/SJP.2022.2](#)]
 - 20 **Reavley NJ**, McCann TV, Cvetkovski S, Jorm AF. A multifaceted intervention to improve mental health literacy in students of a multicampus university: a cluster randomised trial. *Soc Psychiatry Psychiatr Epidemiol* 2014; **49**: 1655-1666 [PMID: [24797396](#) DOI: [10.1007/s00127-014-0880-6](#)]
 - 21 **Sorkin DH**, Janio EA, Eikev EV, Schneider M, Davis K, Schueller SM, Stadnick NA, Zheng K, Neary M, Safani D, Mukamel DB. Rise in Use of Digital Mental Health Tools and Technologies in the United States During the COVID-19 Pandemic: Survey Study. *J Med Internet Res* 2021; **23**: e26994 [PMID: [33822737](#) DOI: [10.2196/26994](#)]
 - 22 **Bolinski F**, Kleiboer A, Karyotaki E, Bosmans JE, Zarski AC, Weisel KK, Ebert DD, Jacobi C, Cuijpers P, Riper H. Effectiveness of a transdiagnostic individually tailored Internet-based and mobile-supported intervention for the indicated prevention of depression and anxiety (ICare Prevent) in Dutch college students: study protocol for a randomised controlled trial. *Trials* 2018; **19**: 118 [PMID: [29458407](#) DOI: [10.1186/s13063-018-2477-y](#)]
 - 23 **Lattie EG**, Lipson SK, Eisenberg D. Technology and College Student Mental Health: Challenges and Opportunities. *Front Psychiatry* 2019; **10**: 246 [PMID: [31037061](#) DOI: [10.3389/fpsy.2019.00246](#)]
 - 24 **Wykes T**, Lipshitz J, Schueller SM. Towards the Design of Ethical Standards Related to Digital Mental Health and all Its Applications. *Curr Treat Options Psychiatry* 2019; **6**: 232-242 [DOI: [10.1007/s40501-019-00180-0](#)]
 - 25 **Drerup ML**, Ahmed-Jauregui S. Online Delivery of Cognitive Behavioral Therapy-Insonnia: Considerations and Controversies. *Sleep Med Clin* 2019; **14**: 283-290 [PMID: [31029194](#) DOI: [10.1016/j.jsmc.2019.02.001](#)]
 - 26 **Rauschenberg C**, Schick A, Hirjak D, Seidler A, Paetzold I, Apfelbacher C, Riedel-Heller SG, Reininghaus U. Evidence Synthesis of Digital Interventions to Mitigate the Negative Impact of the COVID-19 Pandemic on Public Mental Health: Rapid Meta-review. *J Med Internet Res* 2021; **23**: e23365 [PMID: [33606657](#) DOI: [10.2196/23365](#)]
 - 27 **Malla A**, Joobar R. COVID-19 and the Future with Digital Mental Health: Need for Attention to Complexities. *Can J Psychiatry* 2021; **66**: 14-16 [PMID: [32885686](#) DOI: [10.1177/0706743720957824](#)]
 - 28 **Mindu T**, Mutero IT, Ngcobo WB, Musesengwa R, Chimbari MJ. Digital Mental Health Interventions for Young People in Rural South Africa: Prospects and Challenges for Implementation. *Int J Environ Res Public Health* 2023; **20** [PMID: [36674209](#) DOI: [10.3390/ijerph20021453](#)]
 - 29 **Naslund JA**, Aschbrenner KA, Araya R, Marsch LA, Unützer J, Patel V, Bartels SJ. Digital technology for treating and preventing mental disorders in low-income and middle-income countries: a narrative review of the literature. *Lancet Psychiatry* 2017; **4**: 486-500 [PMID: [28433615](#) DOI: [10.1016/S2215-0366\(17\)30096-2](#)]
 - 30 **Cao XJ**, Liu XQ. Artificial intelligence-assisted psychosis risk screening in adolescents: Practices and challenges. *World J*

Psychiatry 2022; **12**: 1287-1297 [PMID: 36389087 DOI: 10.5498/wjp.v12.i10.1287]

- 31 **Choudhury A**, Kuehn A, Shamszare H, Shahsavar Y. Analysis of Mobile App-Based Mental Health Solutions for College Students: A Rapid Review. *Healthcare (Basel)* 2023; **11** [PMID: 36673640 DOI: 10.3390/healthcare11020272]



Published by **Baishideng Publishing Group Inc**
7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA

Telephone: +1-925-3991568

E-mail: bpgoffice@wjgnet.com

Help Desk: <https://www.f6publishing.com/helpdesk>

<https://www.wjgnet.com>

